

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/

S 21 .A72 no.1-500 Index

INDEX

TO

TECHNICAL BULLETINS,

Nos. 1-500

UNITED STATES
DEPARTMENT OF AGRICULTURE

UNIVERSITY OF CALIFORNIA
LABRARY
TRANSH OF THE
COLLEGE OF AGRICULTURE




COLLEGE OF AGRICULTURE DAVIS, CALIFORNIA

UNIVERSITY OF CALIFORNIA

FEB 2 1 1980

GOVT. DOCS. - LIBRARY



UNITED STATES DEPARTMENT OF AGRICULTURE

INDEX

TO

TECHNICAL BULLETINS

Nos. 1-500

By

MABEL G. HUNT

In Charge of Indexing Section Division of Publications, Office of Information



UNITED STATES GOVERNMENT PRINTING OFFICE WASHINGTON: 1937

For sale by the Superintendent of Documents, Washington, D. C. - - - - - - Price 20 cents

UNIVERSITY OF CALIFORNIA LIBRARY BRANCH OF THE

Digitized by Google

INDEX

Apport W S.	hnical Bu	illetins
Abbott, W. S.: Ineffectiveness of Internal Medication of Poultry for the	No.	Page
Control of External Parasites. With D. C. Parman,		
J. J. Culver, and W. M. Davidson	60	1-24
Relative Insecticidal Value of Commercial Grades of Py-		
rethrum. With C. C. McDonnell, W. M. Davidson,		
G. L. Keenan, and O. A. Nelson	198	1-10
Abies spp. See Fir(s).		
ABLEITER, J. K.: A Method of Rural Land Classification. With		
C. E. Kellogg	469	1-30
Ablerus—		
connectans, parasitism in Ceylon	320	35-36
macrochaeta subsp. inquirenda, hyperparasitism	320	34-35
Abortion, infectious, of dairy cattle, control experiments at		
Beltsville, Md	321	17-18, 23
Beltsville, Md	258	5-7
Acequias, Spanish-American community, operation and man-		
agement	82	32-33
Acer spp. See Maple(s).		
Aceratagallia-		
abrupta, n. sp., technical description	372	48, 52
accola, n. sp., technical description	372	48, 57
aplopappi, n. sp., technical description	372	46, 67–68
arida, n. sp., technical description	372	48, 64
calcaris, n. sp., technical description	372	48, 50
compacta, n. sp., technical description	372	48, 51-52
curta, n. sp., technical description	372	48, 64-65
curvata, n. sp., technical description	372	47, 61-62
description and key to species.	$37\overline{2}$	45–48
dondia, n. sp., technical description	372	46, 68-69
fuscoscripta, n. sp., technical description	372	47, 61
helveola, n, sp., technical description	372	47, 54-55
humilis, n. sp., technical description	372	47, 49-50
lobata, n. sp., technical description	372	46, 67
nana, n. sp., technical description	372	47, 55-56
nanella, n. sp., technical description	372	47, 56
nitidula, n. sp., technical description.	372	48, 52-53
obscura, n. sp., technical description	372	47, 63-64
pallida, n. sp., technical description	372	48, 53
poudris, n. sp., technical description	372	48, 57
robusta, n. sp., technical description	372	47, 48-49
sordida, n. sp., technical description	372	48, 58
texana, n. sp., technical description	372	48, 51
vastitatis, n. sp., technical description	372	46, 69
vulgaris, n. sp., technical description	372	47, 60 –61
Acetals, aliphatic, efficacy as grain fumigants	162	38
Acetates, aliphatic, toxicity to clothes moths and beetles	162	51
Acetic acid, effectiveness in soil dispersion	170	3-5
Achatodes zeae, description, life history, and habits	345	6-14
Acid(s)—	940	0-14
aliphatic, efficacy as grain fumigants	162	38
inorganic, effect on physical properties of waterleaf rag	102	90
bond paper. T. D. Jarrell, J. M. Hankins, and F. P.		
	334	1-16
treatment, effectiveness in soil dispersion	170	5-9
vicavinione, encouveness in son dispersion	110	
		3

	hnical Bul	
Acidogona— description and history————————————————————————————————————	No. 401 401	Page 31-32 32
Acinia— description, history, and hosts———————————————————————————————————	401	46–47 48–49
Ackerman, A. J.: The Leaf Hoppers Attacking Apple in the Ozarks. With Dwight Isely. Acletoxenus indica, food, life history, and habits.	263	1-40
Acrocystis batatae, cause of soil rot of sweetpotatoes	•	43–45 40–41, 43–44
Adams, J. E.: Effects of Particle Size on the Properties and Efficiency of Fertilizers. With A. L. Mehring, L. M. White, and W. H. Ross		1–27
Experiments with Nitrogen Fertilizers on Cotton Soils. With J. S. Skinner, R. A. Lineberry, C. B. Williams,	•	
and H. B. Mann	452 366	$ \begin{array}{c} 1-28 \\ 2,13-20, \\ 56, 57 \end{array} $
Adelphocoris rapidus, feeding on cotton, studyAdhesives—		3–11
kinds used in wood construction phenol-aldehyde, preparation and use Aegeria exitiosa. See Peach borer.		6 6
Africa— south and east—		
corn production	466	312-329
cotton production	466	258-291
sugar industry		291-312
tobacco industrysouthern—	466	215-258
agricultural resources, crops, and livestock	466	5-11
agriculture. C. C. Taylor.		1-342
area, population, and historical background	466	3-5
foreign trade	466	21-25
political subdivisions		11-21
wool industry	466 466	25-62
southwest, livestock industrywheats, production, and milling and baking qualities	197	97-98 174-18 7
Agallia—	191	174-107
acuticauda, n. sp., technical description	372	27, 28
bicolor, n. sp., technical description	372	25 , 28 – 29
bidactylata, n. sp., technical description	372	26, 42
bidigitata, n. sp., technical description	372 372	28, 36–37
configurata, n. sp., technical description constricta var. cubana, n. var., technical description	372	28, 36 26, 38
description and key to species.	372	24-28
hystricula, n. sp., technical description	372	27, 45
ingens, n. sp., technical description	372	26, 43
munda, n. sp., technical description	372	28, 31–32
obesa, n. sp., technical description	$\begin{array}{c} 372 \\ 372 \end{array}$	25, 40
peneconstricta, n. sp., technical descriptionquadripunctata subsp. excavata, n. subsp., technical description	372	26, 39 26, 41-42
spp., North American, classification	372	24-45
Agalliana— new genus description	372	70
new genus, descriptionsticticollis, description, classification, and rangeAgalliopsis—		70–71
ancoralis, n. sp., technical description	372	9, 21
brunnea, new name, technical description	372	9, 19–20
cervina, n. sp., technical description cincta, n. sp., technical description	$\begin{array}{c} 372 \\ 372 \end{array}$	9, 16 9, 14
conformis, n. sp., technical description	372	8, 11
description and key to species	372	8-24
dubiosa, n. sp., technical description	372	9, 18

	Technical Bull	
Agalliopsis—Continued.	No.	Page
exilis, n. sp., technical description fuscosignata, n. sp., technical description		9, 21–22 10, 15–16
fuscosignata var. minor n. var., technical description		10, 10-10
huachucae, n. sp., technical description		9, 14-15
magnifica, n. sp., technical description		8, 20-21
peneoculata, n. sp., technical description		10, 17–18
variabilis, n. sp., technical description		10, 22
Agents, county, time spent in various extension methods.	125	7-9
Agricultural—		
investigations— Belle Fourche (S. Dak.) Field Station, 1926-	20	
Beyer Aune, L. A. Hurst, and Albert Osenbrug.	-52. 454	1-53
Huntley Mont Field Station 1927-30 Dan H	an-	1-00
Huntley, Mont., Field Station, 1927–30. Dan H sen, A. E. Seamens, and D. V. Kopland	353	1-50
products—		
color-determination method. Dorothy Nickerson.	154	1-32
grading, importance of color factor	154	2–3, 31
survey of Europe—		
France. L. G. Michael		1-184
Hungary. L. G. Michael		1-104 1-64
Switzerland. Asher HobsonAgricultural Credit Act, influence upon cotton industry	322	3-4
Agriculture—	022	0-1
rigite at tale		5-10,
	ſ	26-29
French, effect of World War	37	46-49
riench, enect of world war	"	73–74,
	(81-82
gross returns in Switzerland for various periods	101	18
Agropyron—	361	15–16
repens, host plant of hessian fly, observations		70-10
spp. See also Wheatgrass.	101	•
Agrotis—		
badinodis, distribution, food plants, habits, and history	y 88	132-136
c-nigrum, distribution, food habits, and history	88	136-140
unicolor, distribution, food plants, and history ypsilon, distribution, food plants, habits, and life history	88	140-142
ypsilon, distribution, food plants, habits, and life histor	y 88	52-59
AINSLIE, C. N.: The Western Grass-Stem Sawfly a Pest of Su		1-24
GrainsAinslie, G. G.:	107	1-24
The Bluegrass Webworm	173	1-26
The Larger Sod Webworm		1-18
Air—		
circulation in lumber pile	174	22-24
drainage, relation to apple yields, Cumberland-Shen	an-	10.15
doah region	54	13-15
drying— soils of United States and Canada, effect on hydrog	an_	
ion concentration. E. H. Bailey		1-44
southern yellow pine, comparison with kiln drying	165	16-17
seasoning of wood. J. S. Mathewson	174	1-56
Aircraft—		
glued stock, drying and conditioning		39-40
gluing operations, recommendations	205	40-49
joints, gluing technic as related to quality manufacture, wood gluing. T. R. Truax	205 205	22-34 1-58
wood construction, cross-banded and laminated, principl	les 205	1-58 49 -52
See also Airplanes.	200	10-02
Airplane(s)—		
dusting for control of blueberry maggot, effectiveness, co	om-	
parison with ground machine	275	62
manufacture, gluing wood in	205	1-56
woods for, strength, determination.	158	33
See also Aircraft.		

Techn	ical Bull	letins
AKERS, T. F.: Forage-Crop Field Experiments at West Point, Miss. With H. L. Westover	No. 419	Page 1–20
Alabama— livestock possibilities, economic study logging in shortleaf and loblolly pine forests, investigations_	127 375	0. 17 00
strawberry industry, 1920–26	180	2-17, 32- 33, 63-72, 77-87, 92- 104
Alaska-	`	
forests, types and timber utilizationsoutheastern, western hemlock-Sitka spruce stands, second-	226	2-5, 54
growth, yield. R. F. Taylorwoods—	412	1–30
distribution and mechanical properties. L. J. Mark- wardt	226	1-80
mechanical properties, studies	226	22-77
Alberta, barley yields— 1916–26, by varieties	96	54-58
1927-31	446	55-59, 76
Alcohol(s)—	99	54–56
aliphatic— efficacy as grain fumigants	162	36–37
toxicity to clothes moths and beetles.	162	50
extraction, from soils, methods and results	211	13–16
aliphatic, efficacy as grain fumigants	162	38
reaction of soils, determination ALDEN, C. H.: Paradichlorobenzene Experiments in the South	211	23-24
for Peach-Borer Control. With O. I. Snapp. ALDRICH, W. W.: Studies of the Irrigation of Pear Orchards on	58	1-40
Heavy Soil near Medford, Oreg. With M. R. Lewis and	432	1-34
R. A. Work Aleurocanthus woglumi. See Citrus blackfly.	402	1-94
ALEXANDER, L. M.: Shrinkage and Heat Penetration during the Roasting of Lamb and Mutton as Influenced by Carcass		
Grade, Ripening Period, and Cooking Method. With N. G. Clark	440	1–27
Alexander, L. T.:	710	1-21
A Critical Laboratory Review of Methods of Determining Organic Matter and Carbonates in Soil. With H. G.		
Byers	317	1-26
A Pipette Method of Mechanical Analysis of Soils Based on Improved Dispersion Procedure. With L. B. Olm-		
stead and H. E. Middleton Mechanical Analysis of Finely Divided Natural Phos-	170	1-23
phates. With K. D. Jacob	212	1-24
The Composition and Constitution of the Colloids of Certain of the Great Groups of Soils. With H. G.		
Byers and R. S. Holmes	484	1-39
Alfalfa— effect on yields of—		
crops, comparison with manureirrigated crops in the Great Plains. S. H. Hastings	144 483	16-32 1-40
migated drops in the Great I miles. St. IX IX and Miles	100	3-6,
oats in rotation	483	19-24, 30-33, 35-37
	7	3-6.
		14-17,
potatoes in rotation	483	23–24, 28–30,
	(35-37
sugar beets in rotation	483	3-6, 8-12,
augai Decia in Ionanon	2005	23–27, 35–37

Alfalfa—Continued.	hnical Bu	lletins
experiments at Stoneville, Miss. P. R. Henson and H. L.		Page
Westover fertilizer experiments at Stoneville, Miss	495 495	1-14 5-6
field experiments at West Point, Missgrowing—	419	4–12 5, 6, 8–10,
at Belle Fourche station, experiments	454	13, 45, 47–48
at Fort Hays Branch Station, Kans., experiments	410	59–68
at Huntley Field Station, experiments, 1927-30	353{	
extension methods and practices	106{	11, 15, 34, 35, 37 23–25,
under irrigation	36	42-43, 54, 63, 69, 79-81
hay. See Hay, alfalfa.	`	
host of tarnished buginvestigations on Newlands project	4 464	6-11 16-18
irrigation in Southwest, water applied and crop yields	105	37, 41, 43– 44, 48–52
meal-molasses mixtures, cause of spontaneous combustion_	141	27
pasturing with hogs, experiments at Belle Fourche station- rotation and tillage experiments in Oklahoma	454 330	19–20 32, 34
use as cover crop, comparison with manure	2	22-24
varietal tests at Stoneville, Missvarieties, protein content at different stages	495 419	2- 4 11
water—	,	94.95
received and crop yields in Columbia River Basin	200	34–35, 38–39, 44, 47, 48–51
requirements in Southwestyield(s)—	185	26
in irrigated crop rotations in Montana under irrigated rotation in Nebraska	2	13–14, 25 11, 19–20
under irrigation, Pacific slope, 1906–25	379	17-20, 47, 48, 49-52, 56, 59
Algae, in North Dakota lakes, annotated list	221	47
ALICATA, J. E.: Early Developmental Stages of Nematodes Occurring in Swine	489	1-96
Life History of Lungworms Parasitic in Swine. With		
Benjamin Schwartz Alinement charts. See Charts, alinement. Alinement D. C. Boarl, and	· 45 6	1–42
Aliphatic compounds, as fumigants, test. R. C. Roark and R. T. Cotton	162	1-52
action upon concrete, measurement method	358	8-9
disease, cause, investigationsfusion in soils	482 211	1-46 16
resistance of cement cylinders, investigations	358	5-77
salts, occurrence on St. Croix Island spray solvents, injury to apples	$\frac{315}{245}$	19–20, 27 9
Alkalinity, effect on toxin production by Clostridium botulinum Alkyl, aliphatic, comparative toxicity to rice weevils	411 162	63–65 44
Allegheny, hardwoods-pine-hemlock region, location ALLEN, F. W.: Investigations on the Handling of Bartlett	166	91
ALLEN, F. W.: Investigations on the Handling of Bartlett Pears from Pacific Coast Districts. With J. R. Magness		
and H. C. Diehl	140	1-28
Alligator(s)— breeding, season and nest	147	12–14
description and habits	147 147	7-14 19-21
food habits	147	21-32

	nical Bu	lletins
Alligator(s)—Continued. habits and economic importance. Remington Kellogg	No. 147	Page 1-36
hunting, methods, annual catch, and legal restrictions.	147	14-19
refuge, location	147	19
skins, prices	147	18
species, geographic distribution	147	2-7
Allograpta fracta, predators of Aphis maidis	306	18
Alopecia, production by thallium salts, studies	238	8-11, 20
Alternaria sp., infection of sweetpotatoes	99	58, 73-74
Altitude, effect on evaporation	271	34–42, 93
tions	461	6-11
Aluminum sulphate, effect on waterleaf all-rag bond paper,	2245	5-7,11-12, 14, 15
tests	334	14, 15
Amaranth leaf tiers, control of celery leaf tiers	463	39, 41
Amblyomma—	410	C O O 15
americanum, transmission of anaplasmosis, experiments.	418	6, 8-9, 15 6-7,
cajennense, transmission of anaplasmosis, experiments	418{	8-9, 15
maculatum, transmission of anaplasmosis, experiments	418	7, 8-9, 15
	1015	3, 4, 23,
Ambrosia beetles, infestation of wind-thrown timber	104	24, 27
America, tropical, importation of natural enemies of citrus	000	1 50
blackfly from Asia. C. P. Clausen and P. A. Berry	320 49	1-59 2
Amidostomum anseris, parasitism on geeseAmines, aliphatic, efficacy as grain fumigants	162	41-42
Ammonia—	102	41-42
evolution in hay, in spontaneous combustion	141	21, 26-27
fertilizer tests with tobacco	12{	15. 32.
		36-40, 57
in soils, formation by acid hydrolysis	211	12
use in fertilizers on Norfolk loams	225	2-21
chloride, toxicity to Ribes spp., experiments	240	5-11
mechanical distribution to soil	182(11-23, 34-40, 81
phosphate(s)—		
effect on tobacco yields	414	16-18
effectiveness in growing cotton, experiments mechanical application as fertilizer	426 182	44–47, 71 6–8
sulphate, effect on tomato yellows, experiments	189	12-13
Anabrux simplex. See Mormon cricket.	100	12 10
Anachaetopsis tortricis, parasite of codling moth	255	26
Anaplasmosis, transmission by various species of ticks. C. W.		
Rees	418	1–18
Anastatus disparis— colonization and observation	86	25-31
foreign distribution and abundance	86	23-31
life history and habits	86	25
parasitism on gypsy moth	86	23, 31
Anastrepha—		
ludens—	,	
adults, thermal death points, study	400{	11-14, 15-17
larvae, thermal death points, study	400	1-5, 15-17
length of life, economic importance	444	3-7
length of life, economic importance (Loew), Mexican fruit fly, studies. H. H. Darby and		
E. M. Kapp	444	1-20
pupae, thermal death points, study	400{	5-11,
(Loew), thermal death points, observations. H. H.	(15–17
Darby and E. M. Kapp	400	1-19
toxicity of copper to, study.	444	7-10
See also Fruit fly, Mexican.		
pupation, relation to hydrogen-ion concentration of soil	444	1–3

Tech	nical Bu	lletins
Anatomy, plant, vegetative propagation from standpoint of. J. H. Priestley and C. F. Swingle	No. 151	Page 1-99
edentata, description of stages	404	199-101
tridentata, description of stages	404	153-154, 156, 159- 161
Anderson, Arthur: Quality of Alfalfa Hay in Relation to Curing Practice. With T. A. Kiesselbach	235	1-26
Anderson, M. S.: Character and Behavior of Organic Soil Colloids. With H. G. Byers.	377	1-32
Character of the Colloidal Materials in the Profiles of Certain Major Soil Groups. With H. G. Byers	228	1-24
Anemone spp., roots, endogenous bud formation	151	42-43
Angola, cotton industry Angoumois grain moth in Maryland, life history. Perez	466	277-278
Angoumois grain moth in Maryland, life history. Perez Simmons and G. W. Ellington	351	1-35
immunization against anthrax, efficacy of biologics.		
W. S. Gochenour, H. W. Schoening, C. D. Stein, and	468	1-16
W. M. Mohler poisoning by thallium salts, examples	238	1-16 4-8
susceptibility to western duck sickness.	411	45-47
Ant(s)—	411	
damage to fire-scarred hardwoodsleaf-cutting, damage in Canal Zone	494 94	29, 30 12
Anthonomus— aeneolinctus. See Pepper weevil.		
eugenii. See Pepper weevil.		
grandis. See Boll weevil(s). Anthracnose of clover. See Clover, anthracnose of.		
Anthrax biologics, efficacy in producing immunity in previously		
unexposed animals. W. S. Gochenour, H. W. Schoening,	400	1 10
C. D. Stein, and W. M. Mohler	468 488	1-16 7-10
Apanteles—		
diatraeae, parasitism on southwestern corn borer	388	46 123–124
colonization and observationlife history and habits	86 86	100 100
parasitism on brown-tail moth and gypsy moth	86{	120-122 120, 124- 127
liparidis—	0.0	06.07
foreign distribution and abundanceintroduction and colonization	86 86	96-97 98-102
life history and habits	86	97-98
parasitism on gypsy moth		95-96, 103 16, 17, 19-
marginiventris, parasitism on fall army worm	138	21, 25-28, 57-60
melanoscelus—	86	41–49
colonization and observation cross-breeding with A. solitarius, experiments	477	11-12
foreign distribution and abundance	86	39
life history and habits	86 86	40 38, 48-49
parasitism on gypsy moth porthetriae—	80	30, 40-43
foreign distribution and abundance	86	89-90
introduction and colonization	86 86	91-94 90-91
life history and habitsparasitism on gypsy moth	86	90 - 91 88-89, 95
solitarius—		35 30, 00
(Ratzeburg), an introduced braconid parasite of the satin moth. D. L. Parker	477	1-18
cross-breeding with A. melanoscelus, experiments	477	11-12

	Technical Bo No.	ulletins Page
solitarius—Continued. description and life history		5-11
host relations and laboratory breeding		4-5
importation, colonization, and distribution		3-4
seasonal history, effectiveness, and parasites	477	12-15
spp., parasitism on corn borer in Orient	455	22
thompsoni— biology	233	12-20
breeding methods		21-22
collection and shipment, methods	233	24-25
- · · · · · · · · · · · · · · · · · · ·		(4 10
development, description		(20-21
distribution, habitat, and economic importance		2-4
limiting factors as parasite	233	· 21–22
Lyle, braconid parasite of the European corn bo		1-28
A. M. Vanceparasitism on corn borer		6-8, 23-27
parasitism on corn-borer larva		31–32
xanthopus, parasitism on sugarcane borer		21
Aphids, control with pyrethrum powder and flowers, tests_	198	3, 5-8
Aphis maidis—		•
technical description	306	15
See also Corn leaf aphid.		
Apiaceae, repellency to Japanese beetle, list	299	12
Apiaries— cash expenses and returns	481	30-34
	401	10-13, 18-
labor requirements		21, 31
organization and equipment in white clover region	481	3-10
producing extracted honey in white clover region, organization	ani-	
zation and management. R. S. Washburn and G.	E.	
Marvin	481	1-44
Apiculture. See Bee(s); Beekeeping; Honey; Honeybee(s).		(19 14
Aplanobacter stewarti, infection of sweet corn, experiments.	362	{ 13−14, } 20−21
Apocynum ambigens, toxicity to cattle and sheep, disproval	93	3-6
Appalachian region, southern, timber growing and logging pr	rac-	
tice. E. H. Frothingham	250	1-93
Appalachians, southern—		
chestnut deterioration. D. V. Baxter and L. S. Gill_		1-22
forest improvement measures		1-46 43-44
shrubs and vines, listtimber species, list		87–89
tree species, classification		41-43
Apple(s)—		11 10
areas and districts, description	474	13-18
bruising and freezing in storage and transit. D. H. R	lose	
and J. M. Lutz	370	1-15
bud differentiation and fruit quality, relation to leaf a	ırea	1 00
and position. M. H. Haller and J. R. Magness		1-36
cold storage	$$ $\begin{cases} 234 \\ 474 \end{cases}$	26-29 31-33
color development, effect of moisture supply	(21-23
containers, types used in Cumberland-Shenandoah regi	on. 234	48-50
core injury from washing solutions, prevention	245	g
crab, host of apple maggot	66	6, 9
crop—		
financing	472	34
utilization, harvesting, and preparation for market	t 474	
distribution, methods and channels	474 474	50-51 63-68
foreign trade	4/4 and	09-09
J. M. Lutz	370	1-15
fruit-bud formation, effect of moisture supply		23-26
fruit quality and bud differentiation, relation to leaf a	rea	
and position. M. H. Haller and J. R. Magness	338	1-36
grades, relation to prices		37-40

	chnical Bu	ılletins _
growing— district, northern Georgia, location and climate——— on Newlands project————————————————————————————————————		Page 2-3, 43 29
grown in Cumberland-Shenandoah region of Pennsylvania Virginia, and West Virginia, marketing. C. R. Swinson J. J. Vernon, F. F. Lininger, F. P. Weaver, and A.	3, 1,	25
Dadisman growth—		1-51
and composition, relation to leaf area	_ 338	4-15 3 2-3 3
under irrigation, experimentshydrion concentration changes, study	403	17-21 5-20 43-49
in storage and transit, bruising and freezing. D. H. Ros and J. M. Lutz	370	1-15
regionsindustry in South Africa	474 466	1-2 141-146 163, 169 171, 175 177, 183
injuries, arsenical and other, result of washing operation D. F. Fisher and E. L. Reeves		1-12
injury in transit, and prevention, experimentsleaf area and position, relation to quality of fruit and	_ 370	6-14
bud differentiation. M. H. Haller and J. R. Magness-leaf hoppers—	338	1–36
in the Ozarks. A. J. Ackerman and Dwight Isely natural enemies and control measures	_ 263	1-40 32-35
rearing methods and life historiesleaves, studies		21-27, 36 1-33
loading cars and transportationmaggot—		29-31
B. A. Porter	- 66 - 275	1-48
comparison with blueberry maggot description, history, and habits	_ 66	7-12, 73 4-5, 12-29
distribution		10-11 29-44
enemies and control measureshost fruits, discussion	_ 66	6-8
injury and economic importanceparasites, discussion	_ 66	2-3, 5-6 30
market(s)— competition and city markets	_ 474	51-62
distribution of carlot shipments in United States	_ 445	4-29 6-7,
from Cumberland-Shenandoah region	_ 234<	10-19, 34-37,
packages, grades, sizes, and inspection marketing—	_ 474	42–45 25–29
J. W. Park and R. R. Pailthorp	_ 474	1-82
from Cumberland-Shenandoah regionservices and charges, Cumberland-Shenandoah region	234 234	1-50 4 0- 4 5
orchards— Cumberland-Shenandoah region, yield factors———— eastern, soil moisture and irrigation investigations		1-25
J. R. Magness, E. S. Degman, and J. R. Furr fruit-growth measurements under varying moistur	. 491 e	1–36
conditionsirrigation, feasibility under eastern conditions		6-15 32-35
spraying for codling-moth control, schedule		93-94
prices— 1910–34	474	68-79 7-11,
in Cumberland-Shenandoah region	_ 234	29-34, 37-40 47

	nical Bu	lletins
Apple(s)—Continued. production and production trendssales—	No. 474	Page 2–7
methods in Cumberland-Shenandoah region methods in producing districts, and market informa-	234	46-48
wholesale and retail, Cumberland-Shenandoah regionshipment(s)—	474 234	35–38 12–20
sinpinent(s)—	ſ	29-56,
by motortruck in various sections	272	60–64, 67–68, 71–76
carlot, boat, and motortruckfrom Cumberland-Shenandoah region	474` 54	38-50 4
size and quality, relation to moisture supply	491	$3\overline{2}$
spraying for codling-moth control, schedule	90	93-94
storage rots, influence of washing supplies, effect on marketing problem	$\begin{array}{c} 245 \\ 234 \end{array}$	10 20-26
• • •	318{	51-52,
transit diseases, effect of carbon dioxide	310{	56, 5 7
trees—		17-20,
culture and planting, Cumberland-Shenandoah region.	54	91 94
dusting for control of leaf hoppers	263	33, 34–35, 37–38
functioning, effect of moisture supply	491	37-38 29-30
injury from nonlead arsenicals	281	9-11
moisture, reduced supply, physiological effects	491	26-29
spraying for control of leaf hoppers, experiments	263{	33–35, 37–38
spraying for maggot controlspraying with bordeaux mixture and fish oil	66 111	31-41, 46 26-27
spraying with fluorine for control of codling moth, ex-		
perimentsvarieties—	373	1-22
and yields in Cumberland-Shenandoah region	54	6-9
marketing season and keeping qualitiesrelation to prices	$\begin{array}{c} 474 \\ 234 \end{array}$	7-13 29-34
susceptible to apple maggot	66	8-9
washing for removal of spray residue, injurious effects	245	1-11
water received and crop yields in Snake River Valley,	200	43
world production and exports, 1927-32vield—	466	135
and size under irrigation, eastern orchardsin Cumberland-Shenandoah region of Pennsylvania,	491	15–17
Virginia, and West Virginia, factors influencing. C. R. Swinson, F. P. Weaver, A. J. Dadisman,		
J. J. Vernon, H. P. Gould, and J. B. Kincer	54	1-26
Apricot(s)— bacterial spot disease, study	079	1 40
bacterial spot disease, study	273	1-49 141, 144-
	1	146, 165,
industry in Union of South Africa	466	168–173,
		177, 179– 180, 182–
	ا	185
oil, production and usevarietal susceptibility to bacterial spot disease	$\begin{array}{c} 16 \\ 273 \end{array}$	31 16–17
Arachniotus trachyspermus, description and distribution.	258	13
Arborvitae, giant. See Redcedar, western.		
ARCHIBALD, R. W.: A Comparison of the Temperature and Bacterial Count of Milk and Foam during Certain Stages of		
the Pasteurization Process. With H. A. Whittaker, C. S.		
Leete, and L. F. Miller	18	1-12
Archytas piliventris, parasitism on fall army worm, and other hosts	138	15-21, 45-49,
	-50	57 –5 9

	al Bulle No.	tins Page
Ardmore Field Station, South Dakota, work, 1912-25. J. S. Cole, F. L. Kelso, E. Z. Russell, J. B. Shepherd, Duncan	.10.	Lage
Stuart, and R. R. Graves	17	1-68
	ا ۔۔	4-9,
Argas miniatus, control, tests by internal medication	60{	11-13, 17-18
Argentina-	(17-10
parasites of the sugarcane borer and their introduction into		
the United States. H. A. Jaynes	363	1-27
sugarcane growing and handlingwheats, production, and milling and baking qualities	363 197	24 78–94
Arizona—	197	10-94
barley yields—		
1922-26, by varieties	96	2-4
1927-31	446	2–3, 74
cotton— plant, effects of stress conditions. C. J. King	392	1-35
regions, tarnished bug, infestation	4	1-14
forest—		
types or zones, description	247	3-14
valuesirrigation-district development	480 254 5	7–8 65,7 4 –77,
land-settlement experiment	357	42-43
northern, forest growing season	247	19-21
Salt River, irrigation water, return flow	439	12
soils, selenium content, study	482	34-35
timber growing and logging practices	480	1-79
barley vields—		
1922-26, by varieties	96	4-5
1927-31	446	4, 74
		1-5, 8-15,
drainage districts, economic status in 1926	194{	28-30, 32-37, 39,
	Į	41-44, 47
farm taxation and rent, 1921-25	172	13-14, 38
logging in shortleaf and loblolly pine forests, investigations	37 5	1-52
	- (2-16, 18, 20, 28,
strawberry industry, 1920-26	180	20, 20, 33–35,
,,		55-58,
	(64-104
Arkansas Delta plantations, power utilization and cost. L. A.		
Reynoldson, W. R. Humphries, S. R. Speelman, E. W. McComas, and W. H. Youngman	497	1-47
Arkansas River Basin—	10.	1 11
climate	36	8–14
irrigation requirements	3 6	1-109
Arlington Experiment Farm, rate and date of seeding and seed-bed preparation for winter wheat. C. E. Leighty		
and J. W. Taylor.	38	1-20
Army worm—	-	
control measures	34	52-60
enemies, natural fall—	34	60–88
Philip Luginbill	34	1-92
association with southwestern corn borers	388	41-42
damage to crops.	34	8
dissemination	34	48-50
food plantsin Gulf coast district of Texas, studies. R. A. Vickery_	34 138	9-10 1-64
	34	10-48
life history and habits	138	3-6
origin and distribution	34	60 60
outbreaks, causeparasites, development and habits	138 138	60–62 15–60
predators	34	83-87
range and food plants	138	1-3

Army worm—Continued. fall—continued.	Technical I	
seasonal history	No. 138	
synonymy	34	
parasites	34	$\{\begin{cases} 61-74, \\ 70, 90\end{cases}$
semitropical—		'\ 78-82
distribution, food habits, and history	88	8 143-145
parasites and predators	88	
true, distinction from fall army worm ARNY, A. C.: Experiments in Minnesota: Flax Cropping wheat, Oats, and Barley	with	
Arrowgrass—	100) 0-24
(Triglochin maritima) as a stock-poisoning plant. C	. D.	
Marsh, A. B. Clawson, and G. C. Roe	113	
description and rangepoisoning of livestock, symptoms and remedies	118	3 3 8–9, 12–13
toxicity to cattle and sheep, experimental study		
Arsenic, injury to apples, and prevention methods	248	
Arsenical(s)—		
effect on citrus fruits, experiments injuries to apples from washing operations. D. F. Fis and E. L. Reeves	sher 245	
nonlead, efficacy in control of codling moth	281	
residue, on blueberries, studies	275	
spray residue on fruits, world toleranceuse against—	90	94
celery leaf tier		
codling moth, experiments	281	$\{\begin{array}{c} 23, 27, 28 \\ 23, 27, 28 \end{array}$
tobacco cutworms, tests	88	
Artemisia, host of—		
corn borer parasitized by Apanteles thompsoni corn borer parasitized by Macrocentrus gifuensis		
Ascaridae, early stages, morphological dataAscarids—	489	
of swine, control by sanitation in the South	374	5-14
See also Roundworms. Ascaris suum, hosts, description of stages, and development	t 489	9 44-47
Ascarops strongylina, hosts, description of stages, and development	lon-	, 44-47
ment		21-27
Asclepias subulata—		
breeding and insect pestsdescription, distribution, and rubber extraction	472 472	
desert milkweed, possible sources of rubber. R. E. Beck	kett	. 1-0
and R. S. Stitt	472	2 1–20
propagation and cultural methods		2 7-8
rubber content, factors affecting	472	2^{2} 2^{5-6} , $8-11$, $15-17$
wild plants of, rubber content	472	2 6-7
Ascomycetes, taxonomy and distribution	258	
Ash, peat, chemical composition	214	4 17–18
Ash (tree)—		ſ 4-14, 15 -
fire-scarred, and decay in	494	4 {16, 19−22,
		26-29
gluing for aircraft construction, experiments	203	
Asia—	100	, 5-1
citrus blackfly and importation of its natural enemies		_
tropical America. C. P. Clausen and P. A. Berry.		
wheats, production, and milling and baking qualities Asparagus—	197	7 187–203
canning quality and palatability, tests	462	2 15-21
composition, determination	462	2 4-15
cutting time, effect on quality	462 46.	
investigations on Newlands project	46.	4 27

Asparagus—Continued.	nical Bu No.	lletins Page
shipment by motortruck in various sections		29, 37, 46, 51-52, 55, 60-64, 67- 68, 71, 75
shoot, developing, composition in relation to use as food and canning material. C. W. Culpepper and H. H. Moon	462	1-24
Aspen—	(4, 16–17,
canker, infection of quaking aspen in Utah, extent	155{	28, 29
nomenclature, characteristics, occurrence, and habitsquaking—	420	7-11
culling for pulpwood	155{	3, 8-9, 14- 16, 18-22 3-4, 7, 8-
decay, relation to age, study	155	13, 15, 17–33
stands, management in Utahstudy in applied forest pathology. E. P. Meinecke	155 155	
susceptibility to disease	155	4-6
virgin timber, harvesting in Utah	155	21-22
flavus, toxin, extraction and effect on beesspp., pathogenicity to honeybees, study	149 149	24-30 6-40
Assessments, irrigation districts, methods and costs Associations, terminal, cooperative marketing of livestock in	254	
United States. C. G. Randell Asteraceae, repellency to Japanese beetle, list	57 299	1-111 13-14
, ,	1	32-35, 37,
Atriplex rosea, host of sugar-beet leaf hopper		47-50, 59- 60, 111
Attractants, gypsy moths, use in locating new infestations. C. W. Collins and S. F. Potts	336	,
Au Train sand, description and analyses	484	1-44 25-27
Auks, banding returns, 1923-26. Aune, Beyer: Agricultural Investigations at the Belle Fourche	32	9
(S. Dak.) Field Station, 1926-32. With L. A. Hurst and		
Albert OsenbrugAustralia—	454	1-53
climate and topography, effect on wool production wheats, production, and milling and baking qualities	124 197	6-10 203-213
wool production and marketing	124	3–45, 83–84
Austria, corn-borer investigations, 1924Automobile(s)—	135	3
bodies, construction, advantages of western larch	$\begin{array}{c} 285 \\ 172 \end{array}$	84–85 1–2, 3, 4
Avena— sativa. See Oat(s).		
spp., reaction to physiologic forms of Puccinia coronata	_	
arenae	4 33{	28-44, 45-46
Avocados, yields under irrigation, southern California, 1930-31	379	64
Awnedness in wheat, inheritance study{	$\begin{array}{c} 39 \\ 218 \end{array}$	1-38 39-41, 43
Azalia spp., hot-water treatment for insect pestsAzophenine, formation in soils, discussion	274 211	24 20
BABCOCK, C. J.:		
Effect of Some Succulent Feeds on the Flavor and Odor of Milk.	9 249	1-7
Some Factors Affecting the Viscosity of Cream The Effect of Homogenization on Certain Characteristics		1-20
of Milk BABCOCK, K. W.: The Corn Borer in Central Europe: A Re-	438	1–12
view of Investigations from 1924 to 1927. With A. M. Vance	135	1-55

Bacillus—	echnical Bull No.	letins Page
		15-16, 17,
coli, presence in oysters	64	18–36,
		(44, 46 / 13–14,
		16-17
typhosus, infection from oysters, and control	64	19–22
		23, 35,
BACON, C. W.: The Nitrogen Nutrition of Tobacco. W	/ith	43, 68
W. W. Garner, J. D. Bowling, and D. E. Brown	414	1-78
Bacon, export trade of Hungary	160	87
Bacteria—		(11 12
in milk tanks, destruction	243	{ 11–13, 20–22
poisonous, effect of concentration of chemicals, expe	eri-	
ments	346	30–32
susceptibility to thallium poisoningBacterial spot disease, peach and other stone fruits. J.	238	4
Dunegan	273	1-54
Bacterium-		
coli, viability, effect of various concentrations of inorga		
salts	346	. 37
phaseoli— cause of bacterial blight of beans. W. J. Zaumeyer.	186	1-36
destruction of cell walls of beans	186	21-26
host plants	186	3-4
parasitic relation to host		13-20
penetration into cotyledon of beanspruni—	186	27-30
description, morphology, and cultural characters	273	23-28
effect of environment and incubation period	273	45-47
infection period and control measures, studies		47–49
pathogenicity, overwintering, and disseminati	on, 273	36-45
physiology		28-34
relation to other organisms causing analogous diseas	es_ 273	34-36
synonymy	273	3
Bailey, E. H.: The Effect of Air Drying on the Hydrogen- Concentration of the Soils of the United States and Canada		1-44
BAILEY, VERNON:		
Beaver Habits and Experiments in Beaver Culture	21	1-40
Life History and Habits of Grasshopper Mice, Ger	nus	1 00
Onychomys. With C. C. Sperry BAIN, H. F.: Fungous Diseases of the Cultivated Cranber	145	1-20
With C. L. Shear and N. E. Stevens	258	1-58
Bain, J. B.:		
Effect of Milk-Plant Arrangement and Methods of Op		
stion on Labor Requirements. With C. E. Cleme P. E. LeFevre, and F. M. Grant		1-40
Effect of Plant Arrangement, Equipment, and Methods		1-40
Operation in Relation to Breakage of Bottles in M	lilk	
Plants. With C. E. Clement and F. M. Grant	280	1-29
Baits— blowfly, tests during 1926	80	2-5, 14
magpie, preparation and use	24	24-28
BAKER, F. E.:		
Hot Water as an Insecticide for the Japanese Beetle	: in	
Soil and Its Effect on the Roots of Nursery Plan	nts. 274	1-42
With W. E. Fleming The Use of Carbon Disulphide against the Japan	ese	1 ,32
Beetle. With W. E. Fleming	478	1-92
The Use of Naphthalene against the Japanese Bee	tle.	1 00
With W. E. Fleming BAKER, F. S.: Suitability of Brush Lands in the Int	427	1-28
mountain Region for the Growth of Natural or Plan	ted	
Western Yellow Pine Forests. With C. F. Korstian	256	1-83

To about	last Dall	
BAKER, H. J.: Relative Costs of Extension Methods Which Influence Changes in Farm and Home Practices. With	ical Bulle No.	Page
M. C. Wilson Baker, W. A.: Studies of Exeristes roborator (Fab.), a Parasite	125	1–31
of the European Corn Borer, in the Lake Erie Area. With L. G. Jones Baking—	460	1–27
methods and apparatus for testing quality of wheatsqualities and milling qualities of world wheats. D. A.	197	16–19
H. C. Fellows, J. F. Hayes, Elwood Hoffecker J. H. Shollenberger, and W. K. Marshall BALCH, R. T.: Storage of Mill Cane. With J. I. Lauritzen BALL, E. D.: Biological and Ecological Factors in the Control of the Celery Leaf Tier in Florida. With J. A. Reeves,	197 449	1-224 1-30
B. L. Boyden, and W. E. Stone Bamboo poles, hosts of corn borer larvae in Japan	463 455	9.0.11
Bananas, growing in Canal Zone and nearby regions	94	22, 25, 32, 38, 40, 41, 44
Banks— credit, Federal intermediate, rediscount relations with		
credit corporations land, loans, number and amount, 1926–29	322 288	26-33 27-29
BARBER, G. W.: The Cannibalistic Habits of the Corn Ear Worm	499	1–19
hybrids susceptible to stem rust, list	300	14-16 13-20,
infection by stem rust, factors affecting, experiments	314	25–27, 34, 35
Japanese, hot-water treatment for insect pests leaves of various ages and species, susceptibility to Puc-	274	24
cinia graminis	314 300	
of Deglet Noor Dates in California. With A. F. Sievers Barium fluosilicate, efficacy in control of codling moth, experi-	193	1-24
mentsBark—	373	4–22
beetles— control by use of solar heat	195	1-19
damage to southern pine, and control	204	103
infestation of pines after pandora-moth attack	137	12-13
thickness, indication factors and prediction	210{	17-21, 54-64
acreage, production, and—		
exports of Bulgaria, statistics	126	100-107
exports of Rumania, statistics	126	24-34, 43, 50-52
exports of Yugoslavia, statistics	126{	147, 154–155
trade, in Hungary, 1877-1928comparison with scabbed barley and yellow corn in diets	160	57-60
for laying chickens. H. W. Titus and A. B. Godfrey covered smut, control by seed treatment. R. W. Leukel.	435 207	1-10 1-23
crop-yield estimates, reliability	311	73-75, 99-100
cropping in mixture with flax	133	19, 24, 41–42, 43
food plant of hessian fly	81	13-14

at Belle Fourche station, experiments. at Huntley Field Station, experiments, 1927–30. bary and the states of the state of the st	Barley—Continued. growing—	echnical Bulletins No. F	'age
at Huntley Field Station, experiments, 1927–30. 353 { 5-6, 28-28, 38 under irrigation		454 \(\) 26, 45 ,	46,
harvesting with combines and binders in the Corn Belt. 244 1-54		$353 \begin{cases} 5-6, \\ 29, 32, \\ 50, 64 \end{cases}$	28- 38
harvesting with combines and binders in the Corn Belt.	under irrigation	$36\begin{cases} 30,04,\\ 82-84.\end{cases}$	103
loose smut. See Smut. loose, of barley 293 1-20	harvesting with combines and binders in the Corn Belt	244 1	-54
loose smut. See Smut, loose, of barley 293 1-20 prices in five States, 1923-27 133 77-79 rotation and tillage experiments in Oklahoma 330 6-7, 29-	irrigation in Southwest, water applied and crop yields.		
rotation and tillage experiments in Oklahoma 330 scabbed, comparison with normal barley and yellow corn in diets for laying chickens. H. W. Titus and A. B. Godfrey. 435 1–10 seed— disinfecting, effect on germination. 207 3, 13–14 14–37 15–10 15 15 15 1–10 15 1–10 15 15 15 1–10 15 15 15 1–10 15 15 15 1–10 15 15 15 1–10 15 15 15 1–10 15 15 15 1–10 15 15 15 1–10 15 15 15 1–10 15 15 15 15 15 1–10 15 15	prices in five States, 1923-27	293 1 133	-20 5
Scabbed, comparison with normal barley and yellow corn in diets for laying chickens. H. W. Titus and A. B. Godfrey	-	330 6-7,	29-
disinfecting, effect on germination	scabbed, comparison with normal barley and yellow corr diets for laying chickens. H. W. Titus and A. B. G	n in od-	,
disinfecting, effect on germination	ney	400 1	-10
treatment for control of stripe disease, experiments. Leukel	seed—		
Leukel	treatment for control of stripe disease, experiments	s 341 ['] 14-	
Control by seed treatment, experiments	Leukelstripe disease—	207 1	-
effects of environmental factors and control by seed treatment. R. W. Leukel, J. G. Dickson, and A. G. Johnson			
nature and secondary infection 341 2-7, 36 susceptibility to leaf rust (Puccinia anomala) and to powdery mildew (Erysiphe graminis horder). E. B. Mains and M. L. Martini 295 1-34 varietal—	effects of environmental factors and control by settreatment. R. W. Leukel, J. G. Dickson, and A.	eed G.	
susceptibility to leaf rust (Puccinia anomala) and to powdery mildew (Erysiphe graminis hordei). E. B. Mains and M. L. Martini	Johnson	341 l· 341 9_7	
varietal— experiments at Hays, Kans	susceptibility to leaf rust (Puccinia anomala) and to po dery mildew (Erysiphe graminis hordei). E. B. Ma	ow- ins	
tests on Newlands project		290 1	-94
outstanding in United States and Canada, 1922–26. 96 77–79 reaction to leaf rust, studies. 295 { 1–21.	tests on Newlands project	14 35–39 464 19	
reaction to leaf rust, studies		3 96 77	-79
reaction to powdery mildew, studies 295 22-31, 32-33 water received and crop yields in Columbia River Basin 200 37, 42, 47, 49, 51 winter, reaction to cercosporella foot rot 428 5, 8, 9-13 yields— in United States and Canada, 1922-26. H. V. Harlan, L. H. Newman, and M. L. Martini 96 1-84 in United States and Canada, 1927-31. H. V. Harlan, P. R. Cowan, and Lucille Reinbach 446 1-80 under irrigation, Pacific slope, 1910-16 379 49, 54 Barn(s)— air— composition, study 187 15-16 space, volume per head of stock 187 22-26 farm, ventilation. M. A. R. Kelley 187 1-75 flues. See Flues, barn. storm sash and vestibules, construction 187 31-32 ventilation, representative test 187 32-42 wall construction and insulation 187 26-32 Barnes loam, description and analyses 484 4-8 Barriers, use in Mormon-cricket control 161 24	•	₂₀₅ ∫ 1-	21,
Water received and crop yields in Columbia River Basin. 200	, , , , , , , , , , , , , , , , , , ,	32	
winter, reaction to cercosporella foot rot 428 5, 8, 9-13 yields— in United States and Canada, 1922-26. H. V. Harlan, L. H. Newman, and M. L. Martini 96 1-84 in United States and Canada, 1927-31. H. V. Harlan, P. R. Cowan, and Lucille Reinbach 446 1-80 under irrigation, Pacific slope, 1910-16 379 49, 54 Barn(s)— air— composition, study 187 15-16 space, volume per head of stock 187 22-26 farm, ventilation. M. A. R. Kelley 187 1-75 flues. See Flues, barn. storm sash and vestibules, construction 187 31-32 ventilation, representative test 187 32-42 wall construction and insulation 187 26-32 Barnes loam, description and analyses 484 4-8 Barriers, use in Mormon-cricket control 161 24	reaction to powdery mildew, studies	4905 39.	-33
winter, reaction to cercosporella foot rot 428 5, 8, 9-13 yields— in United States and Canada, 1922-26. H. V. Harlan, L. H. Newman, and M. L. Martini 96 1-84 in United States and Canada, 1927-31. H. V. Harlan, P. R. Cowan, and Lucille Reinbach 446 1-80 under irrigation, Pacific slope, 1910-16 379 49, 54 Barn(s)— air— composition, study 187 15-16 space, volume per head of stock 187 22-26 farm, ventilation. M. A. R. Kelley 187 1-75 flues. See Flues, barn. storm sash and vestibules, construction 187 31-32 ventilation, representative test 187 32-42 wall construction and insulation 187 26-32 Barnes loam, description and analyses 484 4-8 Barriers, use in Mormon-cricket control 161 24	water received and crop yields in Columbia River Basin	$_{0-}$ $_{200}$ $\begin{cases} 37, 42, \\ 42, \\ 43, \\ 43, \\ 43, \\ 43, \\ 44, \\$	47,
yields— in United States and Canada, 1922–26. H. V. Harlan, L. H. Newman, and M. L. Martini 96 1–84 in United States and Canada, 1927–31. H. V. 446 1–80 Harlan, P. R. Cowan, and Lucille Reinbach 446 1–80 under irrigation, Pacific slope, 1910–16 379 49, 54 Barn(s)— 187 15–16 space, volume per head of stock 187 22–26 farm, ventilation. M. A. R. Kelley 187 1–75 flues. See Flues, barn. 187 31–32 ventilation, representative test 187 32–42 wall construction and insulation 187 26–32 Barnes loam, description and analyses 484 4–8 Barriers, use in Mormon-cricket control 161 24		Į 1 8	, 01
Harlan, L. H. Newman, and M. L. Martini 96 1-84 in United States and Canada, 1927-31. H. V. Harlan, P. R. Cowan, and Lucille Reinbach 446 1-80 under irrigation, Pacific slope, 1910-16 379 49, 54 Sarn(s)— air—	yields—	•	
Harlan, P. R. Cowan, and Lucille Reinbach 446 1-80 under irrigation, Pacific slope, 1910-16 379 49, 54 49, 54	Harlan, L. H. Newman, and M. L. Martini	96 1·	-84
Barn(s)— air— 187 15-16 space, volume per head of stock 187 22-26 farm, ventilation. M. A. R. Kelley 187 1-75 flues. See Flues, barn. 187 31-32 ventilation, representative test 187 32-42 wall construction and insulation 187 26-32 Barnes loam, description and analyses 484 4-8 Barriers, use in Mormon-cricket control 161 24	Harlan, P. R. Cowan, and Lucille Reinbach	446 1-	
composition, study 187 15-16 space, volume per head of stock 187 22-26 farm, ventilation. M. A. R. Kelley 187 1-75 flues. See Flues, barn. 187 31-32 storm sash and vestibules, construction 187 32-42 ventilation, representative test 187 32-42 wall construction and insulation 187 26-32 Barnes loam, description and analyses 484 4-8 Barriers, use in Mormon-cricket control 161 24	Barn(s)—	379 49,	, 5 4
farm, ventilation. M. A. R. Kelley 187 1-75 flues. See Flues, barn. 187 31-32 storm sash and vestibules, construction 187 32-42 ventilation, representative test 187 32-42 wall construction and insulation 187 26-32 Barnes loam, description and analyses 484 4-8 Barriers, use in Mormon-cricket control 161 24	composition, study	187 15-	
storm sash and vestibules, construction 187 31-32 ventilation, representative test 187 32-42 wall construction and insulation 187 26-32 Barnes loam, description and analyses 484 4-8 Barriers, use in Mormon-cricket control 161 24	farm, ventilation. M. A. R. Kelley		
ventilation, representative test 187 32-42 wall construction and insulation 187 26-32 Barnes loam, description and analyses 484 4-8 Barriers, use in Mormon-cricket control 161 24	storm sash and vestibules, construction		
Barnes loam, description and analyses 484 4–8 Barriers, use in Mormon-cricket control 161 24	ventilation, representative test	187 32-	
Barriers, use in Mormon-cricket control 161 24	Barnes loam, description and analyses	187 26- 484	
	Barriers, use in Mormon-cricket control	161	24

Techn	ical Bull	etins
BASSETT, I. P.: Effect of Lead Arsenate Insecticides on Orange	No.	Page
Trees in Florida. With R. L. Miller and W. W. Yothers Bassus stigmaterus, parasitism on sugarcane borer, and life	350	1-20
history Basutoland, livestock industry BATCHELDER, C. H.: Subfreezing Temperatures Lethal to the	363 466	18-19 95-96
European Corn Borer Infesting Green Ears of Sweet Corn. With D. D. Questel	3 95	1-14
BATEMAN, ERNEST: The Effect of Concentration on the Toxicity of Chemicals to Living Organisms.	346	1-54
BATES, C. G.: The Production, Extraction, and Germination of Lodgepole Pine Seed.	191	1-92
BAXTER, D. V.: Deterioration of Chestnut in the Southern Appalachians. With L. S. Gill.	257	1-22
BAYLES, B. B.: Classification of Wheat Varieties Grown in the United States. With J. A. Clark	459	1-164 3, 10-12,
Bayonet grass, food of wild ducks in North Dakota	221	16-17, 19- 24, 26-27,
Beams, wooden, strength relationshipsBean(s)—	479	40, 43, 51 62-64
aphid, reaction to varying concentrations of chemicals bacterial blight—	346	27-29
caused by Bacterium phaseoli. W. J. Zaumeyer distribution and economic importance	186 186	1- 36 4-5
history of diseasesymptoms and transmission	186 186	2-3 5-13
beetle, Mexican— control studies in New Mexico	376	23-42
habits, life history, and control in New Mexico. J. R.	376	1-46
Douglasslife and seasonal history in New Mexico	376	5-23
cell-wall disintegration through bacterial actioncotyledon, penetration by Bacterium phaseoli	186 186	21-26 27-30
field, crop-yield estimates, reliability	311	95–96, 99–100
growing at Huntley Field Station, experiments, 1927-30	353	
hulls, treated for bean beetles, utilization as livestock	376	43–44
infestation by corn borer in New England	- 1	4, 5, 6, 9, 32, 44, 53,
injury by Mexican bean beetle in New Mexico, study	376	58 1-5, 35
inoculation with Bacterium phaseoli, experiments	186 464	30–33 26, 28
investigation on Newlands project mung, growing experiments at Fort Hays Branch Station, Kans navy, growing experiments at Fort Hays Branch Station,	410	88
navy, growing experiments at Fort Hays Branch Station, Kans	410	89
Kanspinto, growing experiments at Fort Hays Branch Station, Kans	410	87 29–33, 37 ,
shipment by motortruck in various sections	272	41-42, 45- 46, 51, 58-
snap, irrigation in Southwest, water applied and crop	185	68, 75–76 58
tepary, growing experiments at Fort Hays Branch Station, Kans	410	85–86
varietal resistance to bacterial blight	186	30–33
variety tests under irrigationwater received and crop yields in Columbia River Basin	454 200	29 46 52
waver received and crop yields in Columbia Aiver Dasin	200	46, 53

	cal Bulle	
Beauveria— bassiana, parasitism on corn borer in Orient	No. 455	Page 23
globulifera, parasitism on fall army worm and other hosts	138{	17, 19, 21, 49–50
breeding, selection and capture of stock	21 21 21 21 21 21 21 21 21 21 21	22-23 7-9 1-40 2, 11-16 3-5 3, 4 2-3, 17-38 20-22 7, 11, 17, 32-34
habits and experiments in beaver culture. Vernon Bailey- reproduction and care of young transportation, care, and food supply	21 21 21	1-40 9-11 34
trapping for fur and propagation	21	15–16, 23–28
traps, pens, and houses, construction and useyoung, raising	21 21	15+16, 23-29 31-32
Bechuanaland, livestock industry	466	97
BECKETT, R. E.: The Desert Milkweed (Asclepias subulata) as a Possible Source of Rubber. With R. S. Stitt.	472	1-20
The Shedding of 4-Lock and 5-Lock Bolls in Upland Cotton. With J. W. Hubbard.	277	1-16
Bee(s)— diseases, history of study	149	2-4
drones— obtaining for breeding purposes sexual maturity, determination marking individuals, methods	326 326 326	34–35 35–36 33–34
package— as pollenizers and honey gatherers, experiments colonies, development. W. J. Nolan investigations at bee-culture laboratory queen—	309 309 309	38-42 1-44 6-22
age for artificial insemination	326 309 326 326 481	44–45 35–38 36–42 42–43 25–30
Yellows. With Michael Shapovalov	189	1-24
cattle. See Cattle, beef. consumption and prices in South cooking, test for effect of rations dark-colored, problem of Virginia cattlemen from calves fed grain before and after weaning. W. H.	127 217 237	54-57 34-42, 43 51-52, 64
Black and E. A. Trowbridge histological study industry in Union of South Africa, study production— and quality, effect of grade of steer and feeding grain	208 217 466	1-24 33-34, 43 85-94
supplement on grass. W. H. Black, K. F. Warner, and C. V. Wilson	217	1-44
A. T. Semple, and J. L. Lush consumption, and exports, in Rumania	417 126	1-54 71-72, 81

Beer—Continued.		
production—continued. Techni	cal Bulle	etins Page
from purebred, grade, and native calves. A. T. Semple and H. E. Dvorachek	No. 203	1-16
in Hungary	160	90
recent trends	208	1-2
1000110 VI CHAD	397	1-2
quality—		
and palatability, effect of crossing Brahman with other		
breeds	417	38-51, 52
relation to feed, studies	217	13-43
Virginia, marketing in New York. Beehives, apartment, construction and use in wintering of	237	47-51
queens	326	40-41
Beekeeping—	020	10 11
in white clover region	481	1-43
See also Bee(s); Honey; Honeybees.		
Beet(s)—		_
growing, dry-land experiments.	17	30
	[5, 19, 24,
infestation by corn borer in New England	775	38, 39, 44
in matinations on Naminada mariant	464	49, 53, 57
investigations on Newlands project	464	27
leaf hopper— ecolopical studies. Walter Carter	206	1-115
See also Sugarbeet leaf hopper.	200	1-110
table, irrigation in Texas, water applied and crop yields	185	62
water received and crop yields in Columbia River Basin.	200	46
• •	ſ	22, 80-88
Beetles, predators on gypsy and brown-tail moths, importation	- 86⟨	119, 142-
and study	l	143.
Belden, G. O.: Leaf Temperatures of Cotton and Their Rela-		
tion to Transpiration, Varietal Differences, and Yields.	01	1 40
With F. M. Eston	91	1-40
Belgium— cotton marketing, study————————————————————————————————————	78	73-75
3.		30
foot-and-mouth disease, control	76{	138-142
wheats, production, and milling and baking qualities	197	99-103
Bell, M. A.: Crested Wheatgrass as Compared with Brome-		
grass, Slender Wheatgrass, and Other Hay and Pasture Crops for the Northern Great Plains. With H. L. West-		
Crops for the Northern Great Plains. With H. L. West-		
over, J. T. Sarvis, Leroy Moomaw, G. W. Morgan, and J. C.		
Thysell	307	1–36
Belle Fourche Field Station, agricultural investigations, 1926-	454	1-53
32. Beyer Aune, L. A. Hurst, and Albert Osenbrug	404	1-06
Belle Fourche reclamation project— crop acreages	454	5–€
livestock raising and shipments	454	6-8
weather, records for 1908-32	454	2-5
Beltsville, Md., herd of Bureau of Dairy Industry, reproduc-		
tion and health records. F. W. Miller and R. R. Graves.	321	1-24
BENJAMIN, F. H.: Description of Some Native Trypetid Flies,		
with Notes on Their Habits	401	. 1–96
BENNETT, H. H.: Soil Reconnaissance of the Panama Canal	0.4	1 45
Zone and Contiguous Territory	94	1-47
Berberidaceae— genera and species, immunity to stem rust	300	18-19
immunity to five varieties of Puccinia graminis, experi-	000	10 10
ments	314	8
Berberis-		`
and related genera, susceptibility and resistance to Puc-		
cinia graminis. M. N. Levine and R. U. Cotter	300	1-27
hybrids, reaction to Puccinia graminis varieties, experi-	0.1.1	
ments	314	9-10
spp. and—		
related genera, nomenclature, habitat, and reaction	300	2-18

Berberis—Continued. spp. and—continued. Techn	ical Bull	etins
varieties susceptible and resistant to Puccinia gra-	No.	Page
minis	314	4-10
varieties, synonymy, origin, and resistance to stem rust Berry, P. A.: The Citrus Blackfly in Asia, and the Importa- tion of Its Natural Enemies into Tropical America. With	300	4–13
C. P. Clausen Berry(ies)—	320	1-59
freezing, effect on chemical composition	148	27-29
frozen-pack, development of micro-organisms fumigation against Japanese beetle, recommendations	148 478	29-34 81
hydrion concentration changes, study	403	33-42, 43-49
preparation and handling for frozen storagepreservation by frozen-pack method in Pacific Northwest. H. C. Diehl, J. R. Magness, C. R. Gross, and V. B.	148	4-9
Bonney	148	1–38 , 29, 31–33
shipment by motortruck in various sections	272	37, 39, 45, 47–68,
Betula spp. See Birch.	(71–76
This is a second of the second	- (8, 11,
Binder(s)— row, use in harvesting grain sorghums	191	14–16, 18, 21–25,
row, use in narvesting grain sorgiums	121)	27-29,
	į	31, 35
use in harvesting small grain, soybeans, and clover in the		•
Corn Belt. L. A. Reynoldson, W. R. Humphries, and J. H. Martin	244	1-55
Bins, transfer, for farm handling of bulk grain, construction		1 00
and use Biotite—	287	15–19
and muscovite, alteration in soil. I. A. Denison, W. H.	100	
Fry, and P. L. Giledisappearance from soil profiles, rate	128 128	1-32 29-30
	120	12-13, 18,
soil and fresh, composition, comparison	128{	29–30 12–13, 18, 19–23
Birch— Alaska mine timbers tests	226	49-54
Alaska, mine timbers, testsaspen forests, management and yields in Northeast	166	52-55
bending strength, estimates	158	7, 37
gluing for aircraft construction, experiments	205	35–37
gray, growth, management, and yields in Northeast	166	77-79
sweet, oil production	16	25-26
white, Alaska, description, growth, properties, and usesyellow—	226	7–8
lumber, grades and value by log diameterselective logging in Lake States	164 164	23, 25 4–44
Bird(s)—	94	87-88
aid in control of fall army worm————————————————————————————————————	34 32	1-96
celery leaf tier	463	41-43
corn borer in Japan	455	25–26
Pacific flathead borer	83	26 38, 49-
tobacco cutworms, study	88{	50, 175
destruction by magpies foreign, importation and acclimatization	24	11-12, 20
foreign, importation and acclimatization	61	1-60
game, parasitic nematodes of the Spiruroidea in, developmental stages. E. B. Cram	227	1-28
hunting laws, South America	26	20-22
migratory, banding returns, 1923–26	32	1-93
nematode parasites of pathological significance in North	40	
America. E. B. Cram	49	1–10

	nic a l Bulle No.	
Bird(s)—Continued. predators on Mormon cricket, list		Page 21
sale in South America.	26	22-23
	•	48-53,
song, introduction into United States	61	56-60
wild—		
introduced or transplanted in North America. J. C		1 04
Phillipsspecies affected by western duck sickness, list	. 61 . 411	1-64 35-42
susceptibility to western duck sickness, discussion	411	42-45
treatment for western duck sickness		68-73
BISHOPP, F. C.:		
Tests of Blowfly Baits and Repellents during 1926. With		
D. C. Parman, E. W. Laake, and R. C. Roark		1–15
The Chemotropic Responses of the House Fly, the Green-		
Bottle Flies, and the Black Blowfly. With E. W. Laake, D. C. Parman, and R. C. Roark	270	1-11
Bittern, banding returns, 1923-26		31
BLACK, W. H:		-
Beef from Calves Fed Grain before and after Weaning		
With E. A. Trowbridge	. 208	1-24
Beef Production and Quality as Affected by Grade of		
Steer and Feeding Grain Supplement on Grass. With K. F. Warner and C. V. Wilson	217	1-44
Beef Production and Quality as Influenced by Crossing	, 211	1-33
Brahman with Hereford and Shorthorn Cattle. With	ì	
A. T. Semple and J. L. Lush	417	1-54
Comparison of Grain Rations for Beef Calves before and		
after Weaning. With E. A. Trowbridge	397	1–16
Costs and Methods of Fattening Beef Cattle in the Corr	l	
Belt, 1919–1923. With R. H. Wilcox, R. D. Jennings G. W. Collier, and E. W. McComas	23	1-114
Fattening Steers on Dry-Land Crops of the Southwest	20	1-114
With J. L. Lantow and D. R. Burnham	30	1-15
Sorgo Silage, Sorgo Fodder, and Cottonseed Hulls as	3	
Roughages in Rations for Fattening Calves in the South		
west. With J. M. Jones and F. E. Keating	. 43	1-24
Wintering Steers in the North Central Great Plains Section. With O. R. Mathews	100	1-14
tion. With O. R. Mathews Black Hills region, timber growing and logging practice	192	1-14
G. A. Pearson and R. E. Marsh	480	1-80
Black Prairie Belt, of Alabama and Mississippi, livestock		
production	127	88-94
Blackberries—		00.40
hydrion concentration changes, study	403	38-40,
Logan, preservation by frozen-pack method in Pacific		43–49
Northwest.	148	1-37
preservation by frozen-pack method in Pacific Northwest.	148	1-37
transit diseases, effect of carbon dioxide	318	44-45, 56
Blackbirds, banding returns, 1923-26	. 32	45, 46, 88
Blackfly, citrus. See Citrus blackfly.		
BLACKMAN, M. W.: A Revisional Study of the Genus Scolytus		1 91
Geoffroy (Eccoptogaster Herbst) in North America. Blanchard, R. A.: The Southwestern Corn Borer. With	431	1–31
E. G. Davis, J. R. Horton, C. H. Gable, E. V. Walter, and	ì	
Carl Heinrich	. 388	1-62
BLANEY, H. F.: Silt in the Colorado River and Its Relation to		
Irrigation. With Samuel Fortier	. 67	1-95
Blepharipeza adusta, parasitism on pandora moth	137	17
Blister rust, white pine—		
comparison of European with North American conditions Perley Spaulding		1-59
control—		1 00
by secondary fungi		39-40
in North America, limitations	. 87	45-46
effect of smoke and fumes		21-23
infection, conditions necessary	. 87	15-24

Blister rust, white pine—Continued. introduction—	Technical B		σe
and control in Northeast			
spread, and eradication	24		
origin and spread		37 9-1	15
transmission by pine seeds		37 43-4	
virulence, effect of climate		37 1 6 –2	50
Blowfly— beits and repollents tests during 1026 D. C. Per	man		
baits and repellents, tests during 1926. D. C. Par E. W. Laake, F. C. Bishopp, and R. C. Roark	111 a 11,	30 1-1	15
black, chemotropic responses of, with housefly and g	reen-	,,,	
bottle flies. E. W. Laake, D. C. Parman, F. C. Bisl	hopp.		
and R. C. Roark		70 1–1	11
and R. C. Roark larvae, parasite, Brachymeria fonscolombei (Dufour),	biol-		
ogy. R. A. Roberts	30		
repellents, tests Blue stain—	C	30 5–13, 1	14
		(6	67
occurrence and prevention		(1) 27_2	
•	ί 17	74 $52-5$	
occurrence in wind-thrown timber	10	3, 4, 2	3,
		(24, 2	27
prevention in southern yellow pine	16)	17
host of apple maggot	e	36	7
hot-water treatment for insect pests	27		33
lands, topography, ground cover, and culture		75 2-3, 7	
maggot(s)—	_		
biology and control in Washington County, M	aine.		
F. H. Lathrop and C. B. Nickels			
comparison with apple maggotcounting method	27 27		
enemies and control measures	27	$75 \left\{ egin{array}{cc} 46-75 \\ 74-7 \end{array} ight.$	
history, injury, and economic importance in Mair			
life-history studies	27	$75\left\{egin{array}{cc} 12-46 \\ 73-7 \end{array} ight.$	
See also Apple maggot.		(•
plants, resistance to insecticide injury, tests	27		
transit diseases, effect of carbon dioxide			
vines, dusting for control of maggot	27	$75 \left\{ egin{array}{cc} 51-75 \\ 74-7 \end{array} ight.$	
washer, for removal of infested berries, construction	and	('- '	
use		75 50-5	51
Bluegrass—			
feeding to beef steers, experiments	21	17 1-4	13
webworm— G. G. Ainslie	17	73 1-2) A
control measures			23
geographical distribution and economic importan	ce 17	73 2-	
life history		73 5-2	22
parasites and predacious enemies			
seasonal history			
Board, value as perquisite for farm labor	21	$_{13} \left\{ \begin{array}{c} 6-1 \\ 29-3 \end{array} \right.$	
board, value as perquisite for farm fabor	21	48-5	
Boards, piling for air seasoning.	17	74 32-4	. ~
Bobwhite, protection, restocking, and transplanting		31 2 5-3	33
Bocconia cordata, roots, branching and adventive buds			19
Boilers, for oil burners, structural features	10	09 3, 77, 7	18
Boll weevil(s)— control with calcium arsenate on field plots in Ma	dison		
Parish, La., 1920-34. M. T. Young		37 1-2	24
cotton-		- -	_
biology at Florence, S. C. F. A. Fenton and E	2. W .		
Dunnam hib amption comes in I		12 1-7	16
survival and emergence in hibernation cages in L		36 1-2	28

	ical Bulle	
Boll weevil(s)—Continued. damage in South Carolina, at Florence, factors affecting	No. 112	1'age 6–8
dispersal, study at Florence, S. C.	112	49-55
fall-mated and spring-mated, comparative biology	112	49
food, influence on longevity and ovipositionhibernation—	112	48
experiments in Louisiana	486	1-28
shelter materials, comparison	486	8-16
studies at Florence, S. Clife cycle in—	112	55-68 33-41
field cages at Florence, S. C.	112	46-48
insectary at Florence, S. C	112	41-48 33-35
longevity studies at Florence, S. C	112	42-43 46-49, 73
mortality studies at Florence, S. C.	112	69-73
natural control at Florence, S. C.	112	66-73
parasites of, species, habits, and development	$\frac{112}{112}$	66-68 9-32
seasonal-history studies at Florence, S. C. Bollworm, pink— host plants in Hawaii	112	9-32 1-2
host plants in Hawaii parasites in Hawaii. H. F. Willard	19	1-16
Bolts, wood under, bearing strength. G. W. TrayerBonds—	332	1-40
	أعور	26-46
irrigation districts, study	254	90-91
mutual irrigation companies, discussion	82	22-25
Bones, animal, fluorine content, discussion———————————————————————————————————	364	40–41
Magness, and C. R. Gross	148	1-38
Boophilus annulatus, transmission of anaplasmosis, experi-		
ments	418	7–9, 12, 15
BOOTH, J. F.: Cooperative Marketing of Grain in Western	63	1 114
Canada Borax—	00	1-116
deposits on citrus fruit, removal	488	17-19
use to reduce decay in citrus fruits. J. R. Winston	488	1-32
Bordeaux mixture, use with fish oil against gypsy moth Borer(s)—	111	26-27
cane. See Sugarcane moth borer.		00.01
wood, control in lumberBoron—	174	30, 31
contamination of irrigation water and segregation	264	13-14
counteraction, and use of boron-contaminated water	448	22-23
critical concentration in water and soil solution	264	9-11, 63
		2, 4–16,
deficiency, tobacco plant, symptoms	340⟨	27-29 35, 36, 38,
		39, 40, 41
effects on plant growthin irrigation waters—	448`	4-17
C. S. Scofield and L. V. Wilcox	264	1-66
effect on plants, with particular reference to San		
Joaquin Valley of California. F. M. Eatonin soils, effect on plants, with particular reference to San	448	1-132
Joaquin Valley of California. F. M. Eatonoccurrence—	448	1–132
and nature of problem	448	1-4
in plants of southern California	264	15-19, 63
tolerance of crop plants, study	264	14-15, 63
fruit in transit, prevention experiments	318{	8-21, 49 , 53 , 5 6
gweetnotetoeg	مور	33, 30 74

	'echnic	al Bulle No.	etins Page
Botulism— cause of duck sickness, experiments		411	54 -61
duck sickness as a form of. E. R. Kalmbach and M Gunderson Böving, A. G.: The Pacific Flathead Borer. With H.		411	1-82
Bowling, J. D.: The Nitrogen Nutrition of Tobacco.		83	1-36
W. W. Garner, C. W. Bacon, and D. E. Brown.		414	1-78
and crate construction, principles. C. A. Plaskett		171	1-134 20-22
cleated plywood, construction		171	112-115 28-32
corrugated, constructiondesign—		171{	115-118
and construction, formulas and rules		171{	8-32
formulas and rules		171	87-98 87-98
nailed and locked-corner, construction		171	9-19, 88-95, 103-112
solid fiber, construction		171	28-32 119-122
style, relation to construction and uses		171	16-18 22-28
wire-bound, construction		171	95–98 122–128
wooden— master specifications, proposed by Government		171	103–128
members, size and form, influence on strength stiffness		171	8-9
See also Containers; Crate(s).		171	83–87
Boyce, J. S.: Decay and Other Losses in Douglas Fir in Western Ore	gon		
and Washington Deterioration of Wind-Thrown Timber on the Olyn		286	1-60
Peninsula, Wash		104	1-28
of the Celery Leaf Tier in Florida. With E. D. Ball, J. Reeves, and W. E. Stone		463	1-56
BOYLE, L. W.: Histological Characters of Flax Roots in R tion to Resistance to Wilt and Root Rot	el a-	458	1-19
Brachymeria— euploeae, parasitism on corn borer in Orient		455	25
fonscolombei— (Dufour), a hymenopterous parasite of blowfly larv	***		
biology. R. A. Roberts.		365	1-22
development, longevity, and hibernation		36 5	7-13, 20
hosts, enemies, and importance in blowfly control- reproduction		36 5 36 5	13-20 4-7
systematic position, distribution, and description.		365	2-4
intermedia, parasitism on gypsy moth and brown-tail mo		86	116-118
obscurata, parasitism on gypsy moth Brachyrhinus sulcatus—		86	118
enemies and control		325{	33-40,
importance, distribution, and host plants		325	41-42 2-6
seasonal history, studies		325	21-32, 41
synonymy, habits, and descriptionsBRACKEN, A. F.: Experiments in Wheat Production on the l	Dry	325	6–21
Lands of Oregon, Washington, and Utah. With D. Stephens and H. M. Wanser	Ĕ.		
Stephens and H. M. Wanser Bracon atricornis, parasitism on corn borer in Orient	and	329	1–68
Europe	~11·U	455	22-23

Braconid(s), parasite— Techn	ical Bull	etins
Apanteles solitarius (Ratzeburg) of satin moth. D. L.	No.	Page
Parker	477	1-18
of European corn borer—		
Apanteles thompsoni Lyle. A. M. Vance	233	1-28
Chelonus annulipes Wesm., biology and morphology.	200	1 20
A. M. Vance	294	1-48
Macrocentrus gifuensis Ashmead. H. L. Parker	230	1-63
Braconidae, parasitism on fall army worm	34	65–71
BRADLEY, W. G.: The Biology of Cremastus flavoorbitalis (Cameron), an Ichneumonid Parasite of the European Corn		
Borer. With E. D. Burgess	441	1-16
Borer. With E. D. Burgess. Bradner, M.: An Analysis of Log Production in the "Inland		
Empire' Region. With F. J. Klobucher, J. W. Girard, and		
S. V. Fullaway, Jr. BRADNER, M. I.: Properties of Western Larch and Their Rela-	355	1-87
BRADNER, M. I.: Properties of Western Larch and Their Rela-	005	1 0
tion to Uses of the Wood. With R. P. A. Johnson-Brandon, M. J.: Factors That Influence Wool Production	285	1-98
with Range Rambouillet Sheep. With D. A. Spencer and		
J. I. Hardy	85	1-48
Brashness in wood, causes. Arthur Koehler	342	1-40
Bratley, C. O.: Effect of Solid and Gaseous Carbon Dioxide		
upon Transit Diseases of Certain Fruits and Vegetables.		
With Charles Brooks, E. V. Miller, J. S. Cooley, P. V. Mook,	910	
and H. B. Johnson Bread—	318	1-60
baking methods in tests of world wheats	197	16-19
effect of heat-damaged wheat	6	4-24, 25
Breeding efficiency of dairy cows, effect of pasture	116	9-14
Bremen cotton market, facilities and operation	78	3-46
Bridges—		
construction—		4.1
materials, survey	55	4-14
over navigable waters, law	55 55	74-78 14-28
over waterways, survey foundations, exploration, and tests	55	29 -6
highway—	00	20 00
survey. C. B. McCullough	55	1-70
traffic surveys	55	66-67
movable—		
electrical equipment. C. B. McCullough, A. L.	065	1 11.
Gemeny, and W. R. Wickerham	265 265	1-114 27-66
operations, control and interlocking	265	66-89
wiring for electrical control piers as channel obstructions. D. L. Yarnell	442	1-53
vicinity maps and profiles	55	73-74
BRIERLEY, PHILIP:		
Factors in the Inception and Development of Fusarium		
Rot in Stored Potatoes. With Freeman Weiss and J. I.	60	1 94
Factors of Spread and Repression in Potato Wart. With	62	1-36
Freeman Weiss	56	1-14
British Columbia—	00	
arid and semiarid lands, irrigation, rainfall, and crop		
yields	200	51-53
barley yields—		FO 00
1916-26, by varieties	96	58-60
BRODELL, A. P.: Economic Factors Affecting the Beef-Cattle	446	59-60, 76
Industry of Virginia. With C. A. Burmeister and H. M.		
Conway.	237	1-66
Broilers—		
colored, price and supply movement	107	36-3
marketing, prices and supply, at New York City, 1925-26. See also Chickens; Fowl; Poultry.	107	28-29
See also Chickens; Fowl; Poultry.		

	cal Bulle	
comparison with other hay and pasture crops for the North-	No.	I'age
ern Great Plains. H. L. Westover, J. T. Sarvis, Leroy Moomaw, G. W. Morgan, J. C. Thysell, and M. A.		
Moomaw, G. W. Morgan, J. C. Thysell, and M. A.	007	1.0/
Bell growing experiments at Fort Hays Branch Station, Kans	307 410	1-36
Browides alighetic officers as grain fumicants	162	53-54 35
Bromides, aliphatic, efficacy as grain fumigants. Bromoform, value in bait for flies, tests	270	3, 8, 9, 10
Bromus inermis. See Bromegrass.	210	0 , 0, 0 , 10
BROOKS, CHARLES: Effect of Solid and Gaseous Carbon Dioxide		
upon Transit Diseases of Certain Fruits and Vegetables.		
upon Transit Diseases of Certain Fruits and Vegetables. With E. V. Miller, C. O. Bratley, J. S. Cooley, P. V. Mook,		
and H. B. Johnson	318	160
and H. B. Johnson BROOKS, F. E.: The Chestnut Curculios. With R. T. Cotton	130	1-24
Broomcorn—		
classification	51	3-8
dry-farming experiments in Oklahoma	51	1-32 3-4, 7-8
dwarf, description and growing	51{	3-4, 7-8 17-32
experiments, United States Dry-Land Field Station, Wood-	·	17-02
ward, Okla. J. B. Sieglinger.	51	1-32
infestation by corn borer in central Europe	135	28
irrigation in Oklahoma, water applied and crop yields	185	66
price and supply production, economic study. R. S. Washburn and J. H.	347	7-17
production, economic study. R. S. Washburn and J. H.		
Marun	347	1-42
rotation and tillage experiments in Oklahoma	330	6-7, 21
seeding, spacing, and harvesting experiments in Oklahoma.	51 51	23-32 17-22
varietal experiments in Oklahoma	51	3-4, 6-8
varieties, description Brown, D. E.: The Nitrogen Nutrition of Tobacco. With W. W. Garner, C. W. Bacon, and J. D. Bowling	91	5 -4, 0 -6
W. W. Garner, C. W. Bacon, and J. D. Bowling	414	1-78
Brown, H. R.: The Value of Inert Gas as a Preventive of Dust		
Explosions in Grinding Equipment	74	1-24
Brown. I. C.:		
A Study of Claypan Soils. With T. D. Rice and H. G.		
Byers	399	1-43
The Fractionation, Composition, and Hypothetical Con-		•
stitution of Certain Colloids Derived from the Great	319	1-44
Soil Groups. With H. G. Byers	171	67
Brown stains, in lumber, occurrence and causes	174	29
Brown-tail moth—		
and gypsy moth, imported insect enemies of. A. F. Burgess		
and S. S. Crossman	86	1-148
introduction, spread, and early control work.	86	6-10
life history and habits	86	5-6
natural control in New England	86	143-144
parasites, importation and study	86 141	48-142 1-39
Bruce, Donald:	141	1-08
An Alinement-Chart Method for Preparing Forest-Tree		
Volume Tables. With L. H. Reineke	304	1-28
Correlation Alinement Charts in Forest Research: A		
Method of Solving Problems in Curvilinear Multiple		
Correlation. With L. H. Reineke	210	1-88
Brundage, M. R.: Properties of White Fir and Their Relation		
to the Manufacture and Uses of the Wood. With R. P. A.	400	1 77
Johnson Brush, W. D.:	408	1-77
Economic Importance, Physical Characteristics, and Utili-		
zation of the [Southern White Cedar] Wood	251	36-74
The Economic Aspects of Forest Destruction in Northern	-01	30 17
Michigan, With W. N. Sparhawk	92	1-120

D Tachni	cal Bulle	otine
Brush— field, forest fire, hour control in California forests, deter-	No.	Page
mination	209	27-29
lands, intermountain region, suitability for growth of		
natural or planted western yellow pine forests. F. S. Baker and C. F. Korstian	256	1-83
leaf characters, relation to soil moisture	256	68-77, 79
root systems, classification and significance	256	55-68
Bryobia practicsa, control experiments Buckbush, toxicity to sheep, experiments	25 93	1-33 8-9
Buckwheat—	90	0-8
crop-yield estimates, reliability	311{	93-95,
	ι	99–100
growing for control of tomato yellows respiration in storage	189 100	6, 9, 14
Bud—	100	0, 0, 11
adventive, formation—		
in Crambe maritima	151 151	18-22 54-55
in wound callus relation to root branching	151	46-54
upon stem, hypocotyl, and leaf	151	34-40
endogenous, formation on roots	151	42-46
selection in Washington Navel orange: Progeny tests of		
limb variations. A. D. Shamel, C. S. Pomeroy, and R. E. Caryl	123	1-72
variations, in Washington Navel orange, studies	123	3–6
Budwood, Washington Navel orange, selection, methods and		
results.	123	64–66, 69
BUECHEL, F. A.: Wholesale Marketing of Live Poultry in New York City	107	1-68
- · · · · ·		69-71,
Buffaloes, water, uses and value in Balkan States	126{	122-123
Building(s)— heavy, construction of white fir	408	66–67
material—	400	00-01
uses of western hemlock	139	39-50
western larch, properties and uses	285	62-77
wooden, moisture content of wood in, requirements Bulgaria—	479	28-29
agricultural situation	126	82-130
area and physical characteristics	126	82-84
farm organization and use of machinery	126	90-93
industrial production, 1909–21	126	96 84–85,
land utilization, tenure, and reform	126	87-90
population, occupations, and racial strains	126	86-87
transportation facilities	126	98
wheats, production, and milling and baking qualities	197	103–107 3–7, 9–20,
Bulletins, use in extension work, cost and effectiveness	125{	23-24
Bulls—	40	40.40
care and management on ranches of Southwestdairy—	68	40–42
fertility study at Beltsville, Md	321	7-9, 22
proving for high milk and butterfat production	116	41-48
Bulrush—	,	0 14 07
food of wild ducks in North Dakota	221	3, 14-27, 30-35,
1000 OI WHU UUCKS III HOIVII DAROVA	~~')	37-46, 51
Nevada, food of wild ducks in North Dakota	221	3, 9, 11
revada, 100d of wild dicks in North Dakota	~~`}	14-16, 51
soft, food of wild ducks in North Dakota	221	3, 29, 32, 34,
bore, root or hild ducks in 1101 til Danota	~~'}	44, 45, 51
Buprestis apricans. See Turpentine borer.		
BURGESS, A. F.: Imported Insect Enemies of the Gipsy Moth	86	1140
and the Brown-Tail Moth. With S. S. Crossman	00	1-148

Burgess, E. D.: The Biology of Cremastus flavoorbitalis (Cameron), an Ichneumonid Parasite of the European Corn Borer.	ical Bull No.	etins Page
With W. G. Bradley Burgess, J. S., Jr.: Farm Prices of Cotton as Related to Its Grade and Staple Length in the United States, Seasons 1928—	441	1-16
29 to 1932-33. With L. D. Howell	493	1-63
The Pacific Flathead Borer. With A. G. Böving The Western Cedar Pole Borer or Powder Worm Burmeister, C. A.: Economic Factors Affecting the Beef-	83 48	1-36 1-16
Cattle Industry of Virginia. With H. M. Conway and A. P. Brodell	237	1-66
Fattening Steers on Dry-Land Crops of the Southwest. With W. H. Black and J. L. Lantow Spacing and Date-of-Seeding Experiments with Grain Sorghums. With J. H. Martin, J. B. Sieglinger, A. F. Swanson, H. J. Clemmer, E. H. Coles, F. E. Keating,	30	1–15
and W. M. Osborn Burnside, C. E.: Fungous Diseases of the Honeybee Butter—	131 1 49	1–47 1–43
industry in Switzerland, data	101	23–24, 27– 28 44–45
keeping quality, studymade from cream of various acidities, keeping quality.	159	28, 44-4 5 1-7
William White, C. S. Trimble, and H. L. Wilson prices, relation to milk prices	159 179	1-8 51, 52- 53
eastern coastal plain	127	38-43
storage, effect on keeping qualitysupply and price data, 1921-31Butterfat—	159 359	3–7 55
content of—		
cream, effect on viscosity	249	3-4
milk and foam, studyprices, relation to milk pricesproduction—	18 179	8-9, 11 50, 52-53
dairy cows, feeding experiments for	116	14-23
relation to inbreeding, experiments	339{	6-8, 23- 30, 31
tests, analysis of advanced registry records of daughters of Ayrshire sires	3 4 9 .	36–58 27, 29,
Buttermilk, sales in New York City, factors affecting	73{	32-33, 35, 36, 40-43, 61, 63
A Critical Laboratory Review of Methods of Determining Organic Matter and Carbonates in Soil. With L.		
T. Alexander A Laboratory Study of the Field Percolation Rates of	317	1-26
Soils. With C. S. Slater A Study of Claypan Soils. With I. C. Brown and T. D.	232	1-24
RiceBase Exchange and Related Properties of the Colloids of Soils from the Erosion Experiment Stations. With	399	1-43
C. S. SlaterCharacter and Behavior of Organic Soil Colloids. With	461	1–20
M. S. Anderson	377	1-32
Character of the Colloidal Materials in the Profiles of Certain Major Soil Groups. With M. S. Anderson	228	1-24
and Nickel. With W. O. Robinson and Glen Edgington	471	1-29

December 11 O. O. C. 1	1 D 1	1-41
Byers, H. G.—Continued. Physical and Chemical Characteristics of the Soils from	ical Bul No.	letins Page
the Erosion Experiment Stations. With H. E. Middle-		
ton and C. S. Slater	316	1–51
with a Discussion of Related Topics	482	1-48
The Composition and Constitution of the Colloids of		
Certain of the Great Groups of Soils. With L. T. Alexander and R. S. Holmes	484	1-39
The Decomposition of Hydrolytic Peat Products Includ-	101	1-00
ing Ammoniated Peat. With I. C. Feustel	389	1-32
The Fractionation, Composition, and Hypothetical Constitution of Certain Colloids Derived from the Great		
Soil Groups. With I. C. Brown	319	1-44
The Physical and Chemical Characteristics of Certain American Peat Profiles. With I. C. Feustel.	214	1–27
The Physical and Chemical Characteristics of the Soils	214	1-21
from the Erosion Experiment Stations—Second Report.		
With H. E. Middleton and C. S. Slater Bythoscopinae, genera of, history, description, and economic	430	1–63
importance	372	2-5
O. W		
Cabbage— clubroot—		
control by liming, experiments	181	19-27, 28
development, effect of soil moisture	181	9-11
dévelopment, relation to temperatureinvestigations on Newlands project	181 464	8-9 27, 28
irrigation in Southwest, water applied and crop yields	185	40, 52, 62
market distribution of carlot shipments in United States.	445	4-29
seed beds, liming for control of clubroot	181	20–21 (30–31, 37,
		41-44. 51.
shipment by motortruck in various sections	272	55, 59-64, 67-68, 73,
		67-68, 73, 74-75
Cacao, oil content, determination by optical method	71	\ 4-ii
Caconema radicicola, cause of root knot of sweetpotatoes	99	79 –80
CAFFREY, D. J.: Scouting, Quarantine, and Control for the European Corn Borer, 1917–1926. With L. H. Worthley	53	1-143
Cages—	00	1 110
for gypsy moths, types and use	336	3-5
hibernation, for cotton boll weevils, testsCalcium—	486	3–5
arsenate		
application to cotton for control of boll weevil	487	5–11
efficacy in boll-weevil control on field plots in Madison Parish, La., 1920–34. M. T. Young	487	1–24
use in control of blueberry maggot	275	51–72,
arsenite, use against mormon cricket	161	74-75 25-26
cyanide, efficacy against peach borer	58	3-4
• , • • • •		2, 4–16,
deficiency, tobacco plant, symptoms	340	25–27, 35, 36, 38, 39,
•		40, 41
in diet, calculation by short method	105	6-19
oxalate, toxicity to ratsCALDWELL, J. S.:	134	22
Hydrion Concentration Changes in Relation to Growth		
and Ripening in Fruits	403	1-54
Preservation of Peaches for Use in the Manufacture of Ice Cream. With C. W. Culpepper and R. C. Wright	84	1-14
The Canning Quality of Certain Commercially Important	01	1-14
Eastern Peaches. With C. W. Culpepper	196	1-47

	ical Bull No.	etins Page
California— arid and semiarid lands, irrigation requirements Bard, Yuma Field Station, Pima Egyptian cotton in irri-	379	1–69
gated rotations. S. H. Hastings and E. G. Noblebarley yields-	369	1–31
1922–26, by varieties	$\frac{96}{446}$	5–6 4–5, 74
climate, effects on hessian-fly activity cotton regions, tarnished bug, infestation Davis, wheats, inheritance of awnedness, yield, and quality in crosses between Bobs, Hard Federation, and Propo.	81 4	15–17, 24 1–14
J. A. Clark, V. H. Florell, and J. R. Hooker	39	1-40
A. F. Sievers and W. R. Barger experimental vineyards, location and phylloxera-control	193	1-24
work hessian fly in. C. M. Packard	146 81	2, 10-25 1-26
Indian-meal moth on dried fruits, biology. J. C. Hamlin, W. D. Reed, and M. E. Phillipsirrigation—	242	1-27
migation	(5, 54-55,
district development	254	63, 68–69, 70–73, 74, 77–79, 90, 92
utilities, profits	177	36–38
water, return flow	439	6-9
land settlement, the Durham and Delhi projects northern, forest-cover types and fire behavior orange—	357 209	36-39 41-46
acreages and shipments and lemon oils, analyses and composition. H. D.	123	2
Poorepastures, infestation by St. JohnswortPersian walnut, pollination and blooming habits. M. N.	241 202	1-31 8, 20-21
Wood	387	1-56
pine region— adequate fire protection in major cover types, hour-		
control, determination. S. B. Show and E. I. Kotok	209	1-47
second-growth stands, preliminary yield tables. Duncan Dunning and L. H. Reineke	354	1-24
redwood region, timber growing and logging practice. S. B. Show	283	1-22
San Joaquin Valley, boron in soils and irrigation waters and its effect on plants. F. M. Eaton.	448	1-132
soil types, relation to phylloxera infestation, study. R. L. Nougaret and M. H. Laphamsouthern—	20	1-39
irrigation waters, analysis	264 82	19–64 34–35
strawberry industry, 1920–26	180{	
Tulare Lake, chemical composition, study	448	122-124
Callipappini Handlirsch, characteristics and key to speciesCallus—	52	82–86
formation, tree wounds, relation to season of wounding and shellacking. R. P. Marshall growth, tree wounds, measurement	246 246	1-29 15-17
Calosoma— inquisitor, predator of gypsy moth	86	118–119
sycophania— colonization and observation	86	83-88
foreign distribution and abundancelife history and habits	86 86	81 81–82
predator on gypsy moth	86	80

Calves— Tech	nical Bulle No.	etins Page
fattening, requirements		11-12
grading and marketing grain rations for, comparison before and after weaning	203	12-15
grain rations for, comparison before and after weaning W. H. Black and E. A. Trowbridge	. 397	1-16
methods of feeding and handling		2, 4, 11–18, 22
prices and price factorsweights and measurements at birth and weaning	. 203 . 203	15–16 8–11
birth weight, effect of inbreeding, experiments		10-20, 31
dairy, weight, factors influencingfattening—		27-29
feed requirementsrations and gains	. 208 . 397	16-18 9-14
rations and gains rations, sorgo silage, sorgo fodder, and cottonseed hull as roughages in the Southwest. W. H. Black, J. M		
Jones, and F. E. Keating	. 43	1-24
feeder, gains on various rationsfeeding—		5–21
in a creep, recommendations on grain, before and after weaning. W. H. Black and	397	14
on grain, before and after weaning. W. H. Black and E. A. Trowbridge	208	2-22
requirements for fattening	203	11-12
grain-fed, beef from, experiments	208	$\hat{2}_{-22}$
morbid conditions, treatments and fatalities		19–21
mortality and growth rate, effect of inbreeding	339	20–22, 31
normality, effects of inbreeding	. 339	4-5, 9-10
purebred, grade, and native, beef production from. A. T	902	1 1'0
Semple and H. E. Dvorachek shrinkage after various rations	. 203 . 43	1-16 $21-22$
suckling—	. 40	21-22
grain consumption and gains, study	397	5-8
handling methods, comparison		7-11
weanling, feeding costs	. 203	6–8
Cambium—		
activity, effect on production of adventive roots		69-73
curculio, infestation of peach trees in Georgia		88-90
CAMPBELL, C. E.: Factors Affecting the Price of Rice	297	1–56
CAMPBELL, R. E.: The Pepper Weevil. With J. C. Elmore and A. C. Davis.	447	1-28
Camphor scale, injury to citrus fruits in Japan	15	3, 7
Campoplex sp., parasitism on gypsy moth	. 86	104
Campsomeris annulata—		
biology	. 308	1-25
parasitism upon Japanese beetle in Far East	. 3 66	5, 28–30
Canada—		
barley yields— 1916–26, by varieties	96	54-76
		1-2,
1927-31		55-73, 76
grain trade, status	_ 63	2-4
	_ [9–16, 19,
soils, hydrogen-ion concentration, effect of air drying on	i	26, 28, 40–41
western, grain marketing, cooperative. J. F. Booth wheat varieties, importance and characteristics.	63	1-116 20-22
Canal Zone—	_	
agriculture, survey	. 94{	7-13,
climate, description and records	٠ (44–45 2–5, 44
soils, description and records	94	13-43
topography and drainage	94	5-7, 43
Canals, irrigation, tending	47	26-33
Cane-		
irrigation in Utah, water applied and crop yieldsmill, storage. J. I. Lauritzen and R. T. Balch	185 449	67 1- 30
	777	1-00
108048—37——3		

Techni	cal Bulle	tins
O. I. A. J. Markey C. Harrist A.	No.	Page
Canker, twig, of stone fruits, studyCanna starch paste, physical properties, investigationsCanneries, relation to motortruck shipping of fruits and vege-	273 284	22-23 1-16
tables Cannibalistic habits of corn earworm. G. W. Barber	272 499	84–86, 88 1–19
Canning. See under specific subject. Cans, milk, hauling, comparison with hauling milk in tanks Cantaloups—	243	23–24
acreage and production, 1928–32	425	2-4
competition with other fruits	42 5	48-49
growing on Newlands project	464	22
market distribution of carlot shipments in United States marketing—	445	4-29
J. W. Park	425	1-51
methods, information, and outlets	425 425	30-41
preparation for market prices, 1928–32	425	12-30 41-46
producing districts and production	425	2-4
shipment—	120	
,	1	29, 31-33,
by motortruck in various sections	272	37, 47-55,
by motortruck in various sections	2129	60-64,
	Į	67-75
1923-32	425	4-7
shipping seasons, records for 1928-32	425	7–8, 10
varieties and types on the market	425	1-2
Capercailzie, introduction into United States.	61	13-14 1-2
Capillaria annulata, parasitism in chickens and other fowl	49 404	148-150
Capulinia sallei, description of stages	701	140-100
metabolism, tobacco leaf, effect of fertilizers	414	50-51
reactions of soils, tests	211	22-23
Carbon(s)—		
dioxide—		
formation in soils, study	211	3–6
in barn air, relation to ventilation.	187	12-16
refrigeration of fruits and vegetables in transit, study_	318	1-57
solid and gaseous, effect upon transit diseases of cer-		
tain fruits and vegetables. Charles Brooks, E. V. Miller, C. O. Bratley, J. S. Cooley, P. V. Mook, and		
Miller, C. U. Bratley, J. S. Cooley, P. V. Mook, and	210	1 60
H. B. Johnson disulphide—	318	1–60
effect on soil and vegetation	478	27-32
emulsion, toxicity to different stages of Japanese	2.0	2. 02
beetle	478	22-27
emulsions, preparation	478	8-14
fumigation of soil for nursery stock, experiments.	478	32–74
use against Japanese beetle. W. E. Fleming and	450	
F. E. Baker	478	1-92
vapor, toxicity to different stages of Japanese beetle.	478	14-22
explosibility, studies	490{	12–13, 15, 18–21, 22
	}	8–12, 15,
pyrophoric, in hay, factor in spontaneous combustion	141{	19, 23,
F, F,,,,	_ [
Carbonates—		
aliphatic, toxicity to clothes moths and beetles	162	51
in soil, determination methods, critical laboratory review.	015	
L. T. Alexander and H. G. Byers	317	1-26
Carcelia— laxifrons—		
life history and habits	86	136-137
parasitism on brown-tail moth	86	136, 138
separata, parasitism on gypsy moth	86	114-115
Cardinals, banding returns, 1923–26	32	74-75
Carey Act, passage, provisions, and effects	357	28-29

Techn	ical Bull	etins Page
Caribou loam, description and analyses	No. 484	Page 23–2 5
Carpet beetle, black, fumigation tests with aliphatic com-	162	49–51
pounds		
CARR, J. M.: Fertilizer Tests with Flue-Cured Tobacco. With E. G. Moss, J. E. McMurtrey, Jr., and W. M. Lunn.	12	1-59
Carrington loam, description and analyses	484	8-11
Carrots— growing as feed crop, experiments————————————————————————————————————	416	3-8, 12-13
investigations on Newlands project	464	28
irrigation in Texas, water applied and crop yields	185	62
treatment by carbon dioxide, effects	318	54
Cars—	181	40.44
loading, importance of container construction	171 243	40-44 16-24
milk tank, description, use, and advantagesrefrigerator—	240	10-24
precooling for transportation of Bartlett pears	434	25-26
temperature studies with Bartlett pears	434	13-26
CARSNER, EUBANKS: Curly-Top Resistance in Sugar Beets and		
Tests of the Resistant Variety U.S. No. 1	360	1-68
CARTER, R. H.: Studies of Fluorine Compounds for Controlling	0=0	
the Codling Moth. With E. J. Newcomer	373	1-24
CARTER, WALTER: Ecological Studies of the Beet Leaf Hopper-Caryl, R. E.: Bud Selection in the Washington Navel Orange:	206	1-115
Progeny Tests of Limb Variations. With A. D. Shamel and		
C. S. Pomeroy	123	1-72
Casehardening, of lumber, cause and prevention	174	26
Casein, use as spreader in codling-moth spraying	281	4-7, 27
Cash, L. C.: Bacterial Wilt of Corn. With F. V. Rand	362	1-31
Castanea—		
dentata. See Chestnut.	100	_
spp., blight-resistant, introduction	130	6
Castanopsis spp., blight-resistant, introductionCatalyzers, in hay, function in spontaneous combustion	130 141	14-18
Catbirds, banding returns, 1923–26	32	78-79
Catolaccus hunteri, parasitism on boll weevil, note	112	68
Cats, poisoning from red-squill powders, experiments	134	25
Cattle—		
Ayrshire sires, daughters of 51, advanced registry records,	• • •	4 50
analysis. M. H. Fohrman and R. R. Graves	349	1-59
beef— breeding, effect on prices of calves	203	16
distribution in Virginia, 1925.	237	16 6–7
fattening in Corn Belt, costs and methods, 1919-23.	20.	•
R. H. Wilcox, R. D. Jennings, G. W. Collier, W. H.		
Black, and E. W. McComas	23	1-114
grade variations and relationship	208	18-21
industry, historical notes	237	3–6, 60
industry of Virginia, economic factors affecting.	027	1 00
C. A. Burmeister, H. M. Conway, and A. P. Brodell- investigations on Newlands project	237 464	1-66 32-33
market grades	237	44-47
		9-23, 27,
marketing methods in Virginia.	237	34-47,
•		53–60, 63
prices at Jersey City and Chicago, comparison	237{	43–44,
	ı	64, 65
prices in South, comparison with other sections	127 23	55-56 52-55
Prioce, economic variationals	20	57-58, 78-
maduation in Couthant manifester	100	79. 82. 84-
production in Southeast, possibilities	127	85, 89-90,
	(93-94
supply and price data, 1921-31	359	55
types produced in northern Great Plains	45	65–66

Cattle—Continued.	echnical Bul	letins
Brahman	No.	Page
crossing with Hereford and Shorthorn, influence	on	
beef production and quality. W. H. Black, A.	T.	
Semple, and J. L. Lushhides, size, weight, and thickness, comparison with b	417	1-54
hides, size, weight, and thickness, comparison with b		
breeds	417	21-25
in United States, introduction, breeding, and traits_		1-2
organs and other body parts, weights and sizes, co	m-	
parison with beef breeds	417	18-38
breeding—		
effect on beef production, experiment	203	1-16
numbers, and uses in France		121-131
numbers, foreign trade, and uses in Yugoslavia	126	170–175
status and control, Great Plains region	45	43-48
uses, and numbers in Bulgaria	126	121-124
dairy— advanced registry records of 611 daughters of	21	
Ayrshire sires, analysis. M. H. Fohrman and R.	D OT	
Croves	349	1 50
Graves	321	1-59 1-23
breeding, effect of feeding sprouted oats	116	23-24
breeding experiments at Ardmore, S. Dak.	17	55-67
breeding experiments at Ardmore, S. Dak	116	29–48
feeding and breeding, experiments		40-47
feeding investigations at Ardmore, S. Dak.	17	41, 43-47
feeding on Sudan grass, experiments	352	1-28
hay, silage, and pasture for, use of Sudan grass. J.	R 002	1-20
Dawson, R. R. Graves, and A. G. Van Horn	352	1-28
inbreeding experiments at Beltsville, Md	339	1-31
milk production and butterfat percentage, inheritar		1-01
studiesstudiesstudiesstudiesstudiesstudiesstudies		1-58
morbid conditions, treatments and fatalities		19-21
sterility, causes and treatments	321	12–17
fattening—		
		32-34, 48-
Corn Belt statistics	23	49, 59–111
rations and handling methods, comparison	23	23–43
requirements, costs, and returns		14-23
various weights, results		43-50
feeder, gains on various rations.		27-36
feeding—	20	2, 00
and handling methods, experiments	397	2-4
economic conditions affecting, 1919-23		5-7
experiments in Corn Belt, 1919-23		1-113
for market, northern Great Plains	45	35-41
with St. Johnswort, experiments	202	8-21
,,,,,,,, .		77-79,
C. A A Atanana in analatian atudia	70	04_06
foot-and-mouth disease, inoculation studies	76	100-106
		110-113
grades, variations and relationships	 20 8	18-21
Hereford and Shorthorn, crossing with Brahman, influen	nce	
on beef production and quality. W. H. Black, A.	Т.	
Semple and J. L. Lush	417	1-54
immunity to anthrax, production by biologics, effica	сy,	
tests	468	2-6, 13-15
inbreeding grade Guernsey and grade Holstein-Friesi results. T. E. Woodward and R. R. Graves	an,	
results. T. E. Woodward and R. R. Graves		
industry in southern Africa	466	2 , 70–122
management on range—		
in Southwest	68	
northern Great Plains	45	30-48
marketing—		
costs, comparison, various markets		
in Southwest	68	47-52
organs and other body parts, weights and sizes, compari	son	
of Brahman with beef breeds	417	18-38

CATTLE—CEDAR

mountain-laurel and sheep laurel 219 $\left\{\begin{array}{cccccccccccccccccccccccccccccccccccc$	Page 5-13 5, 7, 10- 1, 13-25 -6, 8-9, 12-21 7-15, 21 1-6 87-91
coyotillo	5, 7, 10– 1, 13–2 5 -6, 8–9, 12–21 7–15, 21
mountain-laurel and sheep laurel 219 5 wild tobaccos 22 7 Wyethia amplexicaulis and Apocynum ambigens, disproval 93 raising in Hungary, development of industry and trade 160 range, production—	6, 8 9, 12 21 7-15, 21 1 6
mountain-laurel and sheep laurel 219 5 wild tobaccos 22 7 Wyethia amplexicaulis and Apocynum ambigens, disproval 93 raising in Hungary, development of industry and trade 160 range, production—	6, 8 9, 12 21 7-15, 21 1 6
wild tobaccos. 22 Wyethia amplexicaulis and Apocynum ambigens, disproval. 93 raising in Hungary, development of industry and trade 160 range, production—	12–21 7–15, 21 1–6
raising in Hungary, development of industry and trade 160 range, production—	7–15, 21 1–6
raising in Hungary, development of industry and trade 160 range, production—	1–6
raising in Hungary, development of industry and trade 160 range, production—	
range, production—	87-01
	0. 31
in Southwest	01 70
methods northern Creat Plains region and ranch	21-72
organization. M. L. Wilson, R. H. Wilcox, G. S.	
Klemmedson, and V. V. Parr 45	1-91
rations, use in fattening experiments 23	27-36
toxic effect of St. Johnswort (Hypericum perforatum) on.	
C. D. Marsh and A. B. Clawson 202	1-24
100 00	64, 65,
types, production, and uses in Rumania	-71, 79,
} 1	80, 81 22–127,
vesicular stomatitis, inoculation tests 76	136
Virginia—	200
industry, recommendations 237	57-60
seasonal movements 237 20)–23, 61
selected for shipment, production records237	23-40
trade opinion regarding 237	52–5 4
See also Steers. Cauliflower—	
irrigation in Texas, water applied and crop yields 185	63
	39-42,
shipment by motortruck in various sections. 272 60	0, 64, 67
treatment by carbon dioxide, effects	54
Cecil— sandy clay loam, description and analyses	16-18
soils—	10 10
description229	8-10
series, colloidal material extracted, variations. R. S.	
Holmes and Glen Edgington 229	1-24
Cedar—	0 10
Alaska, description, growth, properties, and uses 226	8–10
pole borer, western— description, history, and habits————————48	6-13
economic importance, distribution, and food plants. 48	3-4
natural enemies and control48	13, 14
or powder worm. H. E. Burke 48	1-16
southern white—	
C. F. Korstian and W. D. Brush 251	1-76
economic importance, physical characteristics, and	00 74
Marie Aller Marie De Direction of the Control of th	36-74
economic importance, physical characteristics, and utilization. W. D. Brush 251	1 10_92
form and development 251 5-9	9, 19 –23 9–11
form and development	9-11
form and development 251 5-6 growth requirements 251 physical characteristics 251 reproduction, study 251	
form and development 251 5-6 growth requirements 251 physical characteristics 251 reproduction, study 251	9-11 38-43 16-19 11
form and development 251 5-6 growth requirements 251 physical characteristics 251 reproduction, study 251 resistance to injuries 251 synonyms, range, and commercial importance 251	9-11 38-43 16-19 11 1-5
form and development 251 5-6 growth requirements 251 physical characteristics 251 reproduction, study 251 resistance to injuries 251 synonyms, range, and commercial importance 251 taper and form tables 251	9-11 38-43 16-19 11 1-5 71-74
form and development 251 5-6 growth requirements 251 physical characteristics 251 reproduction, study 251 resistance to injuries 251 synonyms, range, and commercial importance 251 taper and form tables 251 utilization 251	9-11 38-43 16-19 11 1-5 71-74 43-52
form and development 251 5-6 growth requirements 251 physical characteristics 251 reproduction, study 251 resistance to injuries 251 synonyms, range, and commercial importance 251 taper and form tables 251 utilization 251 volume tables 251	9-11 38-43 16-19 11 1-5 71-74 43-52 67-71
form and development 251 5-6 growth requirements 251 physical characteristics 251 reproduction, study 251 resistance to injuries 251 synonyms, range, and commercial importance 251 taper and form tables 251 utilization 251	9-11 38-43 16-19 11 1-5 71-74 43-52

	nical Bul	
Celery—	No.	Page
carlot shipments by seasons, 1916-27crop, handling, harvesting, and shipping	. 463 . 463	3, 7 6–9
leaf tier—	400	o= 00
alternate host plants control, biological and ecological factors in Florida E. D. Ball, J. A. Reeves, B. L. Boyden, and		37–39
W. E. Stone	_ 463	1-56
damage, economic factors	. 463	45-53
food plants and damage in greenhouse		31–32 –31, 32–
increase, effect of temperature changes on	463	33, 34–39, 52–53, 54
outbreak at Sanford, Fla	. 463	2-3
parasites, predators, and diseases		40-45
leaves, quantity consumed by celery leaf tier	. 463	48–49, 51
market distribution of carlot shipments in United States.		4-29
producing areas, determining factor of temperature	. 463	3-6
shipment by motortruck in various sections	272	37, 39-44, 56, 60-64, 67-68,
		73-74
Cements, resistance to action of sulphate waters, tests	1	5-77
with estimates of Department of Agriculture		101-128
Centeter cinerea, parasitism upon Japanese beetle in Japan	. 366	2, 5-7, 56, 57
Cephalosporium acremonium, infection of yellow dent corn	. 260	14–16
Cephus—		
cinclus. See Sawfly, western grass-stem. spp., determination key	. 157	18–19
cause of black rot of sweetpotatoes	. 99	19, 66
morphology and life history	. 99	24-27, 66
pathenogenicity on sweetpotato	. 99	22-24
Cercospora batatae, infection of sweetpotatoes	. 99	60-61
Cercosporella— foot rot—		
control measures	. 428	19 –22
distribution and economic importance	. 428	5-7
host range and varietal susceptibilityof winter cereals. Roderick Sprague and Hurley	428	7– 9
Fellows	. 42 8	1-24
pathological histology and pathogene		9–19
symptoms in winter cereals	428	35
cultural characters and pathogenicity	428	16-18
dissemination, over-wintering, and control		19-22
history		1-2
taxonomy, morphology, and physiology		13-15
Cereal(s)— acreage, production—		
and exports of Bulgaria, statistics	. 126	93-96,
and exports of Yugoslavia, statistics		98–110 147–158
•		[24-34, 38-]
marketing, and consumption in Rumania		39, 40–56, 80–81
cropping in mixture with flax, experiments and results		1 –47 ∫ 11, 15,
culture, extension methods and practices		26-27
experiments, Fort Hays Branch Station, Hays, Kans. 1912-23. A. F. Swanson	. 14	1-56
investigations on Newlands project		18-20
irrigation in Southwest, water applied and crop yields	185	37-40, 42, 46-47,
and order productions of the state of the st		52-53, 61

Cereal(s)—Continued. Techn	ical Bulle	
production and—	No.	l'age
exports from Rumania, 1926 and preceding years	126	8-11
trade in Hungary, survey	160	23-65
yield in Switzerland, 1916–27	101 1 00	15-16
respiration in storagestem-rust resistance, morphologic and physiologic studies.	100	6, 9
Helen Hart	266	1-76
tolerance of boron	264	15
variety tests at Belle Fourche station	454	24-28
winter-		
field experiments at West Point, Miss	419	19
infection by cercosporella foot rot. Roderick Sprague		1.04
and Hurley Fellows	428	1-24
albidos parsa, distribution, history, and stages	402	32-34
basalis—	102	02 01
history, synonymy, injury, and food plants	402	19-21
stages, life history, and habits	402	21-30, 32
bubalus, distribution, synonymy, injury, and food plants	402	30-32
Ceromasia sphenophori, parasitism on moth borers	41	63-64
Ceuthospora lunata, description and distribution	25 8	8–9
CHACE, E. M.: Inheritance of Composition of Washington Navel Oranges		
of Various Strains Propagated as Bud Variants. With		
C. G. Church	163	1-23
Tests of Methods for the Commercial Standardization of	200	1 20
Raisins. C. G. Church	1	1-24
Chachalacas, Mexican, introduction into United States	61	9–10
Chaffinch, introduction experiments	61	59
Chalcidoidea, parasitism on fall army worm	34{	72–74,
, -	(75-78
Chalcidoids, parasites of hessian fly in California	81	14–15, 25
Channel obstructions by means of pile trestles. D. L. Yarnell_	429	1-26
Channels, obstruction by bridge piers. D. L. Yarnell	442	1-52
Charcoal, effect on efficiency of superphosphate and rock phos-		
phate	371	25-28
Charts, alinement—		
construction, need for	210	37–45
correlation—	010	79 75
construction method, application	210 210	73–75 14–16
curve fit, methods of checking		24–36,
examples	210	54-64
in forest research. Donald Bruce and L. H. Reineke_	210	1-88
short-cut methods	210	76-84
technic variations	210	68–73
curvilinear multiple correlation	210	21-23
method for preparing forest-tree volume tables. L. H.	204	1-28
Reineke and Donald Bruce	•	16-21,
multiple regression equation, correlation of	210{	37-43
Chauliognathus pennsylvanicus, predator on bluegrass web-	•	0. 20
worm	173	23
Cheese		
factories, cooperative, in Switzerland	101	39-44
industry, in Switzerland, data	101{	23-24, 26-
Cheilospirura—	ι	28, 38–44
hamulosa, synonymy, distribution, and development	227	8-13
spinosa, hosts and development.	227	13-17
Chelonus—		
annuli pes-		
biology and seasonal history	294	23-45, 47
collection and shipment	294	45-46
distribution and economic importance	294	5-9

	cal Bulle No.	etins Page
annulipes—Continued. host relations and description identification parasites Wesm., braconid parasite of European corn borer,		⊢23,46–47 3 45
Wesm., braconid parasite of European corn borer, biology and morphology. A. M. Vance	294 19 59 294	1–48 2–4, 14 33 3–4
texanus, parasitism on fall army worm and other hosts	138{	15–24, 57–60
Chemicals, toxicity to living organisms, effect of concentration.		
Ernest Bateman Chemotropic responses of housefly, green-bottle flies, and black blowfly. E. W. Laake, D. C. Parman, F. C. Bishopp, and B. C. Parsk.	346 270	1-54
and R. C. Roark Cherries—	210	1-11
hydrion concentration changes, study	403{	28-33, 43-49
preservation by frozen-pack method transit diseases, effect of carbon dioxide Chester soil(s)—	148 318	46, 56
description	229	7–8
series, colloidal material extracted, variations. R. S. Holmes and Glen Edgington	229	1–24
blight— effect upon curculio attack	130	5–6
resistant, introductionstatus in southern Appalachian region curculio(s)—	130 250	6 49–54
F. E. Brooks and R. T. Cotton infestation, nature and extent larger—	130 130	1-24 2-5
distribution and life historytechnical description of larva	130 130	6-10, 22 20-21
life historytechnical description of larva	130 130	10-13 21
natural enemies and control methods	130{	13–19, 22–23
deterioration in southern Appalachians. D. V. Baxter and L. S. Gilloak stands, southern Appalachians, description and impor-	257	1-22
tance	476	5-6
timber— bark loosening by insectsblight-killed, loss and salvage	257 257	4–9, 20 18–20, 21
blight-killed, sapwood decay	257	4-9, 14- 15, 20
damage by fungi	257	11–16,
dead, standing, checking	257	20-21 16-18, 21
heartwood decay	257{	9-13, 15-
treatment for control of curculios	130	16–18
trees, spraying for control of chestnut curculios Chicago Board of Trade—	130	18–19
future trading in corntransactions in 1926 December wheat future	199 79	5–10 1–52
Chickadees, banding returns, 1923–26.	32	82-85
price and supply movement prices paid to shippers, 1925-26	107 107	35–37 27, 28

	Technical Bu	ılletins
infestation with—	No.	Page
nematodes	49	, -
Spiruroidea	227	$\left\{egin{array}{c} 2-13,\ 15,\ 18,\ 20-21, \end{array} ight.$
		23, 24-26
investigations on Newlands project	464	33
laying, diets for, comparison of scabbed barley, nor	mal	
barley, and yellow corn. H. W. Titus and A. B. Godfr	rey_ 435	1-10
Leghorn, prices paid to shippers, 1925–26	107	64-66
poisoning by—		
coyotillo	29	5-9, 17-25
red-squill powders, experiments		
wild tobaccos	22	7, 9–21
See also Broilers; Fowl; Poultry.		
Chickpeas, growing experiments at Fort Hays Branch Stati	ion,	
Kans CHILDS, V. C.: An Economic Study of the Pecan Indus	410	88
CHILDS, V. C.: An Economic Study of the Pecan Indus	try.	
With, S. A. Jones, R. S. Washburn, B. H. Thibodeaux, J.	. W.	1 01
Park, and H. E. Rutland Chile, wheats, production, and milling and baking qualities	324	
Chilling injury Josephian of term	197	
Chilling injury, definition of term		
China, agricultural and climatic conditions		/ 1 P P 1 P P
Chionaspis etrusca, description of stages	404	{ 155–157, 158–160
Chipping, pine trees, for improvement in oleoresin productio		
Chitin, presence in soils, study		
Chlorides, aliphatic—	211	<i>5</i> -10
efficacy as grain fumigants	162	36
toxicity to clothes moths and beetles.	162	2. 2
Choerostrongylus pudendolectus—	20-	•
development in—		
earthworms	456	26-27
mammalian host	456	
infection of—		
earthworms, experiments	456	8-9
mammals, experiments		11-16
migration and molting—		
in earthworms	456	18-23
in mammalian host	456	29-31
synonyms, description of stages, and development	489	41-44
Cholera, hog. control by sanitation	44	6-18
Cholomyia longipes, parasitism on plum-curculio larvae	in	
Georgia	188	
Chorizagrotis auxiliaris, distribution, food habits, and histor		
Chosen, corn-borer districts, climate and larvae shipments	455	1–6, 10, 31
CHRISTIE, ALFRED: Milling and Baking Qualities of Wo	orid	
Wheats. With D. A. Coleman, O. L. Dawson, H. B. Dix	kon,	
H. C. Fellows, J. F. Hayes, Elwood Hoffecker, J. H. Shol	ien-	1 004
berger, and W. K. Marshall	197	1-224
Chrome re-tanning, of sole leather, effect on wearing qua	169	1-17
and other propertiesChromium—	109	1-17
in infertile soils, availability	471	20-23
galte in soils toxicity to plants	471	
salts in soils, toxicity to plants Chrysomelidae, leaf-mining, food plants, life history,	and	20 20
habits	252	10-11
Chrysopa californica, feeding on corn-leaf aphid	306	
Chugach National Forest, timber, species and uses	226	
Church, C. G.:		•
Inheritance of Composition of Washington Navel Oran	nges	
of Various Strains Propagated as Bud Variants. W	Vith	
E. M. Chace	163	1-23
Tests of Methods for the Commercial Standardization		_
Raisins. With E. M. Chace	1	
Cichariam interbus advantive embryo assevuel formation	151	79

Citrus— blackfly— Techni	cal Ru	llotine
in Asia, importation of its natural enemies into tropical	No.	Page
America. C. P. Clausen and P. A. Berryin infested regions, climatic conditions affecting	320 32 0	1-59 13-18
parasites— and hyperparasites in Asia, study	320	20-36
rearing and shipping methods	320	47-52,
predators and fungous diseases in Asia and America fruit(s)—	32 0	54-56 36-47
blue mold, control by use of borax, experiments	488	1-6, 12- 13, 16, 19
borax deposits, removal coloring after treatment with borax, experiments decay, reduction with borax. J. R. Winston	488 488 488	17–19 20 1–32
hydrion concentration changes, study	403	20–28,
industry in southern Africa		2, 186–215
rots, control by use of borax, experimentsstem-end rot, control by use of borax, study	488 488	1-32 1-32
groves, fumigation for control of rust miteinfestations by Throscorissa citri and Phyllocnistis citrella,	176	36–37
distinction	$\begin{array}{c} 252 \\ 15 \end{array}$	11 1–16
leaf miner— injury to citrus fruits in Japan	15	9–10
two, of the Far East. C. P. Clausen	252	9-10 1-14
leaf rollers, injury to citrus fruits in Japan	15	10
leaves, boron content, analysis mite, distinction from European red mite oils—	264 89	16, 17–19 11
California, analyses and composition	241	1-28
effect of temperature, air, and light, study	241 16	11-12 30-31
production in California orchards, sites, relation to rust-mite infestation	176	30-31 32-33
rust mite—	180	
and its control. W. W. Yothers and A. C. Mason control, natural and artificial	176 176	1-56 29 -54
economic importance	176	3
fungous disease	176	34-35
host plants injury, description and effects	176 176	3–5 7–16
insect enemies	176	33–34
life history		17-26
origin, distribution, and systematic history	176 176	2
resemblance to other mites	176	24 6
seasonal history	176	26-27
spread, methods	176	27-29
scales, injury to citrus fruits in Japan sinensis. See Orange, Washington Navel. trees—	15	3–9, 12
dusting for control of rust mite	176	36, 40–41, 49–54, 55
irrigation in southern California, data	379{	26-28, 57, 59-64
parts infested with rust mite	176	24-26 35-36,
spraying for control of rust mite, experiments	176	37–39, 41–49
white flies, injury to citrus fruits in Japan	15	3, 6-7, 8
Cladosporium oxycocci, description and distribution	258	20
CLARK, C. A.: The European Corn Borer and Its Controlling Factors in the Orient	455	1-38

CLARK, J. A.: Tech	nical Bulle	
Breeding Hard Red Winter Wheats for Winter Hardiness	No.	Page
and High Yield. With K. S. QuisenberryClassification of Wheat Varieties Grown in the United	136	1-28
States. With B. B. Bayles Inheritance of Awnedness, Yield, and Quality in Crosses	459	1-164
between Bobs, Hard Federation, and Propo Wheats at Davis, California. With V. H. Florell and J.R. Hooker-Inheritance of Stem-Rust Reaction and Correlation of Characters in Pentad, Nodak, and Akrona Durum-Wheat Crosses. With G. S. Smith.	39	1-40
Wheat Crosses. With G. S. Smith CLARK, N. G.: Shrinkage and Heat Penetration during the Roasting of Lamb and Mutton as Influenced by Carcass Grade, Ripening Period, and Cooking Method. With L. M.	385	1-28
Alexander CLARKE, I. D.: The Wearing Quality and Other Properties of Vegetable-Tanned and of Chrome-Retained Sole Leather.	440	1-27
With R. W. Frey CLAUSEN, C. P.: Biology of Some Japanese and Chosenese Grub Parasites	169	1-18
(Scoliidae). With T. R. Gardner and Kaku Sato	308	1-2
Citrus Insects of Japan Further Investigations of the Parasites of Popillia japonica	15	1-1
in the Far East. With H. A. Jaynes and T. R. Gardner. The Citrus Blackfly in Asia, and the Importation of Its Natural Enemies into Tropical America. With P. A.	366	1-59
Berry	320	1-59
Two Citrus Leaf Miners of the Far East	252	1-14
Alpine Kalmia (Kalmia microphylla) as a Stock-Poisoning		
Plant Arrow Grass (Triglochin maritima) as a Stock-Poisoning	391	1-10
Plant. With C. D. Marsh and G. C. Roe-Coyotillo (Karwinskia humboldtiana) as a Poisonous Plant.	113	1-18
With C. D. Marsh and G. C. Roe Four Species of Range Plants Not Poisonous to Livestock.	29	1-27
With C. D. Marsh and G. C. Roe Mountain-laurel (Kalmia latifolia) and Sheep Laurel (Kalmia angustifolia) as Stock-Poisoning Plants. With C. D.	93	1-10
Marsh Sleepy Grass (Stipa vaseyi) as a Stock-Poisoning Plant.	219	1-23
With C. D. Marsh	114	1-20
Cattle and Sheep. With C. D. Marsh. Wild Tobaccos (Nicotiana trigonophylla Dunal and Nicotiana attenuata Torrey) as Stock-Poisoning Plants.	202	1-24
With C. D. Marsh and G. C. Roe	22	1-28
With W. D. Nicholls CLEMENT, C. E.: Effect of Milk-Plant Arrangement and Methods of Operation on Labor Requirements. With P. E. LeFevre,	2 89	1–100
J. B. Bain, and F. M. Grant Effect of Plant Arrangement, Equipment, and Methods of Operation in Relation to Breakage of Bottles in Milk	153	1-4(
Plants. With J. B. Bain and F. M. Grant	280	1-29
and W. M. Osborn	131 206	1-47 37
cranberry sections, relation to abundance of various fungi-	258{	35-38 44-48
effect on-		
crop production on dry land, experiments	454 361	44-46 16-17

Climate—Continued.	chnical Bull No.	etins Page
forest types in the Southwest		1-72
ranching in Southwest virulence of white-pine blister rust		80–140 3–5
virulence of white-pine blister rust	87	16–20
citrus rust-mite infestation	176	29 –31
slash disposalrelation to—	259	14–15
barn ventilation requirements citrus blackfly development in Asia and America	187	20-26
citrus blackfly development in Asia and America. See also under specific locality.	320	16–17
Clon, development in strawberry	122	14-17
Clostridium botulinum, type C— description, toxicity, and spread		5–7
inoculation of waterfowl, experiments	411 411	54-61
toxin, avian and animal susceptibility to	411	42-47
Cloth, cotton, English markets, location and operation Clothes moths, fumigation tests with aliphatic compounds	69 162	6–8 49–51
Clothing, study, extension methods and practices	106	11, 32, 34
Clove oil, efficacy as repellent to flies	270	5, 8, 9, 10
anthracnose of—		
causal organismcaused by Colletotrichum trifolii. John Monteith, J	28 r. 28	7-12 1-27
control	28	19-22
environmental influences	28	15–19 3–7
symptoms and injury harvesting in the Corn Belt with combines and binder	20 18.	9-1
L. A. Reynoldson, W. R. Humphries, and J. H. Martin	244	1-55
mite, distinction from European red mite resistance to anthracnose	89 28	10 20–22
use in the Southeastern States	367	1-36
water received and crop yields in Columbia River Basin_	200{	35, 39, 44, 51
white, region, organization and management of apiari		,
producing extracted honey in. R. S. Washburn as G. E. Marvin	nd 481	1-44
Clubroot. See under specific host.		
Clubs, 4-H, efficacy in extension work	106 60	14-15 19
Coal dusts, explosibility, studies.	r	13, 15,
Coastal Plain, southeastern. See Southeastern Coastal Plain	·	18–20, 22
Coccid(s)—		
asterolecaniine forms, descriptiondiaspine forms, description	404 404	144-150 151-161
family, Margarodidae, higher groups and genera, classific	a-	
tion. Harold Morrison	52	1–240
americana—		
breeding places	500	23
economic importance, distribution, and season activity	500	2-3
activityscrewworm fly, primary, biology and comparison	of	
stages with those of <i>C. macellaria</i> . E. W. Laal E. C. Cushing, and H. E. Parish	ce,	1-24
stages, comparison with C. macellaria	(4-14,
stages, effect of cold upon	(17-21 22-23
stages, life history, and habits		3-21
macellaria— baits and repellents, tests during 1926	80	1-14
parasitism by Brachymeria fonscolombei, experiment		4, 8, 13–20
stages, comparison with C. americana	•	4-14,
• • • • • • • • • • • • • • • • • • • •	- (17-21

Technic	al Bulle No.	Page
Cockroach, host, intermediate, of spirurids	227{	2, 14, 19, 22, 24
band-record experiments in northern Georgia	90	30-42, 72-76, 84-85, 86
band studies—	(25–26,
1919–20	42{	46–4 Ś
in Oregon, 1918-22control— by fluorine compounds, study. E. J. Newcomer and	255	22-26
R. H. Carter by natural enemies experiments with insecticides. E. J. Newcomer and	$\begin{array}{c} 373 \\ 42 \end{array}$	1-24 52
M. A. Yothers	281	1-29
development, effect of oil deposit onemergence and oviposition	281 42	14-16 53-60
in Rogue River Valley of Oregon, life history. M. A. Yothers and E. R. Van Leeuwen.	255	1-35
life history— in Delaware. E. R. Selkregg and E. H. Siegler	42	1-61
in northern Georgia. E. R. Van Leeuwen	90	1-95
studies	90 4 2	4–5 52
parasites{	255	2 6
predators and parasites in Georgiaseasonal history—	90	77–78, 93
in northern Georgia	90{	5–30, 42–72
studies in Oregon	255{	5-22, 26-3 4
Coelostomidiinae Morrison, characteristics and keys to tribes,		
genera, and species	52	86–11 7
and species	52	94–117
tions of Oats to Covered and Loose Smuts. With T. R.	400	1 10
Stanton and V. F. TapkeCold-storage—	422	1-10
plants, relation to motortruck shipping of fruits and	272	84–86, 88
See also under commodity stored. Cole, J. S.: Work of the United States Dry-Land Field Sta-		
tion, Ardmore, South Dakota, 1912 to 1925. With F. L.		
Kelso, E. Z. Russell, J. B. Shepherd, Duncan Stuart, and	17	1 40
R. R. Graves	17	1–68
A Simple Method for Determining the Oil Content of Seeds		
and Other Oil-Bearing Materials. With H. C. Fellows- Heat-Damaged Wheat. With B. E. Rothgeb	71 6	1-1 4 1-3 2
Milling and Baking Qualities of World Wheats. With	·	. 02
O. L. Dawson, Alfred Christie, H. B. Dixon, H. C. Fellows, J. F. Hayes, Elwood Hoffecker, J. H. Shollen-		
berger, and W. K. Marshall	197	1-224
Respiration of Sorghum Grains. With B. E. Rothgeb	100	
and H. C. Fellows Coleoptera, predators on fall army worm	100 34	1-16 83
Coleoptera, predators on fall army worm		
parasite fungus	99	5 9
Grain Sorghums. With J. H. Martin, J. B. Sieglinger, A. F.		
Swanson, D. R. Burnham, H. J. Clemmer, F. E. Keating, and W. M. Osborn	131	1-47
and w. M. Osbulli	191	1-41

Techni	ical Bulle No.	Page
Collenchyma strands, wheat, relation to rust resistance	266	8-19, 26- 27, 30-43, 45-48, 64-72
Colletotrichum trifolii— cause of clover anthracnose. John Monteith, Jr development and dissemination host plants	28 28 28	1-27 12-14 3
COLLIER, G. W.: Costs and Methods of Fattening Beef Cattle in the Corn Belt, 1919–1923. With R. H. Wilcox, R. D. Jennings, W. H. Black, and E. W. McComas Ranch Organization and Methods of Livestock Produc-	23	1-114
tion in the Southwest. With V. V. Parr and G. S. Klemmedson	68	1-104
Collins, C. W.: Attractants for the Flying Gipsy Moth as an Aid in Locating New Infestations. With S. F. PottsColloidal material(s)—	336	1-44
extraction from soils of the Miami, Chester, and Cecil series, variations. R. S. Holmes and Glen Edgington in profiles of certain major soil groups, character. M. S.	229	1-24
Anderson and H. G. Byers Colloids desired from great soil groups freatignation approxi-	228	1-24
derived from great soil groups, fractionation, composition, and hypothetical constitution. I. C. Brown and H. G. Byerselectrodialyzed, hydrogen-ion values	319 228	1–44 20–22, 23
from— different soil groups, comparison————————————————————————————————————	228 430 316 228	19-20 8-19 23-34 16-18, 23
of soil groups, composition and constitution. H. G. Byers, L. T. Alexander, and R. S. Holmes organic, character	484 377	1-39 2-8
organic, properties in mixturespedocal, character	377 228	8–19, 30 9–11 11–15,
podsol, characterseparation from soils, methods	228{ 229	22-23 2-4
soil— constitution————————————————————————————————————	484 319	31–36 26–31, 41
related properties. C. S. Slater and H. G. Byers from Miami, Chester, and Cecil series, analysis method_	461 229	1-20 4
from Miami, Chester, and Cecil series, composition and properties materials, effect on efficiency of superphosphate. P. L.	229	10–21
Gilenature and investigations	371 319	1-50 3-41
organic, character and behavior. M. S. Anderson and H. G. Byerssilica-alumina ratios	377 484	1-32 28-29
silica-sesquioxide ratiossilica-total base ratios	484 484	27-28 29-30
Color— agricultural products, determination method. Dorothy	154	1 20
Nickersonaleurone, in corn, relation to scutellum colorand absorption, discussion	154 292 310	1-32 4-7 1-3
cotton, measurements, interpretation	154	12–17, 20–23
depth of, meaning of termnotation, formulasscutellum, in corn, relation to aleurone color	310 154 292	2-3 17-20 4-7

Colorado— Techi barley yields— 1922–26, by varieties	nical Bulle No. 96	etins Page 7–9
1927-31	446	5-7, 7 4
eastern, mutual irrigation companies, development and function	82	35–36
farm taxation and rent, 1919–26	172	14-15
Gunnison area, temperature and precipitationirrigation—		7
district development	254	5, 69, 73- 74, 79-80
water, return flow	439	12-16
water, return flow	118	1-22
soils, selenium content, study	ſ	7, 21,
southern, timber growing and logging practices	L	31-32 1-79
Colorado River—		40 40 55
Austin Reservoir, silt accumulation silt, relation to irrigation. Samuel Fortier and H. F.	382	40–46, 55
Blanev	67	1-95
water analysis and boron contentColorado River Basin, silt and irrigation, study		57-59 5-8
Columbia Basin foot rot. See Cercosporella foot rot. Columbia River Basin—	•	• •
agricultural resources	200	12–17
climate, description	200	6-7
geographical features, soils, and climate	200	2-7
irrigation requirements of arid and semiarid lands. Samuel Fortier and A. A. Young		1-56
water resources	200	7-12
Columbiana clay, description and analyses	484	19–22
formula, of Forest Products Laboratory, presentation, and tests of large timber columns. J. A. Newlin and J. M.		
Gahagan timber, safe working stresses	167 167	1-44 24-29
wooden, strength computation, by Forest Products Labo-		21–23,
ratory formula) 10.1	30–39
Combines— accessory equipment, use	70	9-11
accessory equipment, usecooperative ownership and custom work in the Corn Belt_		49-54
cost of operation on Great Plains	. 70{	21–35, 36–37
grain-sorghum harvesting, rates	121	30
repair work and reliabilityuse—	. 70	20–21
costs, and advantages on Great Plains		1-60
in harvesting grain sorghums	121{	1-2, 5, 11-35
in harvesting small grain, soybeans, and clover in the Corn Belt. L. A. Reynoldson, W. R. Humphries,		
and J. H. MartinCombustion, fuel oils, discussion	244 109	1-55 20-26
Commodities	108	
packing and loading on cars, container construction for	171	40-44
relation to design of shipping container	171	5-6
tains	289	85-91, 99
Compositae, species of North Dakota, annotated list	221	62-64
colonization and observation	86	54-59
foreign distribution and abundance	86	52-53 52 54
life history and habits	86 ec.l	53-54 52, 59-67,
parasitism on gypsy moth and brown-tail moth	86{	134-136

admixtures for resistance to sulphate attacks, tests. curing in water vapor, effect on resistance to alkalis, tests exposure to the action of sulphate waters, laboratory and field tests. D. G. Miller and P. W. Manson. surface treatment for resistance to sulphates, experiments. Cones, pine, seed, yield per bushel. Cones, pine, seed, se		ical Bulle	tins Page
field tests. D. G. Miller and P. W. Manson 358 1-80 conduits. See Pipes. 492 23-24 Conies, pine, seed, yield per bushel 492 23-24 Conies pine, seed, yield per bushel 209 25-33 kinds used in box construction 200 26-67 spreliminary yield dables for second-growth stands in Caliform 210 65-67 spreliminary yield dables for second-growth stands in Caliform 210 65-67 spreliminary yield dables for second-growth stands in Caliform 211 65-67 spreliminary yield dables for second-growth stands in Caliform 210 65-67 spreliminary yield dables for second-growth stands 210 66-67 <td>admixtures for resistance to sulphate attacks, testscuring in water vapor, effect on resistance to alkalis, tests_</td> <td>358</td> <td>59-76, 77</td>	admixtures for resistance to sulphate attacks, testscuring in water vapor, effect on resistance to alkalis, tests_	358	59-76, 77
Cones, pine, seed, yield per bushel	field tests. D. G. Miller and P. W. Manson surface treatment for resistance to sulphates, experiments		
forest fires in California, hour-control determination	Cones, pine, seed, yield per bushel	492	23-24
fornia	forest fires in California, hour-control determinationkinds used in box construction		
Shrinkage during air seasoning	fornia		
Convergence	shrinkage during air seasoning	174	14-15
With E. M. Nighbert	Connelly, J. W.:	-,00	10
Raffensperger	With E. M. Nighbert The Swine Sanitation System as Developed by the Bureau	374	1–15
anaglypticus, infestation of peach trees in Georgia 188 88-90 nenuphar See Plum curculio Container(s) fruit, size, effect on cooling rate in frozen-pack 148 3, 16-17 materials, characteristics and behavior 171 45-69, 98-103 packing and loading in car, shock prevention 171 40-44 requirements and use of western hemlock 139 50-52, 55 shipping construction, principles and design 171 1-133 manufacture of western larch 285 87-88 wooden specifications prepared by Government 171 103-128 testing 171	Raffensperger	44	1-20
fruit, size, effect on cooling rate in frozen-pack. materials, characteristics and behavior. packing and loading in car, shock prevention. 171 40-44 139 50-52, 55 171 50-52, 55 171 1-133 manufacture of western larch. specifications prepared by Government. specifications prepared by Government. specifications prepared by Government. See also Crates. Conway, H. M.: Economic Factors Affecting the Beef-Cattle Industry of Virginia. With C. A. Burmeister and A. P. Brodell. Cook, O. F.: Cotton Improvement through Type Selection, with Special Reference to the Acala Variety. Cook, W. S.: Feeding Punctures of Mirids and Other Plant-Sucking Insects and Their Effect on Cotton. With W. V. King. Coolery, J. S.: Effect of Solid and Gaseous Carbon Dioxide upon Transit Diseases of Certain Fruits and Vegetables. With Charles Brooks, E. V. Miller, C. O. Bratley, P. V. Mook, and H. B. Johnson. Coombs, Whitney: Taxation of Farm Property. Mook, and H. B. Johnson. Cooperage, piling for air seasoning. Cooperage, piling for air seasoning. 172 103-128 173 237 1-66 174 237 1-62 176 237 1-62 176 237 1-62 177 237 1-62 178 237 1-62 179 237 1-62 170 237 1-6	anaglypticus, infestation of peach trees in Georgianenuphar. See Plum curculio.	188	88-90
packing and loading in car, shock prevention			
requirements and use of western hemlock 139 50-52, 55 shipping—			98-103
manufacture of western larch 285 87-88 wooden	requirements and use of western hemlock		
Specifications prepared by Government testing	manufacture of western larch		
CONWAY, H. M.: Economic Factors Affecting the Beef-Cattle Industry of Virginia. With C. A. Burmeister and A. P. Brodell. 237 1–66 COOK, O. F.: Cotton Improvement through Type Selection, with Special Reference to the Acala Variety. 302 1–62 COOK, W. S.: Feeding Punctures of Mirids and Other Plant-Sucking Insects and Their Effect on Cotton. With W. V. King. 296 1–12 COOLEY, J. S.: Effect of Solid and Gaseous Carbon Dioxide upon Transit Diseases of Certain Fruits and Vegetables. With Charles Brooks, E. V. Miller, C. O. Bratley, P. V. Mook, and H. B. Johnson 318 1–60 COOMBS, WHITNEY: Taxation of Farm Property 172 1–75 Cooperage, piling for air seasoning 174 48 Cooperation— agricultural— historical survey of movement 40 4–8, 10–21 in Danube States 126 34–35, 97, 145–146 in Rumania 126 34–35 in Switzerland 101 29–60 in irrigation companies, studies 57 32–36	specifications prepared by Governmenttesting		
Brodell	CONWAY, H. M.: Economic Factors Affecting the Beef-Cattle		
With Special Reference to the Acala Variety	Industry of Virginia. With C. A. Burmeister and A. P. Brodell	237	1-66
Sucking Insects and Their Effect on Cotton. With W. V. King	with Special Reference to the Acala Variety Cook. W. S.: Feeding Punctures of Mirids and Other Plant-	302	1-62
upon Transit Diseases of Certain Fruits and Vegetables. With Charles Brooks, E. V. Miller, C. O. Bratley, P. V. Mook, and H. B. Johnson	Sucking Insects and Their Effect on Cotton. With W. V. King	296	1–12
Coontail, food of wild ducks in North Dakota 221 3, 5-8, 28, 21 31-34, 37, 43-44, 55	upon Transit Diseases of Certain Fruits and Vegetables. With Charles Brooks, E. V. Miller, C. O. Bratley, P. V.	210	1 (60
Coontail, food of wild ducks in North Dakota 221 (31-34, 37, 43-44, 55) Cooperage, piling for air seasoning 174 48 Cooperation—	Coombs, Whitney: Taxation of Farm Property	172	1-75
Cooperage, piling for air seasoning. 174 48 Cooperation—	Coontail, food of wild ducks in North Dakota	221	31–34, 37,
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Cooperation	174	48
in Rumania 126 34-35 in Switzerland 101 29-60 in irrigation companies, studies 82 1-49 publicity and advertising 57 32-36	historical survey of movement	40	4-8, 10-21 34-35, 97
in Switzerland 101 29-60 in irrigation companies, studies 82 1-49 publicity and advertising 57 32-36		ι	140-140
publicity and advertising 57 32-36	in Switzerland	101	29 –60
3	publicity and advertising		

Cooperative— Techn	1 75 1	1 - 4 1
associations—	ical Bul No.	Page
agricultural, marketing and purchasing, 1925. R. H. Elsworth	40	1-98
for marketing milk, development, practices, and fi-	179	2–46
kinds and grouping marketing—	40	1-3, 8-10
associations, 1925. R. H. Elsworth	40	1-98
farm-forest products, discussiongrain in western Canada. J. F. Booth	250 63	81-82 1-116
livestock in United States by terminal associations.		
C. G. Randell	57 107	1-112 22
Coops, poultry, rental costs at terminalsCoots, banding returns, 1923-26	32	33
Copper— compounds, efficacy as blowfly repellent	80	8, 9, 10, 11
contamination of oysters, study	64	64-66
sprays, beneficial effect on citrus rust mitesulphate, efficacy in weed control, experiments in forest	176	35
nursery	156	6-12
toxicity to Anastrepha ludens, study	444 174	7–10 48
Cork formation, in wounds of Crambe maritima	151	14-18
Cormorants, banding returns, 1923–26	32	12–13
Corms, iris, Palestine hybrid, production. David Griffiths and E. O. Orpet	11	1–15
Corn— acreage, production, and—		
exports of Bulgaria, statistics	126	{ 99−102,
exports of Rumania, statistics		108–110 [24 –34, 43,
<u>-</u>	160	54-55 62-65
trade in Hungary, 1877–1929bacterial wilt—		
F. V. Rand and L. C. Cashsymptoms, hosts, losses, and transmission	362 362	1-31 5-8
black-bundle disease, cause, symptoms, and damage	260	14-16
borer— clean-up work, by Bureau of Entomology	53	36-50
control, methods and progress, 1917-26	53	32-133
description, seasonal history and attackEuropean—	53	8–12
and its controlling factors in Europe. W. R.		
Thompson and H. L. Parker braconid parasite, Apanteles thompsoni Lyle.	59	1–63
A. M. Vance	233	1-28
braconid parasite, Chelonus annulipes Wesm., biology and morphology. A. M. Vance	294	1-48
control measures in Europecontrolling factors in the Orient. C. A. Clark	59	41-42
discovery and distribution in United States	455 53	1-38 2-4
distribution, host plants, and life history in		
Europeeconomic host plants, survey	59 77	13–15 4–7
food plants and character of injuryhost plants in New England. B. E. Hodgson	53	3–7
host plants in New England. B. E. Hodgson	77	1-64
host plants in New England, classified list host plants in Orient, range and importance	77 455	55–61 15–17
ichneumonid parasite, Cremastus flavoorbitalis	100	10 11
(Cameron), of, biology. W. G. Bradley and	441	1-16
E. D. Burgessinfestation, effects of condition and characteris-	441	1-10
tics of hostinfestation, effects of environment and distribu-	77	42–46
tion of host plants	77	46-51
108048374		

Corn—borer—continued.		
n		
infestation of green ears of sweet corn, subfreezing temperatures lethal to. C. H. Batchelder and	ical Bulle No.	rtins Page
D. D. Questelinfestation, relative frequency	395 77	1-14 51-55
infestation, sources in refuse	77{	14-17,
injury to plant parts, description	77	48-49 19-36
migration of larvaeparasites—	77	46-48
importation, liberation, and recoveryimported into America. D. W. Jones	98 98	22-27 1-28
study in Europe	59{	17–40, 43–61
polyembryonic braconid parasite, Macrocentrus gifuensis Ashmead. H. L. Parker	230	1-63
pupa of, parasite, Phaeogenes nigridens Wesmael. H. D. Smith	331	1-46
scouting, quarantine and control, 1917–26. L. H. Worthley and D. J. Caffrey	53	1-143
seasonal cycle and stages of infestation	77	36-42
stages on various hosts	77	38-42
toxicity of tobacco and other plantstransmission by plants and plant parts	77 77	45–46 10–19
See also Pyrausia nubilalis. in central Europe—	••	10 10
infestation extent and economic resultsinvestigations, 1924–27, review. K. W. Babcock	135	18-32
and A. M. Vance	135	1-55
infestation progress and surveyslarvae, lethal temperatures	53 53	133-142 127-132
larvae, parasitism by Macrocentrus gifuensis, study	230	2, 6–7, 25–43,
natural enemies and control in central Europe	135	49-60 32-52, 53
original host plants in central Europe	135	14–15
breeding methods	98	8-22
collection and shipment	455	26–31
W. A. Baker and L. G. Jones	460	1-27
investigations in Orient, history and scope	455	1-3
parasitism of Phaeogenes nigridens on	331{	24–29, 36–39
quarantines, regulations and administration	53`	18-32
scouting for, methods and extent	53	13–17
seasonal history and generations per year in central Europesouthwestern—	135	15–18
E. G. Davis, J. R. Horton, C. H. Gable, E. V.		
Walter, R. A. Blanchard, and Carl Heinrich	388	1-62
control, natural and artificial	388 388	42-59
description of stages food plants and injury	388	13–20 6–11
geographic distribution and dissemination	388	3–6
life history and habits	388	25-40
seasonal history	388	20–25
breeding— for hybrid vigor and convergent improvement	267	1-21
for scutellum colors	292	2, 8–43
types to promote ear worm cannibalism, recommenda-		
tions	499	17
canning quality, relation to kernel density, studyconvergent improvement and hybrid vigor, experiments.	97	1–14
F. D. Richey and G. F. Sprague	267	1-22

	cal Bulletins
Corn—Continued.	No. Page 44, 63–70,
crop-yield estimates, reliability	311 99-100, 120-121
deliveries and deliverable supplies, relation to prices, 1924-28ear(s)—	199 16–21, 38
protection from smut by husks	120 2-6
rots, cause, detection, and damagerots, effects of seed treatments	260 3-7, 11-14 260 50-51
smut, relation to husk covering. C. H. Kyleearworm—	120 1-8
association with southwestern corn borers	388 40-41
cannibalistic habits. G. W. Barber	499 1-19
distinction from fall army worminjury to corn, description	34 51 138 2
larvae, age, relation to cannibalistic tendency	499 7
larvae, development when fed fellow larvae exclusive-	
ly	499 8–10
larvae, food preferencespopulations, decrease through cannibalism	499 7-8 499 2-6
experiments at Hays, Kansas, 1912-23	14 49-52
feeding to hogs—	
comparison of gains and feed consumption effects on physical and chemical composition of	413 13–16
carcasses.	413 19-22
effects on quantity and composition of pork	368 1–13
field experiments at West Point, Missfutures—	419 14, 19
market position by days, 1924–28speculative—	199 58–81
accounts, outstanding, importance	199 29–37
traders, open commitments, 1924–28	199 40–57 100 22–29.
traders, transactions in relation to prices	$199 \left\{ \begin{array}{c} 22-29, \\ 38-39 \end{array} \right.$
trading— G. W. Hoffman	199 1-82
extent, 1923–28	199 2-5
volume of trading, open commitments, and prices,	
grain losses due to earworm, relation to extent of cannibal-	199 12–16
ism	499 16
growers, aid by Government in South Africa	466 323
growing— and harvesting, labor and power, use and cost	384 52, 54-56
and yields on Newlands project.	464 20–21
	$\begin{bmatrix} 5, 6, 11-13, \\ 27-28, 44, \end{bmatrix}$
at Belle Fourche station, experiments	454 45, 47, 49,
	51, 52 5, 7-10,
at Huntley Field Station, experiments, 1927-30	353(16, 30,
,,	32-33
dry-land experiments	9-14, 18, 17\{\} 19-25,
diy-land experimento	L 28–29
in Canal Zana	94 $\begin{cases} 9, 11, \\ 13, 22, 40, \end{cases}$
in Canal Zone	41, 44
in Hungary and Yugoslavia	135 10–14 (44, 45,
on dry land, experiments	454 47-49, 51, 52
on Norfolk loams, fertilizer experiments	$225 \left\{ \begin{array}{cc} 1-4, 11, \\ 20, 21 \end{array} \right.$

	ical Bull	
Corn—Continued. heating for corn-borer controlhog ratios, 1904–32	No. 53 359	127-133 44-47, 48
husk— covering, relation to smut of ears. C. H. Kyle protection of ear, influence of environment type, relation to cannibalism of earworm hybrid vigor and convergent improvement, experiments.	120 120 499	1-8 4-6 10-16
F. D. Richey and G. F. Sprague	267	1-22 8-9, 10,
immunity to Japanese beetle attack, effect of repellents	299{	11, 12
industry in southern Africainfestation by—	466	312–329 2–4,
Angoumois grain moth, study in Maryland	3 51	12-14, 24, 32-33
borer in central Europe borer, relation to planting time	135 77	19-26 43 14-29,
borer, studies	77	31, 38-43, 46-54
inheritance of colored scutellumsinjury by—	292	1-43
spindle worm, character and extentsugarcane moth borer	345 41	2 7
irrigation in Southwest, water applied and crop yields	185{	40, 44-45, 52, 54, 57
kernels— specific gravity and factors affecting		4, 6-10, 13
water absorption, capacity and rate	97{	10-11, 12-13
leaf aphid— biology and control in Southwestern States. V. L. Wildermuth and E. V. Walter—— history, distribution, host plants, and injury—— life history, forms, and control——— technical description————————————————————————————————————	306 306 306 306	1-22 2-8 8-19 15
market, traders' position, comparison with prices mosaic disease, effect on productiveness. H. F. Stoneberg_	199 10	26-29 1-18 4, 5, 7-8,
oil, use as adhesive in lead-arsenate sprays	111	12, 13, 14, 16
pasturing with hogs, experiments at Belle Fourche station plant, infestation by earwormplanter with fertilizer attachment, description and opera-	454 499	20-21 1-2
tionplanting—	182	60–62
delay for control of southwestern corn borer time, effect on borer infestation in central Europe pollination experiments prices—	388 135 267	49-52 42-43 7-21
comparison with volume of futures trading and open commitments.	199	13–16
factors affecting	199{	10-12, 16- 21, 38, 39
net, changes, comparison with large net trades production— and trade in France	199 37	33–37, 39 85–88
utilization, and exports of Yugoslavia, statistics	126{	147, 156–158
productiveness as influenced by the mosaic disease. H. F. Stoneberg.	10	1-19
respiration in storage	100	6, 9
rotation and tillage experiments in Oklahoma	330{	6-9, 19- 20, 34

Corn—Continued. Techni	cal Bulle	tins
scutellum— and aleurone colors, relation	No. 292	1 age 4-7, 8
pigments, locationseed—	292	3
borne diseases and related maladiesdisinfectants and treatments, experiments	260 260	3-21 22-62
disinfected, acre yield	260	57-60
disinfection against bacterial wilt	362	8-10, 28-29
viability, effect of heatingseedling blight, treatment, experiments	260	133 4, 38–39 37, 41, 45,
shipment by motortruck in various sections	272(58-64, 67- 68, 70, 74
shock, use in beef-cattle rationsilage, value for wintering steers on northern Great Plains_	23 192	36 2–13
stubble, destruction for control of southwestern corn borer.	388	52-57
supplies and prices, relation to futures tradingsusceptibility to bacterial wilt, effect of environmentsweet—	$\begin{array}{c} 199 \\ 362 \end{array}$	10-12 15-23
disease prevention by carbon dioxide, experiments	318	53, 5 7 1-13
in cold storage, effect on borers infesting ears investigations on Newlands project	395 464	1-13 27
response to varying temperatures from planting time to canning maturity. C. A. Magoon and C. W.	210	1 40
Culpepperwrinkledness, cause	312 97	1-40 11-12
varietal susceptibility to borer in central Europe	135	40-42
response to varying temperatures, experiments	312 362	1-38 11-15
susceptibility to bacterial wiltsusceptible to corn-borer attackwater—	53	102-104
received and fodder yields in Columbia River Basin	200	45, 52
requirements in Southwestyellow—	185	27
comparison with scabbed and normal barley in diets for laying chickens. H. W. Titus and A. B.	435	1–10
Godfrey dent, seed-treatment experiments, results. J. R.		
Holbert and Benjamin Koehleryield(s)—	260	1–64 8, 12,
in irrigated crop rotations in Montana	144	14-15, 27-28, 31
increase from use of winter legumes	367{	4-8, 13- 15, 34-35
under irrigated rotation in Nebraska	2{	10, 13, 21-22
under irrigation, Pacific slope, 1910–22	379`	18, 46, 54
Corn Belt— beef cattle fattening, costs and methods, 1919-23. R. H. Wilcox, R. D. Jennings, G. W. Collier, W. H. Black, and		•
E. W. McComascattle feeding, districts and classes of cattle	23 23	1-114 7-14
farms, power utilization and cost. L. A. Reynoldson, W. R. Humphries, S. R. Speelman, E. W. McComas,	20	1-14
and W. H. Youngman harvest season, rainfall and weather	384 244	1-60 40-44
small grain, soybeans, and clover, harvesting with com- bines and binders. L. A. Reynoldson, W. R. Hum-	277	40-44
phries, and J. H. Martin Cornfields, pasturing, effect on corn-borer control	244 53	1-55 126-127
	-	

Cornstarch—	ical Bulle No.	tins Page
paste, physical properties, investigations	284	1-16
preparation and use as sizing	108{	3-4, 9-
Correlation, curvilinear multiple, problem, method of solving.	·	13, 27
Donald Bruce and L. H. Reineke	210	1-88
Corticium vagum, culture studyCOTTAM, CLARENCE: The Crested Myna, or Chinese Star-	99	52–53
ling, in the Pacific Northwest. With T. S. Scheffer	467	1-27
Cotter, R. U.:		
Factors Affecting the Development of the Aecial Stage of	314	1–38
Puccinia graminis Susceptibility and Resistance of Berberis and Related		
Genera to Puccinia graminis. With M. N. LevineCOTTON, R. T.:	300	1–27
The Chestnut Curculios. With F. E. Brooks	130	1–24
The Meal Worms. With R. A. St. George	95	1–38
Tests of Various Aliphatic Compounds as Fumigants. With R. C. Roark	162	1-52
Cotton—		1 02
abnormalities, inherent, and stress effects	392	5–6
Acala— leaf temperature and water requirement, relations	91	30
leaf temperature, variability	91	8–10
variety, improvement through type selection. O. F.	302	1-62
yields in relation to temperature	91	30-35
acreage 1000 1004	50	49
1900-1924changes, factors affecting	50 50	63 7–9
forecasting methods and results	50{	19-24,
production, and yields, in Egypt	451	57, 72 24–40
American—	-	
marketing in England. A. B. Cox	69	1-88
marketing on Continent of Europe. A. B. Cox	78 (1-96 11-12,
standards in Europe	78{	19, 37-38,
upland, manufacturing procedure and properties.	ι	80, 89
H. H. Willis and R. W. Webb	406	2-24
upland, three grades of, raw cotton and varn and		
sheeting manufactured from, study. R. W. Webb, H. H. Willis, M. B. Hays, R. E. Elmquist, and		
K. M. Downey	406	1-70
boll(s)— age, effect on weevil damage	112	8
4-lock and 5-lock, shedding in upland variety. R. E.		
Beckett and J. W. Hubbard infestation by weevils	$\begin{array}{c} 277 \\ 112 \end{array}$	1-16 40
number of locks, relation to shedding, experiments	· 277	2-16
weevil. See Boll weevil(s).		
breeding— for improvement through type selection	302	1-60
pure-line theory, limitations	302	10-12, 59
selection systems, description "butterfly," meaning of term	302 302	13-28 26, 34-35
color measurement—	302	20, 04-00
apparatus, development and use	154{	12–17,
methods	154	20-23 6-12
consumption in Europe	69	1-3
control service in Liverpool	1 78 69	1-2 51-54
cooperative marketing associations—		
agricultural credit corporations affiliated with. W.H.	40	33–36
Rowe	322	1-64

Techni	ical Bulle	
Cotton—Continued. costs of handling in Manchester	No. 69	Page 10
crazy-top, study in Arizona	ſ	4-7, 10-11, 13, 16-22, 24-26, 29-33
crop-yield estimates, reliability	311	75–80, 99–100, 124–126
culture, extension methods and practicescutworm—	106{	11, 27 – 28, 33
distribution, food plants, habits, and history larger, distribution, food plants, and history parasites and predators demand factors, measurement	88 88 88 50	149-154 146-148 155-156 37-42
dusting with calcium arsenate for control of boll weevil.	487	1-24
earliness characters, description	302	39-44, 60
effect of feeding punctures of mirids and other plant- sucking insects. W. V. King and W. S. Cook	296	1-12
Egyptian— value and market competition	451	1-2
varieties and yields	451	30-34
fabrics— from American upland grades, effects of ironing temperatures. K. M. Downey and R. E. Elmquist- from American upland grades, serviceability. M. B.	406	48-64
Hays and R. E. Elmquist	406	24-48
farming, land tenure in Egypt	451	15–16
fertilizer(s)— analyses effect of particle size on efficiency, study	426 485	7-10 19-24
effect on yields in Texas, experiments	426	6-51
field conditions and precautions in selectionflea hopper, feeding on cotton, effects	302 296	50-58 1-11
flowering, relation to shedding of bolls futures—	277	5 –8
contracts, prices, daily fluctuationscontracts, prices, fluctuations. L. D. Howellcontracts, prices, weekly fluctuations	423 423 423	2-17 1-22 17-21 55-80,
market at Liverpool	69{	84-86
marketing in Europe	78{	34-46, 68-73
gin(s)— capital investment maintenance cost, determination method number and size in United States operation, practices and costs in north-central Texas,	13 13 13	51-52 50-51 5-7
1924-25. J. S. Hathcock ginned, imperfections, study	13 396	1-60 1-17
ginning(s)— consumption, and trade, 1905–26	50	60-62, 65
costs in Texas, 1924–25, analysis	13{	19–39, 52–55
earnings in Texaspractices and costs in Texas, 1924–25 Texas, laws	13 13 13	39–48 1–59 10, 55–59
grade and staple length— in United States, effect of farm prices, seasons 1928-33. L. D. Howell and J. S. Burgess, Jr of individual bales, relation to prices premiums and discounts for, factors affecting	493 493 493	1-63 9-33 24-33 3-23,
grading by color, study	154	29, 31

tton—Continued. Techni	cal Bullet	ting
growers, receipt of credit from agricultural credit corpora-	No. 322	Page 54-57
growing— experiments in Texas for control of root-rot damage	426 225	1-71 1-21
on Norfolk loams, fertilizer experiments under irrigation improvement through type selection. O. F. Cook	72	5-37
industry—	302	1-60
governmental aid in southern Africa	466	275–277 281, 290- 291
in southern Africa	466 2	2, 258–29
infestation by— corn borer in New England tarnished bug, Arizona and California	77 4	7, 9, 59
insects— and diseases in Egypt	451	2
control measures	487	
growing at Yuma Field Station, experiments production districts and factors	369 72	1-29 1-3
irrigation—		
J. C. Marr and R. G. Hemphill effect on shedding of bolls	72 277	1-38 8-10
in Southwest, water applied and crop yields	185	39, 40 41, 47 54–55, 5
methods of watering	72	5-
water requirementsleaf(ves)—	72	28-3
age, effects on temperature variabilityenergy of transpiration and radiation, comparison	91 91	1 1
temperature measurements, methods and apparatus- temperatures and their relation to transpiration, varietal differences, and yields. F. M. Eaton and	91	3-
G. O. Belden	91 (1-40 11-18
wilting, relation to climatic conditions	91 { 1	9, 24–26 34, 30
line breeding, effects	302	12-13
lint, effects of stress conditions in Arizona	392{	3, 6–7 16–2
loans— rediscounting, discussion———————————————————————————————————	322	26-3
typesmanufacturing and marketing in France	322 78	8-13 50-73
market(s)— description, European methods	78 78	6-7
European, study	78 4 93	2-94 3-4
in England, facilities, stocks, and operation	69{	8-80 84-80
marketing— factors affecting prices	50	1-75
neps—	69	30-30
and similar imperfections. N. L. Pearson	39 6	1-19
formationproblem and causes	396 396	6-13 1-3
oil-coated, spontaneous ignition, factorspaper mulching, experiments	141 75	23-2
Pima Egyptian, growing in irrigated rotations at the Yuma Field Station, Bard, Calif. S. H. Hastings and E. G.	260	1 01
Noble	369	1–31

	ical Bull	
plant—	No.	l'age
growth, relation to seasonal history of boll weevil stress conditions, effects in Arizona. C. J. King plantations, power utilization and cost, Mississippi and	112 392	28-32 1-35
Arkansas Delta area	497	1-46
pollination, effect on shedding of bolls	$\frac{1}{277}$	10-15
pooled, supplementary loans.	322	9–10
price(s)—	322	9-10
at central markets, averages, 1928-33	493	8-9
at local and central markets, premiums and discounts		
for grade	493	11-17
at local and central markets, premiums and discounts for staple	493	18-23
comparisons in United States and Europe	78	29-30, 37
effect of business conditions	50	15-17
factors affecting. B. B. Smith	50	1-75
factors affecting, statistical analysis	50	18-56
factors, statistics	50	57-72
farm, relation to grade and staple length in United States, seasons 1928-33. L. D. Howell and J. S.	00	02
Burgess, Jr	493	1-63
Burgess, Jr	493	9-33
premiums and discounts for grade, comparison in		
local and central markets	493	11-17
premiums and discounts for staple, comparison in		
local and central markets	493	18–23
statistics, 1928–33	493	52 –58
to farmers at local markets, 1928-33	493	6–8
to farmers at local markets, method of analysis	493	49–52
production—	100	
and imports of Bulgaria, statistics	126	117
and trade in France	37	103-104 34-36
by tractor-drawbar work, costs	497	
cost items in Egypt	451	22-24
in Egypt. P. K. Norrisquality—	451	1-43
adjustment to mill requirements	493	44–4 5
definition and factors affecting	493	4
effect of farm prices	493	41-44
raw— marketing at Manchester	69	8-17, 84
supply sources for Europe	78	2 11, 02
resistance to adverse conditions, discussion	302	44-48
roguing, requirements	302	51-52
root rot—	002	01 02
control indirectly through use of fertilizerscontrol, relation of fertilizers to, in Texas. H. V. Jordan, P. R. Dawson, J. J. Skinner, and J. H.	426	52-57
Hunter	426	1-76
distribution and damage in Texas	426	2-3
effect of crop rotation and tillage at San Antonio,		
Tex. G. T. Ratliffe	436	1-31
relation of fertilizers to	426{	12–13, 57–64
rotation and tillage experiments in Oklahoma	330{	6-7, 21- 25, 34
sales in England, by varieties, 1919-24	69 `	80-86
seed-coat fragments, examination	396	13-15
shedding		
effects of stress conditions	392	26-30
of 4-lock and 5-lock bolls, causes, and experiments	277	1-16
soils, nitrogen fertilizer experiments. J. J. Skinner, R. A.	4=6	
Lineberry, J. E. Adams, C. B. Williams, and H. B. Mann.	452	1-28
South African, quality	466	263-264

Cotton—Continued.	cal Bulle No.	tins Page
spacing, experiments in irrigated rotation	369{	7, 21-
spinning, and foreign trade in Hungary, 1918–27spot—	160	25, 29 75
marketing in England	69{	13, 26–30, 34–36, 66
marketing in Europe	78{	16-34, 48, 56-57
price average for 35 yearssquare(s)—	50 °	2
age, effect on boll-weevil attack	112 112	6 39–40
infestation by boil weevil, effect of calcium-arsenate treatmentsstandardization, color factor, isolation and measurement	487 154	11-16 3-12
standards in English marketsstaple length—	69	13, 22, 32
and grade in United States, effect of farm prices, seasons 1928-33. L. D. Howell and J. S. Burgess, Jr.	493	1-63
and grade, premiums and discounts for, factors	493	24-33
stocks in Liverpool, by varieties and months, 1910–25supply—	69	26–29
and demand, effect on pricesfactors, measurement	50 50	10-18 30- 37
tare, determination in European markets	78{	26, 61, 83–84
upland— irrigated, possibilities, comparison with Pima	369	25- 27
shedding of 4-lock and 5-lock bolls. R. E. Beckett and J. W. Hubbard	277	1-16
value per acre, variety tests, 1928-33variations, due to selective methods of breedingvarietal—	493 302	59-62 28-50
differences, relation to leaf temperatures resistance to boll weevil, tests warehouses, description and operation in Europe	91 112 78	21-26, 36 6-8 6, 55
water— deficiency, effects, remedies	392	30-32
requirements in Southwestrequirements, relation to leaf temperature	185 91	25-26 30
worm, distinction from fall army worm yield(s)—	34	51
effect of calcium-arsenate treatments	487	16-20 8-9, 15,
increase from use of winter legumes	367	16–17, 34, 35
under fertilizer treatments, study in Texas	426	6-51
under irrigation, Pacific slope, 1927-30	379{	19, 22– 23, 56
Cottonseed— hulls, sorgo silage and sorgo fodder, as roughage in rations for fattening calves in Southwest. W. H. Black, J. M. Jones, and F. E. Keating	43	1-24
meal— feeding, heavy, in relation to udder troubles in dairy cows. R. P. Hotis and T. E. Woodward	473	1-16
mechanical application to soil	182{	11-22,
ration for steers, results	30 182	34, 40 1-14 40, 42
oil—		•
content, determination, methodsuse as adhesive in lead-arsenate sprays	111	2-9, 11-13 4, 5

Cottonwood(s)— Techn	ical Bulle	
Arizona, nomenclature, characteristics, occurrence, and	No.	Page
habits	420	26-29
bending strength, studylanceleaf, history, characteristics, occurrence, and habits_	158 420	7, 37 20–23
MacDougal, history, characteristics, occurrence, and	120	20 20
habits	420	45-48
narrowleaf, nomenclature, characteristics, occurrence,		
and habits	420	23-26
nomenclature, characteristics, occurrence, and habits	420	29-41
northern black—	226	12-13
description, growth, properties, and usesnomenclature, characteristics, occurrence, and habits_	420	17-20
southern, nomenclature, characteristics, and occurrence	420	41-44
County agents, time spent in various extension methods	125	7-9
Cover types, major, in California pine region, fire protection,		
hour-control determination. S. B. Show and E. I. Kotok.	209	1-47
COWAN, F. T.: Life History, Habits, and Control of the Mor-	161	1-28
mon Cricket	101	1-20
Canada, 1927-31. With H. V. Harlan and Lucille Reinbach.	446	1-80
Cowbirds, banding returns, 1923–26.	32	44-45
Cowpea(s)—		
growing for control of tomato yellows	189	
hay, ration for steers, resultsinfestation by corn borer in New England	30	1-14
infestation by corn borer in New England	77 33 0	7, 8, 9, 58 30–31, 34
rotation and tillage experiments in Oklahomavarietal tests at Fort Hays Branch Station, Kans	410	81-83
Cows—	110	01 00
beef, gains from feeding, experiments	203	3, 4-5
corpora lutea, persistent, results of removal	321	12-13
dairy—	110	0.14
breeding efficiency, effect of pasture	116 116	9-14 23-24
breeding troubles, effect of feedcolor markings, Mendelian behavior in inbreeding	339	8, 30
feeding experiments at Huntley Field Station	116	15-24
feeding on Sudan grass for milk production, experi-		
ments	352	1-28
feeds, effect on flavor and odor of milk	9	1-6
fertility study at Beltsville, Md	321	2-7, 22
in milk, pastures for, seasonal variations in carrying capacity. T. E. Woodward and R. R. Graves	465	1-20
		5-6, 22-
mature weight, effects of inbreeding	339{	23, 31
milk flow, effect of pasture	116	14-15
milk production, effect of rations	116	14-23
milk production, relation to watering method and water consumption. T. E. Woodward and J. B.		
McNulty	278	1-14
pasture experiments at Huntley Field Station	116	2-15
pasturing with sweetclover at Belle Fourche station.	454	19
production of milk and butterfat, relation to inbreed-	٠(6-8, 23-
ing	339{	30, 31
production records of dams and daughters	116	45-48
udder troubles, relation to heavy cottonseed meal feeding. R. P. Hotis and T. E. Woodward		
feeding. R. P. Hotis and T. E. Woodward	473	1-16
water consumption and milk production, relation to watering method. T. E. Woodward and J. B. Mc-		
	278	1-14
Nulty weight, factors influencing	116	24-29
feeding pasture grasses for milk production, experiments	381	1-47
heat production, comparison with horses	187	9-12
Cox, A. B.:	20	1.00
Marketing American Cotton in England	69	1-88

Coyotillo—	chnical Bulle	stina
(Karwinskia humboldtiana) as a poisonous plant. C.	D. No.	Page
Marsh, A. B. Clawson, and G. C. Roe	29	1-27
poisoning, symptoms and remedy	29{	15-17,
CRAM, E. B.:	ι	22, 2 5
Developmental Stages of Some Nematodes of the Spirure	oi-	
dea Parasitic in Poultry and Game Birds	227	1-28
Nematodes of Pathological Significance Found in Sor	ne	
Economically Important Birds in North America	 49	1–10
adventive—		
bud, appearance	151	18-22
roots, formation	151	22-27
shoots, formation		9-22
cut surfaces, healing		11-18
vegetative propagation, study	151	9–27
teterrellus, systematic history	173	2
trisectus. See Webworm, sod, larger.	110	
Cranberry (ies)—		
bogs, management for control of cranberry rots	258	47-48
cultivated, fungous diseases. C. L. Shear, N. E. Steven	18,	4 =0
and H. F. Bain	258	1-58
fruit rots, occurrence and control	 258	43–51
host plants, synonyms, list	258	52
of minor importance, taxonomy and distribution	258	13-24
taxonomy and synonymy		2-24
fungous diseases and their control		40-51, 52
harvesting, handling, and storage for control of rots	258	48-50
marketing methods for control of rots	258	50-51
rot fungi—		
physiology	258	24-40
taxonomy and distribution	258	2-9
spraying for control of rots	258	46–47
vine diseases—	258	40-43
description and occurrencefungi causing, study		9-13
Crataegus spp., hosts of apple maggot	66	<i>5</i> –13
Crate(s)—	00	Ū
and box construction, principles. C. A. Plaskett	171	1-134
design and construction		8, 32-39
manufacture from white fir		57
nailed, construction		32-38
wire-bound, construction		38-39
wooden, testing	171	83-87
See also Containers.	no •	
Crater Lake project, experiments in control of mountain pi beetle by solar heat	ne - 195	16-18
Cratogeomys castanops castanops, geographic range		6
Cream—	221	Ū
acidity—		
effect on keeping quality of butter	159	1-7
relation to viscosity	249	9–10
age, effect on viscosity	249	4-6
cooling, effect on viscositydemand factors in New York, metropolitan area. H.	249	10–11
demand factors in New York, metropolitan area. H.	A. 70	
KOSS	73	1-68
freezing, effect on viscosity	249	9
gravity-separated and centrifugally-separated, viscosit comparison	y, 249	7-8, 18
	· ·	13–14,
homogenization, effect on viscosity	249{	16, 18
	•	•

Cream—Continued. Techni	ical Bul	letins
prices—	No.	Page
in New York City, effect on demand	73	44-47
relation to milk prices	179	50-51
		(5, 6, 9, 13,
	70	14, 32–39,
sales in New York City, factors affecting	73(46-54, 57-
		58, 60, 62-
No	170	63, 67
shipments and receipts at Boston, 1925–28	179	48
		20-22, 39,
sour, production in southeastern Coastal Plain	127	41-43, 79,
		83, 85, 88,
	0.40	(89
standardization, effect on viscosity	249	8-9
various acidities, keeping quality of butter made from.		
William White, C. S. Trimble, and H. L. Wilson	159	1-8
viscosity—		
factors affecting. C. J. Babcock	249	1-20
measurement method	249	2
Credit(s)—	•	
agricultural, influence upon cotton industry	322	3-4
associations—		
cooperative, 1925	40	66
cooperative, in Switzerland	101	37
banks, Federal intermediate, rediscount relations with		
credit corporations	322	26–33
corporations, agricultural, affiliated with cotton coopera-		
tive marketing associations. W. H. Rowe	322	1-64
farm-mortgage—		
D. L. Wickens	288	1-102
management	288	73-88
to cotton growers, from agricultural credit corporations	322	54-57
Cremastus flavoorbitalis—		
(Cameron), an ichneumonid parasite of the European corn		
borer, biology. W. G. Bradley and E. D. Burgess	441	1-16
biology and distribution	441	7-14
description of stages	441	2-7
host relationships	441	- <u>`</u>
parasitism on corn borer in Orient	455	21-22
Crocodilia, anatomical and geological data	147	2
Cronartium ribicola—		-
pine hosts	87	23-31
pycniospore production, season	87	41
races or strains	87	43
spore dissemination in Europe and North America	87	13-15
See also Blister rust, white pine.	01	10-10
Crop(s)—		
acreage, trends in North Dakota	102	15-21
and livestock, relative status in Hungary	160	17–18
damage by pocket gophers	224	18-21
dry-land, of the Southwest, fattening steers on. W. H.	LLT	10-21
Black, J. L. Lantow, and D. R. Burnham.	30	1-15
	00	1-10
	102	7–9
growing season, length in North Dakota	30	39– 113
in France, relative status	3 0	98-119
irrigated— experiments at Huntley Field Station, 1927-30	959	7 05
	353	7-25
rotation experiments at Belle Fourche station	454	8–18
yields, effect of alfalfa and farm manure upon, in	400	1 40
Great Plains. S. H. Hastings	483	1-40
plants—	604	14 15 00
boron tolerance, diversity	264	14-15, 63
stimulation with paper mulch. L. H. Flint	75	1-20
production, power requirements in Arkansas and Missis-	40=	61 62
sippi	497	21-25
TOTALION NEE KOLALION CTON(8).		

	ical Bulle No.	etins Page
Crop(s)—Continued. water requirements in Southwest yield estimates—		22–29
adequacy and reliability. C. F. Sarle	•	1-138
preparation and sources	311	5-12
Cropping systems, in Kansas and Oklahoma, 1926	121	133-134 6-7
CROSBY, M. A: An Economic Study of Livestock Possibilities in the		
Southeastern Coastal Plain. With R. D. Jennings	127	1−9€
Sweetclover in Great Plains Farming	380	1-54
Cross arms, woods used, relative advantages	285	- 83
CROSSMAN, S. S.: Imported Insect Enemies of the Gipsy Moth		
and the Brown-Tail Moth. With A. F. Burgess	86	1-148
Crossocosmia sericariae, parasitism on gypsy moth	86	115
Crossties—	174	44-46
air seasoning periods manufacture of western larch, value	285	78-80
	408{	67-69
railroad, use of white fir	Ĺ	70-71
use of western hemlock	139	56
Crotalarias, field experiments at West Point, Miss	419	18
Crow(s)— American, introduction into Bermuda	61	56
banding returns, 1923–26	32	44
Crucifers, clubroot—		
F. L. Wellman	181	1-32
cause and symptoms	181	1-2
control by liming, experiments	181	19-27, 28
effect of adding chemicals to soil	181 88	15–17, 28 1–180
Cryptognatha sp., control of citrus blackfly, life history, and	00	1-100
habits	320	36-40
habits	320	43
Cryptostegia		
culture and propagation in Florida	457	19-20
botanical description	457	2–3
rubber content, determination	457	9-10
hybrid—		
discovery and plant characters	457	5-7
rubber content, study	457{	9-17,
madagascariensis—	ι	20-21
botanical description	457	3-5
rubber content, determination	457	9–10
rubber content of two species and of an interspecific hybrid		
in Florida. L. G. Polhamus, H. H. Hill, and J. A. Elder-	457	1-23
spp.— resin content, analyses	457	17-18
rubber extraction for analysis, method	457	7-9
Crystals—		• •
form, six systems	344	4-5
microscopical study in soil laboratories	344	1-94
optical classification	344	89-94
investigations on Newlands project	464	26, 28
		29-33, 37,
		42, 48-49,
shipment by motortruck in various sections	272(51, 58-64,
		67-68, 72,
Culpepper, C. W.:	'	74–75
Composition of the Developing Asparagus Shoot in		
Relation to Its Use as a Food Product and as Material for Canning With H. H. Moon	462	1-24
for Canning. With H. H. Moon Preservation of Peaches for Use in the Manufacture of Ice		1-21
Cream. With J. S. Caldwell and R. C. Wright	84	1-14

CULPEPPER, C. W.—Continued. Techni	cal Bulle	
Relation of Kernel Density to Table and Canning Quality	No.	Page
in Different Varieties of Maize. With C. A. Magoon	97	1–16
Response of Sweet Corn to Varying Temperatures from		
Time of Planting to Canning Maturity. With C. A.		
Magoon The Canning Quality of Certain Commercially Important	312	1-40
The Canning Quality of Certain Commercially Important		
Eastern Feathes. With J. S. Caldwell	196	1-47
CULVER, J. J.: Ineffectiveness of Internal Medication of		
Poultry for the Control of External Parasites. With D. C.		
Parman, W. S. Abbott, and W. M. Davidson	60	1-24
Cumberland-Shenandoah region—	- 4	10 10 10
climate, effect on apple yields	54	10–13, 16
of Pennsylvania, Virginia, and West Virginia—		
apples grown in, marketing. C. R. Swinson, J. J. Vernon, F. F. Lininger, F. P. Weaver, and A. J.		
Dadisman	234	1-51
apples yield factors influencing C. P. Springen F. P.	207	1-31
apples, yield, factors influencing. C. R. Swinson, F. P. Weaver, A. J. Dadisman, J. J. Vernon, H. P. Gould,		
and J. B. Kincer	54	1-28
CUMINGS, G. A.: Factors Affecting the Mechanical Application	••	. 20
of Fertilizers to the Soil. With A. L. Mehring	182	1-96
Cuno, J. B.: The Portable Band Sawmill and Selective Logging		
in the Loblolly Pine Forests of North Carolina. With R. D.		
Garver	337	1-30
Curassows, introduction into United States	61	9
Curculio (s)—		
cambium, infestation of peach trees in Georgia	188	88-90
injury to chestnut, nature and extent	130	2-5
spp., food plants	130	1-2
spp., food plants	388	42
	•	14-15,
Curlew bug, association with fall army worms Curlews, migrant in South America	26{	14–15, 18, 24
Curlews, migrant in South America	26{	14–15, 18, 24 8, 9, 13–
Current, black, responsibility for white pine blister rust in	26 {	14–15, 18, 24 8, 9, 13–
Curlews, migrant in South America	26{	14–15, 18, 24 8, 9, 13– 16, 20, 23–24,
Current, black, responsibility for white pine blister rust in Europe	26 {	14–15, 18, 24 8, 9, 13–
Current, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly,	26 {	14–15, 18, 24 8, 9, 13– 16, 20, 23–24,
Current, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with	26{ 87	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish.	26 {	14–15, 18, 24 8, 9, 13– 16, 20, 23–24,
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice—	26{ 87{ 500	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish.	26{ 87	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region.	26{ 87{ 500	14-15, 18, 24 8, 9, 13- 16, 23-24, 47-48 1-24 42-46,
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice—	26{ 87{ 500 480{	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61
Currant, black, responsibility for white pine blister rust in Europe Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region— southern pines, improved methods and costs— Cutworm— army—	26{ 87{ 500 480{	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region— southern pines, improved methods and costs— Cutworm— army— distribution, food habits, and history—	26{ 87{ 500 480{ 204	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region— southern pines, improved methods and costs— Cutworm— army— distribution, food habits, and history— parasites and predators.	26{ 87{ 500 480{ 204 88 88	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region— southern pines, improved methods and costs— Cutworm— army— distribution, food habits, and history— parasites and predators— bristly, distribution, food plants, habits, and history— bristly, distribution, food plants, habits, and history—	26{ 87 500 480{ 204 88 88 88	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99 123-128
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region————————————————————————————————————	26{ 87{ 500 480{ 204 88 88 88 88	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99 123-128 68-73
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region— southern pines, improved methods and costs. Cutworm— army— distribution, food habits, and history—parasites and predators—bristly, distribution, food plants, habits, and history—clay-backed, distribution, food plants, habits, and history—control measures.	26{ 87{ 500 480{ 204 88 88 88 88 88	14-15, 18, 24 8, 9, 13- 16, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99 123-128 68-73 156-175
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region— southern pines, improved methods and costs. Cutworm— army— distribution, food habits, and history—parasites and predators—bristly, distribution, food plants, habits, and history—clay-backed, distribution, food plants, habits, and history—control measures—dark-sided, distribution, food plants, habits, and history—control measures—dark-sided, distribution, food plants, habits, and history—dark-sided, distribution, food plants, habits, and history—dark-sided, distribution, food plants, habits, and history—	26{ 87{ 500 480{ 204 88 88 88 88 88	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99 123-128 68-73 156-175 90-94
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region— southern pines, improved methods and costs— Cutworm— army— distribution, food habits, and history—parasites and predators—bristly, distribution, food plants, habits, and history—control measures—dark-sided, distribution, food plants, habits, and history—dingy, distribution, food plants, habits, and history—dingy distribution, food plants, habits, and h	26{ 87{ 500 480{ 204 88 88 88 88 88 88 88	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99 123-128 68-73 156-175 90-94 59-68
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region— southern pines, improved methods and costs. Cutworm— army— distribution, food habits, and history—parasites and predators—bristly, distribution, food plants, habits, and history—control measures—dark-sided, distribution, food plants, habits, and history—dingy, distribution, food plants, habits, and history—drab, distribution, food plants, and history—drab.	26{ 87{ 500 480{ 204 88 88 88 88 88 88 88 88	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99 123-128 68-73 156-175 90-94 59-68 89-90
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region————————————————————————————————————	26{ 87{ 500 480{ 204 88 88 88 88 88 88 88 88	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99 123-128 68-73 156-175 90-94 59-68 89-90 73-75
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region— southern pines, improved methods and costs. Cutworm— army— distribution, food habits, and history— parasites and predators— bristly, distribution, food plants, habits, and history— clay-backed, distribution, food plants, habits, and history— control measures— dark-sided, distribution, food plants, habits, and history— dingy, distribution, food plants, habits, and history— drab, distribution, food plants, habits, and history— dusky, distribution, food plants, habits, and history— dusky, distribution, food plants, habits, and history— dusky, distribution, food plants, habits, and history— glassy, distribution, food plants, habits, and history— glassy, distribution, food plants, habits, and history— glassy, distribution, food plants, and history— glassy, distribution,	26{ 87{ 500 480{ 204 88 88 88 88 88 88 88 88 88 88	14-15, 18, 24 8, 9, 13- 16, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99 123-128 68-73 156-175 90-94 59-68 89-90 73-75 99-103
Currant, black, responsibility for white pine blister rust in Europe Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region— southern pines, improved methods and costs— Cutworm— army— distribution, food habits, and history—parasites and predators—bristly, distribution, food plants, habits, and history—clay-backed, distribution, food plants, habits, and history—dark-sided, distribution, food plants, habits, and history—dingy, distribution, food plants, habits, and history—drab, distribution, food plants, habits, and history—dusky, distribution, food plants, habits, and history—dusky, distribution, food plants, habits, and history—glassy, distribution, food plants, habits, and history—glassy, distribution, food habits, and history—granulated, distribution, food habits, and history—	26{ 87{ 500 480{ 204 88 88 88 88 88 88 88 88 88 88 88 88 88	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99 123-128 68-73 156-175 90-94 59-68 89-90 73-75 99-103 75-82
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region— southern pines, improved methods and costs— Cutworm— army— distribution, food habits, and history—parasites and predators—bristly, distribution, food plants, habits, and history—control measures—dark-sided, distribution, food plants, habits, and history—dingy, distribution, food plants, habits, and history—dingy, distribution, food plants, habits, and history—drab, distribution, food plants, habits, and history—dusky, distribution, food plants, habits, and history—glassy, distribution, food plants, habits, and history—granulated, distribution, food habits, and history—granulated, distribution, food plants, hab	26{ 87{ 500 480{ 204 88 88 88 88 88 88 88 88 88 88 88 88 88	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99 123-128 68-73 156-175 90-94 59-68 89-90 73-75 99-103 75-82 52-59
Currant, black, responsibility for white pine blister rust in Europe Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region	26{ 87{ 500 480{ 204 88 88 88 88 88 88 88 88 88 88 88 88 88	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99 123-128 68-73 156-175 90-94 59-68 89-90 73-75 99-103 75-82 52-59 103-107
Currant, black, responsibility for white pine blister rust in Europe. Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region——— southern pines, improved methods and costs. Cutworm————————————————————————————————————	26{ 87{ 500 480{ 204 88 88 88 88 88 88 88 88 88 88 88 88 88	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99-99 123-128 68-73 156-175 90-94 59-68 89-90 73-75 99-103 75-82 52-59 103-107 82-86
Currant, black, responsibility for white pine blister rust in Europe Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region— southern pines, improved methods and costs. Cutworm— army— distribution, food habits, and history—parasites and predators—bristly, distribution, food plants, habits, and history—control measures—dark-sided, distribution, food plants, habits, and history—drab, distribution, food plants, habits, and history—glassy, distribution, food plants, habits, and history—granulated, distribution, food plants, habits, and history—green, distribution, food plants, habits, and history—green, distribution, food plants, habits, and history—pale-sided, distribution, food plants, habits, and history—pale-sided, distribution, food habits, and history—pale-sided, distribution, food habits, and history—pink-backed, distribution, food habits, and history—p	26{ 87{ 500 480{ 204 88 88 88 88 88 88 88 88 88 88 88 88 88	14-15, 18, 24 8, 9, 13- 16, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99 123-128 68-73 156-175 90-94 59-88 89-90 73-75 99-103 75-82 52-59 103-107 82-86 119-123
Currant, black, responsibility for white pine blister rust in Europe Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region— southern pines, improved methods and costs— Cutworm— army— distribution, food habits, and history—parasites and predators—bristly, distribution, food plants, habits, and history—clay-backed, distribution, food plants, habits, and history—dark-sided, distribution, food plants, habits, and history—drab, distribution, food plants, habits, and history—drab, distribution, food plants, habits, and history—dusky, distribution, food plants, habits, and history—granulated, distribution, food habits, and history—greasy, distribution, food plants, habits, and history—greasy, distribution, food plants, habits, and history—green, distribution, food plants, habits, and history—pale-sided, distribution, food plants, habits, and history—pink-backed, distribution, food habits, and history—pink-backed, distribution, food habits, and history—shield-marked, distribution, food hab	26{ 87{ 500 480{ 204 88 88 88 88 88 88 88 88 88 88 88 88 88	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99 123-128 68-73 156-175 90-94 59-88 89-90 73-75 99-103 75-82 52-59 103-107 82-86 119-123 128-132
Currant, black, responsibility for white pine blister rust in Europe Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region	26{ 87 500 480{ 204 88 88 88 88 88 88 88 88 88 88 88 88 88	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99 123-128 68-73 156-175 90-94 59-88 89-90 73-75 99-103 75-82 52-59 103-107 82-86 119-123 128-132 128-132
Currant, black, responsibility for white pine blister rust in Europe Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region	26{ 87 500 480{ 204 88 88 88 88 88 88 88 88 88 88 88 88 88	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 123-128 68-73 156-175 90-94 59-68 89-90 73-75 99-103 75-82 52-59 103-107 82-86 119-123 128-132 136-140 87-89
Currant, black, responsibility for white pine blister rust in Europe Cushing, E. C.: Biology of the Primary Screw Worm Fly, Cochliomyia americana, and a Comparison of Its Stages with Those of C. macellaria. With E. W. Laake and H. E. Parish. Cutting practice— forests of Southwest and Black Hills region	26{ 87 500 480{ 204 88 88 88 88 88 88 88 88 88 88 88 88 88	14-15, 18, 24 8, 9, 13- 16, 20, 23-24, 47-48 1-24 42-46, 51-61 84-91 96-99 99 123-128 68-73 156-175 90-94 59-88 89-90 73-75 99-103 75-82 52-59 103-107 82-86 119-123 128-132 128-132

Techni	cal Bulle No.	tins
tobacco. S. E. Crumbvariegated, distribution, food plants, habits, and history	88 88	1-180 107-115
W-marked, distribution, food plants, and history	88	140-142
See also Cotton cutworm.		
Cyathostoma— americana, comparison with C. brantae	49	8–9
brantae. description	49	7-9
brantae, description	173	23
Cyperaceae, species found in North Dakota, annotated list	221 99	51-52
Cystospora batata, infection of sweetpotatoes	321	43–44 13
Czechoslavakia—		
corn growing and borer infestation	135	5, 20, 38
wheats, production, and milling and baking qualities	197	107–109
Dadisman, A. J.:		
Factors Influencing the Yield of Apples in the Cumberland-		
Shenandoah Region of Pennsylvania, Virginia, and West Virginia. With C. R. Swinson, F. P. Weaver, J. J. Ver-		
non, H. P. Gould, and J. B. Kincer	54	1-26
Marketing Apples Grown in the Cumberland-Shenandoah		•
Region of Pennsylvania, Virginia, and West Virginia.		
With C. R. Swinson, J. J. Vernon, F. F. Lininger, and F. P. Weaver	234	1-51
Dahlia sp., hot-water treatment for insect pests	274	25
Dairy(ies)—	101	20 45
cooperative, in Switzerland herd, Beltsville, of the Bureau of Dairy Industry, repro-	101	39–4 5
duction and health records. F. W. Miller and R. R.		
Graves	321	1-24
industry— in France, historical survey	37	136-140
	101 [2	21-29, 38
in Switzerland, data		11,000
investigations, Ardmore, S. Dak management, practices at Ardmore, S. Dak	17 17	40–67 41–47
products—	1.	31-41
cooperative associations, 1925exports from Hungary, 1925-27	40	36-40
exports from Hungary, 1925–27	160 466	91–92 122–132
importance in southern Africa marketing in New York City, demand factors	73	1-68
Swiss imports and exports, 1921–26	101	27-29
value as perquisite for farm labor	213	8–10
work at Huntley Field Station, Huntley, Mont., 1918-27. T. W. Moseley, Duncan Stuart, and R. R. Graves	116	1-48
Dairy Industry, Bureau of, herd at Beltsville, reproduction and		- 10
health records. F. W. Miller and R. R. Graves	321	1-24
Dairying—		11, 35,
extension methods and practices	106{	37, 41
extent of industry in—	100	100 104
BulgariaYugoslavia	126 126	123-124 174-175
in Hungary, 1909–27, survey	160	90-92
	[18-43, 71-
in southeastern Coastal Plain, status of industry	127	77, 7 9–80, 88–89
investigations on Newlands project	464	29-31
labor requirements, effect of milk-plant arrangement and		
operation methods	$\begin{array}{c} 153 \\ 210 \end{array}$	1-40 65-67
Damping-off, conifer seedlings, study by graphic methods Dams—	210	65–67
backwater from, drainage pumping costs, upper Missis-		
sippi Valley check, construction for prevention of soil erosion	327	93-94
check, construction for prevention of soil erosion	476	36–38

Techni	ical Bulle	
Dana, S. T.: Timber Growing and Logging Practice in the Northeast	No. 166	Page 1-112
Dantzig, Tobias: A Quantitative Method for Measuring Stiffness. With E. C. Peterson Danube Basin—	108	14-26
agricultural survey. Part 2. Rumania, Bulgaria, and		
Yugoslavia. L. G. Michael	126	1-186
importation of American products	126	1-5
DARBY, H. H.:	120	
Observations on the Thermal Death Points of Anastrepha		
ludens (Loew). With E. M. Kapp	400	1-19
Studies on the Mexican Fruit Fly, Anastrepha ludens		
(Loew). With E. M. Kapp	444	1-20
DARROW, G. M.:		
Development of Runners and Runner Plants in the Straw-		
berry	122	1-28
Responses of Strawberry Varieties and Species to Dura-		
tion of the Daily Light Period. With G. F. Waldo	453	1-32
Darso		
grains, in storage, hygroscopic moisture and physical		
characteristics	100	5, 13
See also Sorghums, grain.		
Dasheen starch paste, physical properties, investigations	284	1-16
Date(s)—		
Deglet Noor—	400	
characteristics	193	3-4, 6-8
		5-6, 7-8,
moisture and sugar content, determination	193{	11-15,
	ι	17-18
processing and storing in California, experiments.	109	1 04
A. F. Sievers and W. R. Barger	193 193	1-24
pasteurization, effects on keeping qualityscale—	190	20
Parlatoria. See Parlatoria date scale.		
red, Phoenicococcus marlatti Cocl erell, and its allies,		
external anatomy. F. S. Stickney	404	1-153
DAVIDSON, W. M.:	101	1 100
Ineffectiveness of Internal Medication of Poultry for the		
Control of External Parasites. With D. C. Parman,		
W. S. Abbott, and J. J. Culver	60	1-24
Relative Insecticidal Value of Commercial Grades of		
Pyrethrum, With C. C. McDonnell, W. S. Abbott, G.		
L. Keenan, and O. A. Nelson Davis, A. C.: The Pepper Weevil. With J. C. Elmore and R.	198	1-10
DAVIS, A. C.: The Pepper Weevil. With J. C. Elmore and R.		
E. Campbell	447	1–28
DAVIS, E. G.: The Southwestern Corn Borer. With J. R. Hor-		
ton, C. H. Gable, E. V. Walter, R. A. Blanchard, and Carl		
Heinrich	388	1-62
Dawson, J. R.:		
Feeding Value for Milk Production of Pasture Grasses		
When Grazed, When Fed Green, and When Fed as Hay		
or Silage. With R. R. Graves, D. V. Kopland, and T.	381	1 40
W. MoseleySudan Grass as Hay, Silage, and Pasture for Dairy Cattle.	901	1-48
With R. R. Graves and A. G. Van Horn	352	1-28
Dawson, O. L.: Milling and Baking Qualities of World Wheats.	002	1-20
With D. A. Coleman, Alfred Christie, H. B. Dixon, H. C.		
Fellows, J. F. Hayes, Elwood Hoffecker, J. H. Shollenberger,		
and W. K. Marshall	197	1-224
DAWSON, P. R.: The Relation of Fertilizers to the Control of		
Cotton Root Rot in Texas. With H. V. Jordan, J. J. Skinner,		
and J. H. Hunter	426	1-76
Day length, effect on seeding date of sorghums	131	42-43
Daylight, effect on—		
development of barley smuts	293	17
infective larvae of Strongyloides ransomi	437	25-36
ripening of tomatoes	26 8	12
108048375		

Tach	nical Bul	lating
Degman, E. S.: Soil Moisture and Irrigation Investigations in Eastern Apple Orchards. With J. R. Magness and J. R.	No.	Page
Furr	491	1-36
codling moth in, life history. E. R. Selkregg and E. H. Siegler	42	9 16 10
strawberry industry, 1920–26	180	2-10, 19, 21-24, 28- 29, 36, 63- 87, 93-103
Delong, D. M.: A Revision of the American Species of Empoasca Known to Occur North of Mexico	231	1-60
leader training, costs and effectiveness	125	3-4, 6-14, 16-20, 25, 27
method, costs and effectiveness	125	3, 4, 6-14, 16-20, 25, 27
result, costs and effectiveness	125{	3, 4, 6–20, 25–26, 27
breviconis, infestations in standing timber	3 195	3-9
spp. See Bark beetles. Denison, I. A.: Alteration of Muscovite and Biotite in the Soil. With W. H. Fry and P. L. Gile Denmark—	128	
foot-and-mouth disease, outbreaks and control	76{	19-21, 142-150
wheats, production, and milling and baking qualities Dermacentor— andersoni, transmission of anaplasmosis, experiments	197 418 8	109–110 8–9, 12, 15
variabilis, transmission of anaplasmosis, experiments	418	8-9. 12-
Dermanyssus gallinae, control, tests by internal medication Dermestes lardarius, egg parasite of gypsy moth Derris, use against codling-moth larvae, experiments Desert Land Act, provisions Desilting processes, Colorado River Basin Dewberries—	60	12–13, 19 143 26, 28 27–28
hydrion concentration changes, study	403	20 44
transit diseases, effect of carbon dioxide	318{	36–44, 55, 57
Lombard	5	1-36
Dexia ventralis, parasitism upon Popillia in Chosen	366{	2, 20–25, 56, 57
Dextrose, decomposition by sulphuric acid at high temperature, analysis by graphic methods	210	45-54
corn, study	362	23–27
cause of dry rot of sweetpotatoes morphology and life history vaccinii, n. sp., technical description and distribution Diatraea—	99 99 258	68 68–69 7–8
grandiosella— history— technical description— See also Corn borer, southwestern. saccharalis—	388 388	19-20
parasites ofspp. See Sugarcane moth borer.	303	1–27

	nical Bulle No.	
spp.— occurrence in United States and Mexico		Page 3
range and food plants Dibrachys meteori, parasitism and development DICKSON, J. G.: Effects of Certain Environmental Factors or	41	10-12
Dibrachys meteori, parasitism and development	138	53–54
Dickson, J. G.: Effects of Certain Environmental Factors of	i -	
Stripe Disease of Barley and the Control of the Disease by Seed Treatment. With R. W. Leukel and A. G. Johnson	341	1-40
Dicotyledons, adventive shoots, formation.	151	30-40
DIEHL, H. C.:		
Freezing Injury to Potatoes. With R. C. Wright	27	1-24
Investigations on Harvesting and Handling Fall and Winter Pears. With W. T. Pentzer, J. R. Magness, and	1 1	
M. H. Haller	. 290	1-30
Investigations on the Handling of Bartlett Pears from	ı	
Pacific Coast Districts. With J. R. Magness and F. W		1-28
Allen. Relation of Maturity and Handling of Bartlett Pears in the Pacific Northwest to Quality of the Canned Product	. 140	1-20
the Pacific Northwest to Quality of the Canned Product	•	
With B. D. Ezell	450	1-24
The Frozen-Pack Method of Preserving Berries in the Pacific Northwest. With J. R. Magness, C. R. Gross	;	
and V. B. Bonney	148	1-38
Diet(s)—		
energy—	105	0.10
and nutrients in, calculation by short method protein, calcium, phosphorus, and iron in, calculation		6–19
by short method. Edith Hawley	105	20
by short method. Edith Hawley family, needs, measurement by scales and standards		
Edith Hawley	. 8	1-32
Edith Hawley for laying chickens, comparison of scabbed barley, normal barley, and yellow corn. H. W. Titus and A. B. Godfrey.	435	1-10
improvement for prevention of pellagra in South Carolina	333	21-22
measurement, scales and standards for	. 8	1-30
DILLMAN, A. C.: Flax Cropping in Mixture with Wheat, Oats and Barley. With A. C. Arny, T. E. Stoa, and Clyde McKee.	100	1 47
Dimension stock—	133	1-47
piling for air seasoning	174	42-43
western larch, value, properties, and uses	r	57-58,
Dioctes punctoria—	(65–70
parasitism on corn borer	98	3, 24-26
	[2	3, 24–26 27–28, 43– 47, 49, 52,
parasitism on corn-borer larva	59(47, 49, 52,
Diplodia	Ĺ	55–56, 59
ear rot. See Corn ear rot.		
natalensis, infection of citrus fruit and control by use of		
borax seedling blight, treatment, experiments	488 260	1-32 4, 38-39
tubericola, cause of Java black rot of sweetpotatoes	99	67-68
vaccinii, description and distribution	258	20
zeae, infection of yellow dent corn	260	3-6
Diseases, transit, of fruits and vegetables, and the effect of car- bon dioxide on, experiments	318	1–57
Disinfectants—	010	1-07
for corn seed, kinds and use, experiments	260	22-62
use against—	,	# 01 00
foot-and-mouth disease	76{	7, 31–32, 55–60
potato wart		12, 13
Disking, wheat land, comparison with plowing	r	2. 4-5.
Dispharynx spiralis, description, hosts, and development.	(12-13, 18- 18-21
we present and a per series, account would income, and accordance in	~~.	10 ME.

Ditches— Technic	cal Bulle	etins
construction for prevention of soil erosion, recommenda-	No.	l'age
tionsdrainage—	476	36
designing, recommendations	129	101
maintenance of water flowvelocity, factors affecting	129 184	99 4–5
water flow, roughness coefficient, determination	129	1-101
dredged drainage, erosion and silting. C. E. Ramser	184	1-55
irrigation, tending	47 269	26-33 19-24
open, damages caused, estimation DIXON, H. B.: Milling and Baking Qualities of World Wheats. With D. A. Coleman, O. L. Dawson, Alfred Christie, H. C. Fellows, J. F. Hayes, Elwood Hoffecker, J. H. Shollenberger,	209	18-24
and W. K. Marshall Dogs—	197	1-224
infection with swine lungworms, experiments	456	15
poisoning from red-squill powders, experiments	134	25
exports and imports in France	37	166, 168 78,
numbers in Danube States	126{	128, 181
Dormancy, plants, distinction from rest period Douglas fir—	415	2
breakage in felling, factors and losses	286	16-22 3-4 7-0
columns, tests by Forest Products Laboratory formula	167	3-4, 7-9, 12-16, 18- 20, 30-39
cutting regulations decay and other losses in western Oregon and Washington.	480	45, 54
J. S. Boyce	286	1-60
forests— features and natural reproduction in Southwest and		
Black Hills region	480	28-31
fires in California, hour control, determination	209	29-30
growth— and yield tables	201	10-41
characteristics	201	6-8
increment tablesinsect, fungous, and mistletoe pests	201 286	41–46 2–3
loss in Pacific Northwest—	200	
causes	286{	11–48, 56–57
statistical study	286	48-50
planting experiments in the Southwest	247{	105–108, 110–111
rots, occurrence, description, and relationshipsstand(s)—	286	22-48
site quality, determination	201	12-13
tables	201	46-48
volume tables wind-thrown—	201	49–59
deterioration rate	104	23-24
losses five years after windfall	104{	10-11, 18- 23, 27-28
winter injury and decayyield—	286	3-4
factors influencingin Pacific Northwest. R. E. McArdle and W. H.	201	8–10
Meyer	201	1-64
surveys, methods of conducting	201	33-39
tables, application to actual standstables, preparation technic	201 201	28-33 60-64
zone in Southwest, features	247	9-12
Douglass, J. R.: Habits, Life History, and Control of the Mexican Bean Beetle in New Mexico	376	1-46
		2 20

• Techni	cal Bulle	tins
Doves-	No.	Page
banding returns, 1923–26	32	34-3 5
banding returns, 1923-26	61	47
Elmquist	406	48–6 4
Drainage—		
channel(s)—		
changes due to erosion and silting, computations	184	11-49
discharge capacity, effect of erosion and silting	184	10-11
dredged, capacity determination	129	100
erosion and silting, factors affecting	184	5–10
slope of water surface, determination	129	3-4
velocity, factors affecting	184	4-5
water flow, roughness coefficient n in Kutter's formula, determination, results of experiments. C. E. Ram-	100	
ser	129	1-102
costs in southern drainage districtsdistrict(s)—	194	36–39
in South, economic status in 1926. R. D. Marsden and	•••	
R. P. Teele	194	1-48
run-off, determination	390	11-27
southern, financial statusditches, dredged, erosion and silting. C. E. Ramser	194	40-47
ditches, dredged, erosion and silting. C. E. Ramser	184	1-55
in Mississippi Delta, effects on yields of alfalfa	495	9-10
land, economical use of large tile. R. D. Marsden	269	1-24
open-ditch, costs, comparison with tile drainagepumping—	269	9–17, 24
cost in upper Mississippi Valley. J. G. Sutton operating expenses	327 327{	1-100 9-15, 86-
	02'\	91, 99
plants, design and operation, upper Mississippi Valley. J. G. Sutton	390	1-60
power types for, factors affecting choice	327	96-97, 99-100
with oil engine and electric power, comparison of costs.	327	94-96 98-99
work of irrigation districts	254	6 3–64
See also Irrigation; Tile drainage.	000	
Drains, tile, maintenance cost, reduction Drill, grain, attachments for fertilizer distribution, description	269	17–19
and operation Drosichini Morrison, characteristics and keys to genera and	182	47-54
species	52	158-172 60-61
Drought, damage to southern pine	492	76-77 11, 14,
Drugs, powdered, explosibility, studies	490{	17-22
Dry-farming experiments—	17	1-68
at Ardmore, S. Dak	353	25-3
at Huntley Field Station, 1927-30	51	1-3
with broomcorn in Oklahoma	01	1 0.
Dry-land(s)—		
crop(s)—	454	43-55
experiments at Belle Fourche station	404	10 0
use in fattening steers, in Southwest. W. H. Black, J. L. Lantow, and D. R. Burnham	30	1-14
field station, Ardmore, S. Dak., work, 1912-25. J. S. Cole, F. L. Kelso, E. Z. Russell, J. B. Shepherd, Duncan		
Stuart and P. P. Graves	17	1-68
Stuart, and R. R. Graves	11	1 00
field station, Woodward, Okla., broomcorn experiments.	51	1-32
J. B. Sieglingerof far West, wheat production, experiments	329	1-68
Drying, artificial, of hay, effect on quality	235	16-17
Diging, airmoral, or may, enece on quanty	200	

	ical Bull	etins
Duck(s)— banding returns, 1923–26	No. 32	Page 13–30
domestic, infestation with Spiruroidea	227	3, 4–5, 25
cause, theories	411	7-22
factors responsible	411	61-68
pathology	411	52-54 48-52
symptomatology western—	411	48-02
a form of botulism. E. R. Kalmbach and M. F.		
Gunderson	411	1-82
extent of distribution and mortality	411	32–35
mortality, history	411	24-32
remedies and prevention, study	411	68-76
wild— foods North Dekote lakes F P Metcelf	221	1-72
foods, North Dakota lakes. F. P. Metcalf infestation with nematodes	49	4-6
introduction into United States	61	7-8
	ſ	3, 29-33,
Duckweeds, food of wild ducks in North Dakota	221{	35 –37 , 39–
T	ι	41, 44, 52
DUNEGAN, J. C.:	220	1 60
Peach Brown Rot. With J. W. RobertsThe Bacterial Spot Disease of the Peach and Other Stone	328	1–60
Fruits	273	1-54
Dung beetles, hosts, intermediate, of spirurids	227	2, 22, 24
DUNNAM, E. W.: Biology of the Cotton Boll Weevil at Flor-		-,,
ence, S. C. With F. A. Fenton	112	1-76
DUNNING, DUNCAN: Preliminary Yield Tables for Second-		
Growth Stands in the California Pine Region. With L. H.	0-4	1 04
Reineke	354	1–24
Dust(s)—		
agricultural, explosibility as indicated by maximum pres-		
sure and rates of pressure rise. P. W. Edwards and L.		
R. Leinbach	490	1-24
explosibility determination, methods, apparatus, and pro-	400	
cedure	490	2-8
explosions— in grinding equipment, value of inert gas as a preven-		
tive. H. R. Brown	74	1-24
		6-7, 15-
prevention by gas, equipment	74{	16, 21-22
prevention by inert gas	74	1-23
studies	490	1-24
explosive, classification	490	9–19
fungicidal— effectiveness in control of covered smut of barley, ex-		
periments	207	3-20
effectiveness in seed treatment, comparison with		
liquids	207	17–19
efficacy in control of loose smut of barley	293	1-10
sources of supply	207	16
use on corn seed, comparative experiments	260 74	56-60, 62 11-12
grain, explosibility testsinsecticidal, use—	• -	
against citrus rust mite	176	36, 40–41,
•	}	49-54, 55 10, 15-
against fruit-tree mites	25{	18, 32, 33
and efficacy against corn borer	5 3 `	109-124
treatments, corn seed, comparison with soak treatments	260	41-42
DUVEL, J. W. T.: Major Transactions in the 1926 December		
Wheat Future. With G. W. Hoffman	79	1-52
DVORACHEK, H. E.: Beef Production from Purebred, Grade,	203	1-16
and Native Calves. With A. T. Semple	203 299	9-10
Dyeing entracts, rependicy to capanose beenes, experiments.	200	3 10

Dyes—	chnical B	ullet ins	
absorption-	N	_	Pag
ratios, list and value	31		22-24
spectra, factors affecting	31	7 2	8-1
color and chemical constitution			3-4
evaluation, spectrophotometric	31 31		25-38 16-28
identification, methods and study	31		38
solubilities at 26° C. visual spectrophotometry. W. C. Holmes, J. T. Scanl	an	10	00
and A. R. Peterson	31	10	1-42
and A. R. Peterson Dynamite, use for deep tillage at Ardmore, S. Dak		17	21-2
I hisatiaresta			
description and history	40)1	51
description and history	4(01	51-52
Earthworms—		r	5-11
infestation with swine lungworms	48	56{	17-18
swine lungworms in, migration and molting	41	56	18-23
EATON, F. M.:		,,	10 20
Boron in Soils and Irrigation Waters and Its Effect	on		
Plants, with Particular Reference to the San Joaqu			
Valley of California	44	18	1-132
Leaf Temperatures of Cotton and Their Relation to Tra-	ns-		
piration, Varietal Differences, and Yields. With G.	0.		
Belden	{	91	1-40
EATON, O. N.:			
Correlation of Hereditary and Other Factors Affecti	ng	70	1 96
Growth in Guinea Pigs Genetic Growth Differentiation in Guinea Pigs. W.	27	y	1–36
H. C. McPhee	22	9	1-36
The Persistence of Differentiation among Inbred Famil			1 00
of Guinea Pigs. With Sewall Wright	10)3	1-46
Eccoptogaster Herbst, revisional study in North America	ca.	_	
M. W. Blackman	43	31	1-31
Echidnophaga gallinae. See Flea(s), sticktight.			
Echinuria spp., parasitism in wild ducks and geese		19	4-6
Ecological studies, beet leaf hopper. Walter Carter	20)6	1-118
EDGINGTON, GLEN:	1		
Chemical Studies of Infertile Soils Derived from Roc	K8		
High in Magnesium and Generally High in Chmium and Nickel. With W. O. Robinson and H.	G		
Byers		71	1-29
Variations of the Colloidal Material Extracted from t		•	
Soils of the Miami, Chester, and Cecil series. With			
S. Holmes		9	1-24
Edmundson, W. C.:	,		
Effect of Irrigation Water on Vigor and Vitality of Se			
Potatoes	21	.6	1-7
Source, Character, and Treatment of Potato Sets. William Stuart, P. M. Lombard, and G. W. Dewey.	.tn	5	1 26
Studies in Time and Rate of Irrigating Potatoes in Co	 lo-	ð	1-36
rado	11	8	1-22
Education, facilities in Michigan	9		61-67
EDWARDS, BRICE: The Marketing and Distribution of Fru	its	_	
and Vegetables by Motor Truck. With J. W. Park EDWARDS, P. W.: Explosibility of Agricultural and Other Du	27	2	1-88
Edwards, P. W.: Explosibility of Agricultural and Other Du	sts		
as Indicated by Maximum Pressure and Rates of Pressu	ire	_	
Rise. With L. R. Leinbach	49	10	1-24
Egg(s)—		^	E7 61
cooperative associations, 1925production—	4	.0	57-61
effect of diets upon, experiments with normal a	nd		
scabbed barley and yellow corn		5	1-9
in southeastern Coastal Plain	12		61–62
in United States, 1919–24	12	•	62
transportation rates, to New York, 1926	12	7	62
Foreta handing returns 1922-26	9	9	21_22

Techni	cal Bulle	
Egypt— agricultural area of, classification, climate, and soil cotton—	No. 451	Page 3–8
acreage, production, and yieldsproduction. P. K. Norris	451 451	24-40 1-43
production cost	451	22-24
production, governmental policy	451	36-38
land tonura	451 451	12-14 15-16
land tenurepopulation and labor supply	451	9-11
soil fertility	451	34-35
wheats, production, and milling and baking qualities Einkorn—	19 7	174–177
description, history, and distribution	459	147
resistance to stem rust, morphological study	266{	12-19, 25, 41, 42
EKE, P. A.: Economic Utilization of Marginal Lands in Nicholas and Webster Counties, W. Va. With Millard Peck and Bernard Frank	303	1-64
stegia and of an Interspecific Hybrid in Florida. With L. G.		
Polhamus and H. H. Hill Elder—	457	1-23
borer, biology and morphology. J. C. Silver	345 345	1-20 4-5
Elderberries, hydrion concentration changes, study	403{	41–42, 43–49
Electric power, development by irrigation districts	254	64-65
Electrical equipment on movable bridges. C. B. McCullough, A. L. Gemeny, and W. R. Wickerham	265	1-114
Electrodialysis, effectiveness in soil dispersion	170	11
Elevator companies, cooperative, in western Canada	63	28-37
Elevators, grain, governmental ownership in Canada	63{	14–15, 95–96
ELLINGTON, G. W.: Life History of the Angoumois Grain Moth in Maryland. With Perez Simmons	351	1–35
ELLIOTT, F. F.: Types of Farming in North Dakota. With J. W. Tapp and R. E. Willard	102	1-55
ELLIS, N. R.: Changes in Quantity and Composition of Fat in Hogs Fed a Peanut Ration Followed by a Corn Ration Effect of Quantity and Kinds of Feed on Economy of Gains and Body Composition of Hogs. With J. H.	368	1–14
Zeller	413	1–31
bark beetle, smaller, description, introduction, and range	431	27
rock, specific gravity and growth rate, study ELMORE, J. C.: The Pepper Weevil. With A. C. Davis and	168	8–9
R. E. Campbell ELMQUIST, R. E.:	447	1-28
Effects of Ironing Temperatures upon the Fabrics [Made from American Upland Cotton]. With K. M. Downey-Serviceability of the Fabrics [Made from American Upland	406	48-64
Cotton. With M. B. Hays	406	24-48
ELSWORTH, R. H.: Agricultural Cooperative Associations, Marketing and Purchasing, 1925	40	1-98
Elymus spp., food plants of western grass-stem sawfly	157	7, 11, 21
Embryos, adventive, formation in plants	151	77-78
Eminent domain, rights in California	254	63
Emmer(s)— characteristics and key to varieties	459	144
irrigation in Southwest, water applied and crop yields	185	37
resistance to stem rust, morphologic and physiologic		
studies	266	8-71
rust resistance, typesvarieties, descriptions, histories, distribution, and	266	69
synonymy	459	145-146

Tach ni	cal Bull	ating
Empoasca—	No.	Page
abrupta, n. sp., descriptive key	231	48
acodens, n. sp., descriptive key	231	16
adunca, n. sp., descriptive key	231	31
American species occurring north of Mexico, revision.		
D. M. DeLong	231	1-60
arida, n. sp., descriptive key	231	49-50
bifurcata, n. sp., descriptive key	231	40-41
cerea, n. sp., descriptive key	231	46-47
copula, n. sp., descriptive key	231	27
deluda, n. sp., descriptive key	231	46
digita, n. sp., descriptive key	231	26–27
elongata, n. sp., descriptive key	231	53
erigeron, n. sp., descriptive key	231	48–49
Jaou e	•	2569
		3, 5, 6, 8, 17–19, 24–
infestation of apple in the Ozarks	263(27, 30–32,
		34, 36
synonymy	263	17
filamenta—		
n. sp., descriptive key	231	43-44
var. abbreviata, n. var., descriptive key	231	44
genus, classification, characters used	231	9–12
geographical distribution	231	5
hamata—		
n. sp., descriptive key	231	43
var. albonota, n. var., descriptive key	231	43
incida, n. sp., descriptive key	231	21
junipera, n. sp., descriptive key	231	51-53
	000	3, 6, 10,
maligna, study in the Ozarks	263(19-21, 24-
mallidula n an descriptive less	021	27, 32, 36
pallidula, n. sp., descriptive key	231 231	42 51
panda, n. sp., descriptive keypatula—	201	91
n. sp., descriptive key	231	22-23
var. magna, n. var., descriptive key	231	23
pectinata, n. sp., descriptive key	231	16-17
recurvata, n. sp., descriptive key	231	38-39
rubida, n. sp., descriptive key	231	39-40
rufa, n. sp., descriptive key	231	53-54
saluta, n. sp., descriptive key	231	24
solana, n. sp., descriptive key	231	50
spp.—		
classification, descriptive keys	231	14-57
synonymy	231	57
tineta, n. sp., descriptive key	231	54
trilobata, n. sp., descriptive key	231	17
vincula, n. sp., descriptive key	231	44-45
Emulsification, history and theories	253	12-14 14-16
Emulsifiers, types, valueEmulsions—	253	14-10
offers of hand	253	22-23
oil, as insecticides, use against San Jose scale on peach trees	200	22 20
in South. H. S. Swingle and O. I. Snapp.	253	1-48
types and methods of manufacture	253	16-20, 40
Endothia parasitica, killing of chestnuts, rate, estimation	257	4-5, 20
Energy—		- 0, 20
in diet, calculation by short method	105	619
measurement by scales and standards	8	3-16
production in calf-fattening tests	43	16-17
Engineering, rural, extension methods and practices	106	11, 30
		•

	cal Bulle	tins
England— cotton imports, by varieties, 1919-24 marketing—	No. 69	Page 80–86
American cotton in. A. B. Cox	69	1-88
of wool, factors and sales forms	124	68-73, 82, 86, 92
soils, air drying, effect on hydrogen-ion concentration wheats, production, and milling and baking qualities See also Great Britain.	291 197	38 111–11 5
Enzymes, in hay, function in spontaneous combustion	141	14-18
Epicoccum sp., infection of sweetpotatoes	99 173 320	74 23 25–31
life history and habits	320{	21-25,
parasitism on citrus blackfly, and colonization in Cuba	ι	47-56
Ericaceae, repellency to Japanese beetle, list	299 184	15 1–55
Colorado River and tributaries	67{	5–6 7, 9, 42
data from erosion experiment stations	316{	43–47,
effect on discharge capacity of drainage channel	184	48, 49 10–11
experiment stations— soil colloids, base exchange and related properties.	461	1–20
C. S. Slater and H. G. Byerssoils from, physical and chemical characteristics.	401	1-20
H. E. Middleton, C. S. Slater, and H. G. Byers soils from, physical and chemical characteristics—	316	1-51
second report. H. E. Middleton, C. S. Slater, and H. G. Byers	430	1-63
in drainage channels, conditions affecting relation to—	184	5-10
stream gradients	55	26-29
velocity of stream	184	2-4
soil(s)— and surface run-off, influence of herbaceous plant		
cover on, relation to grazing on Wasatch Plateau in		
Utah. C. L. Forsling	220 220	1-72 61-63
control by revegetationinfluence of soil properties. H. E. Middleton	178	1-16
prevention measures for southern Appalachians	476	36-39
relation to soil permeability	232	21-22
registance in Panama, notes	94	6, 12
barley to. E. B. Mains and M. L. Martini	295	1-34
maculata, pest of apple in the Ozarks, study	263	3-4, 10, 14-15, 24-29, 34, 36
obliqua—	í	3-4, 9-14,
pest of apple in the Ozarks, study	263	24-29, 34, 36
var. dorsalis, coloring and breeding habits	263 162	910 3841
Esters, aliphatic, efficacy as grain fumigants Estonia, wheats, production, and milling and baking qualities	197	115-118
Ethers, aliphatic, efficacy as grain fumigants	162	37, 38
Ethylene-chlorhydrin treatment of potatoes, experiments	415	5-30
Etiolation, effect on vegetative propagation	151	67–69
Euaresta— (Euaresta) bella, description and distribution	401	50-51
description and history	401	49-50
Euarestoides, new subgenus, type, description, and species Eucalyptus oil, production and use	401 16	57-58 26
Tanger) have our broadenous stra ascittations.	10	20

	al Bullet No.	ins Page
Eulimneria— alkae, parasitism on corn borer in Orient crassifemur, parasitism on—	455	20
corn borer	98{	3, 23,
corn borer in central Europe		24–27 32–33, 34
corn-borer larva	59{	24–27,
Eulophus sp., parasitism on corn-borer larva		44–59 33, 37–38
Euplectrus platyhypenae, parasitism on fall army worm and other hosts	138	16–21, 42–45, 57–59
Bupteromalus nidulans— introduction and colonization————————————————————————————————————	86 86	139-141 139
parasitism on gypsy moth	86{	138, 139,
Europe—		141
agricultural survey— France. L. G. Michael Hungary. L. G. Michael Switzerland. Asher Hobson	37 160 101	1-184 1-104 1-64
central— climate, factor in corn-borer infestation	135	45-52
corn-borer investigations, 1924-27, review. K. W. Babcock and A. M. Vance	135	1–55
plains, climate	135	7-8
continental, marketing American cotton. A. B. Cox corn-borer, controlling factors in Europe. W. R. Thomp-	78	1–96
son and H. L. Parker	59	1-63
cotton consumption, data	69	1-3
Bulgaria, and Yugoslavia. L. G. Michael	126	1-186
foot-and-mouth disease, outbreaks and control	76{	16–30, 137–167
wheats, production, milling and baking qualities	197	99–173
white-pine blister rust, conditions, comparison with North American. Perley Spaulding	87	1-59
European red mite. See Mite, European red. Eurosto—		
nicholsoni, n. sp., description and distribution	401	27-28
spp., descriptions, hosts, and distribution	401 112	27-29 68
Eutettix tenellus-		00 110
economic importance, dataenvironment, physical factors	206 206	66–110 5–32
relation to insect community	206	52-57
See also Sugar-beet leaf hopper. Eutrixopsis javana, parasitism upon Japanese beetle in Japan.	366{	2, 10-11,
Euroa—	,	56
bostoniensis, distribution, food plants, and history	88	89-90 90-9 4
messoria, distribution, food plants, habits, and history tessellata, distribution, food habits, and history	88 88	94-96
Evaporation—	ſ	11-14,
equipment, effect of temperature on	271	43-92
free water surfaces. Carl Rohwerintermountain—	271	1-96
brush lands, effect on western yellow pine region, records	$\begin{array}{c} 256 \\ 256 \end{array}$	34–36 9–10
Southwest, records for 1909-21	247{	59, 61,
still-air observations, equipment and procedure	271	62, 135 $5-11, 92$
		•

Exeristes roborator—	ical Bulle No.	etins Page
breeding methods	98{	8-12,
field studies and status	460	14–16 15–24
habits and activity in laboratory	460	8-10
larval diapause, studyparasite of European corn borer, studies in Lake Erie area.	460	5–8
W. A. Baker and L. G. Jones parasitism on corn borer	460 98	1-27 3, 24-27
parasitism on corn-borer larva	59{3	34–35, 43– 47, 52, 55
reactions to temperature and moisture rearing methods	460 460	3–5 10–15
Exhibits— efficacy in extension work	106	10-11, 19
extension, costs and effectiveness	125	3, 4, 6, 7, 9–20,
Exobasidium—	ι	26-27
oxycocci, description and distribution	258	11
vaccinii, description and distribution Expenditures, family living, study	258 386	11 11– 4 1
Experiment station, erosion—		
soil colloids from, base exchange and related properties. C. S. Slater and H. G. Byers	461	1-20
physical and chemical characteristics. H. E. Middle-		
ton, C. S. Slater, and H. G. Byersphysical and chemical characteristics—second report.	316	1–51
H. E. Middleton, C. S. Slater, and H. G. Byers Explosions, dust. See Dust explosions.	430	1–63
Exponential yield curve, use in fertilizer experiments. W. J.		
Spillman Exports—	348	1–67
American, into Danube States cattle and beef, rise and decline	126 237	1-6 3-4
Extension— demonstrations, method and result	106	12-15
mostings seets binds and effectiveness	125	3-4, 6-14,
meetings, costs, kinds, and effectiveness methods—	125	16–20, 22–23
and their relative effectiveness. M. C. Wilson	106	1-48
classificationcosts, comparison	$\begin{array}{c} 106 \\ 125 \end{array}$	7-8 1-30
description and effectiveness	108	10-34, 39-
·	106	41, 45 8-11
effect on adoption of improved practicesefficiency, relation to costinfluence on changes in farm and home practices, rela-	125	15 –27
tive cost. H. J. Baker and M. C. Wilson	125	1-31 3-4, 6-7,
office calls and correspondence, costs and effectiveness	125{	9-13, 15- 20, 23, 26
practices, adoption on farms and in homes	106	4-6 3, 4, 6,
study courses, costs and effectiveness	125	7, 9–14, 16, 20
visits, farm and home, costs and effectiveness	125	3-4, 6-7, 9-20, 24
work— exposures and takes, relation	106	34–38
leader training, costs and effectiveness	125	3-4, 6-14, 17-20,
results in relation to effortworker, effectiveness, methods of increase	106 106	25, 27 41–44 45–46
,,,		

	cal Bulle	
Extracts, from plants immune to attack of Japanese beetle,	No.	Page
February F. W. Metzger and D. H. Grant Execut, B. D.: Relation of Maturity and Handling of Bartlett Pears in the Pacific Northwest to Quality of the Canned	299	1-22
Product. With H. C. Diehl	450	1-24
Fabaceae, repellency to Japanese beetle, list	299	15–16
desizing, process	108	6–7
R. E. Elmquist	406	48-64
effect of various starches on	284	12-13
stiffening, starch pastes affecting, physical properties. M. S. Furry	108 284	7-8 1-18
stiffness—		
measurement, quantitative method. E. C. Peterson and Tobias Dantzig	108	14–26
E. C. Peterson	108	2-13
production by different starches and starch mixtures, and quantitative method for evaluation. E. C.	108	
Peterson and Tobias Dantzig		1-30 18-19,
Fallow, effect on cotton root rot, experiments	436{	27-28
Family (ies)—	•	
farm, living standards, data, methods of collecting	386{	6-28,
	oool	37–39
living—		
data, schedule and account methods of collecting, com- parison. C. G. Woodhouse and F. M. Williams	386	1-43
standards, relation to land characteristics in Kentucky.	289	67-7 4
nutritive needs, dietary scales and standards for measuring. Edith Hawley	8	1-32
professional, living standards, data, methods of collecting	386	28-39
Far East, citrus leaf miners. C. P. Clausen	252	1-14
Far East, parasites of Popillia japonica, further investigations.	200	
C. P. Clausen, H. A. Jaynes, and T. R. Gardner FARIS, O. A.: The Silt Load of Texas Streams	366 382	1-59 1-71
Farm(s)—	002	1-11
adoption of extension practices	106	4-6
assessed valuation and sales value, survey	172	44-51
barns, ventilation. M. A. R. Kellev	187	1-75
community standards, distinguishing between farm and	000	
other land	3 03	20-25
Corn Belt, utilization and cost of power on. L. A. Reynoldson, W. R. Humphries, S. R. Speelman, E. W. McComas, and W. H. Youngman	384	1–60
equipment for bulk handling of grain, types and costs	287	11-24, 39
families, nutritive needs, measurement by dietary scales		,
and standards. Edith Hawley	8	1-32
families, South Carolina, 73, food supply and pellagra		
incidence. H. K. Stiebeling and H. E. Munsell	333	1-36
laborers, hired, perquisites and wages. J. C. Folsom lands— marginal, abandonment in West Virginia	213 303	1-58 ⁻ 32-35
taxes, relation to value	172	51-60
loans, rates in Michigan	92	56-57
management problems, shift from sack to bulk handling of		
grain, Pacific Northwest. N. W. Johnson, E. F. Lander-		
holm, G. W. Kuhlman, and T. L. Gaston	287	1-40
number(s) and—	101	10 1*
size in Switzerland	101 92	10-11 80-87
total areas in Michigan organization in relation to land characteristics in Kentucky		
mountains	28 9{	94-97
owner and tenant, proportions of lenders' holdings	288	37-40. 89

	inical Bull	
owner-operated—	No.	Page
income and taxes, survey mortgage debt	- 172 - 288	34-44 15-17, 91
ownership and tenancy, in Switzerland	101	8-10
percentage mortgaged and ratio of debt to value	_ 288{	40–63, 91–92
practices, changes, influence of extension methods, cost		1-30
prices, effect on changes in rice acreage	_ 297	2-4
property, taxation. Whitney Coombs receipts and expenses, in Switzerland	- 172 - 101	1-75 17-19
rented, taxation	172	7-31
size, relation to type of farming in France	30	31-37
storage of bulk grain— equipment-operation costs	287	21-23
feasibilitytractor—		24-27
cost of power in Corn Belt, study	384	44-47
use of power in Corn Belt, study	. 384{	7-11, 14, 16
typical, in North Dakota, budget receipts, expenses, and		
value, reduction due to open-ditch drainage	. 102 . 269	50-53 22
Farmer(s)— immigrant decreases 1000_31	357	24-25
immigrant, decreases, 1909–31response to price in hog production and marketing. O. V	. 001	24-20
Wells taxes paid in 1927, estimate by States	. 359	1-56
Farming—	. 172	3–4
areas, in North Dakota, location and differentiation	102	5-7
economic program for West Virginia marginal lands	303	53-54
milpa system, practices in Canal Zone and nearby	. 94	9-10
strip system, use in Switzerlandtypes in North Dakota. F. F. Elliott, J. W. Tapp, and	. 101	11–13
R. E. Willard	102	1-55
Fat— content of cream, effect on viscosity	249	3-4
hog carcasses, effect of feeding level	413	23-25
hog carcasses, effect of feeding levelin hogs fed a peanut ration followed by a corn ration	, .	
changes in quantity and composition. N. R. Ellis	. 3 68	1-14
Fattening— cattle. See Cattle.		
steers on dry-land crops of the Southwest. W. H. Black	,	
J. L. Lantow, and D. R. Burnham	. 30	1–15
Fatty acids, in pork, effects of feeding peanuts and corn to		8-13
Feed(s)— cattle and hogs, prices in Corn Belt, 1919–23		15, 17–19
		3-4, 7-9,
consumption by steers in Southwest	. 30{	11, 13
crops— for livestock, production in southeastern Coastal Plain.	127	17–18
growing roots for, experiments. H. L. Westover and		
H. A. Schothproduction in northern Great Plains	416 45	1-15 27-30
for—		
beef calves, prices and typescalves, requirements in fattening tests	208 43	6-21
cows, effect of succulence upon water consumption	278	12, 13
cows, effect on flavor and odor of milk	. 9	1-6
hogs, quantity and kinds, effect on economy of gains	3	
and body composition. N. R. Ellis and J. H. Zeller	413	1-31
succulent, effect on flavor and odor of milk. C. J. Bab-		
winter, for steers on northern Great Plains, tests	. 9	1-7
Feeding. See under specific class of livestock.	192	2–13

Fellows, H. C.: A Simple Method for Determining the Oil Content of Seeds and Other Oil-Bearing Materials. With D. A.	cal Bulle No.	etins Fage
Coleman Milling and Baking Qualities of World Wheats. With	7 1	1-14
D. A. Coleman, O. L. Dawson, Alfred Christie, H. B. Dixon, J. F. Hayes, Elwood Hoffecker, J. H. Shollenberger, and W. K. Marshall	197	1-224
berger, and W. K. Marshall Respiration of Sorghum Grains. With D. A. Coleman and B. E. Rothgeb Fellows, Hurley: Cercosporella Foot Rot of Winter Cereals.	100	1-16
With Roderick Sprague	42 8	1-24
annexa, distribution, food habits, and history	88 (75-82 5 9- 61,
ducens, distribution, food plants, habits, and history	Į	62, 64–65, 66–68
gladiaria, distribution, food plants, habits, and history malefida, distribution, food plants, habits, and history	88 88	68-73 82-86 59-64,
subgothia, distribution, food plants, habits, and history	88{	65–68
venerabilis, distribution, food plants, habits, and history—Fencing, southern pine forests, value as fire preventive———FENTON, F. A.: Biology of the Cotton Boll Weevil at Florence,	88 204	73–75 81–82
S. C. With E. W. Dunnam	112	1-76
Fermentation, in hay, factor in spontaneous combustion	141(10, 14, 25– 26, 27, 28– 29, 33, 36
Fertilizer(s)—	407	10 10
action in soil, relation to particle sizeair-conditioning plant, description and operation	485 182	12-18 8-10
commercial, particle size, mechanical analyses concentrated—	485	2-4
effect on sweetpotatoes, experiments	335	34-43, 45
effectiveness in growing cotton, experiments	426	44-47
conditioners, preparation and effectsdistribution, uniformity, advantagesdistributors—	182 182	40–42, 89 84–87, 89
construction and operation	182	42-84
early inventions	182	2-5
operation, factors affecting	182	72-84 17-42.
drillability, factors affecting	182{	88, 90, 92
effect on— growth of strawberry runners	122	9-10
structure of wheat	266{	43–49, 71–72
experiments— Norfolk fine sandy loam and Norfolk sandy loam,		•
results. J. J. Skinner	225	23
triangle method	348	2-9, 12-21 1-67
explosibility, studies	490{	12, 15, 19–21, 22
for sugar beets, experiments at Belle Fourche stationfor sweetpotatoes based on investigations in North Carolina. J. J. Skinner, C. B. Williams, and H. B.	454	42–43
Mann.	335	1-47
materials, identification, microscopic method	344	85
mechanical application to soil, factors affecting. A. L. Mehring and G. A. Cumings	182	1-96
nitrogen, on cotton soils, experiments. J. J. Skinner, R. A. Lineberry, J. E. Adams, C. B. Williams, and H. B. Mann.	452	1-28
properties— and efficiency, effects of particle size on. A. L.		_
Mehring, L. M. White, W. H. Ross, and J. E.	465	
Adamsphysical and chemical, effects of particle size on	485 485	1-27 4 -6

77 () () () ()		
2 of official (b) Continued.	ical Bull No.	
relation to control of cotton root rot in Texas. H. V.		Page
Jordan, P. R. Dawson, J. J. Skinner, and J. H. Hunter-	426	1-76
salts, hygroscopic points, discussionshipment and distribution, effects upon particles of different	182	22–24
sizes	485	7–12
southern pine nurseries, recommendations	492	41-42
storage behavior as affected by size of particles	485	6–7
tests with potatoes at Huntley Field Station, 1927-30	353	22
tests with flue-cured tobacco. E. G. Moss. J. E. Mc-	-	
tests with flue-cured tobacco. E. G. Moss, J. E. Mc- Murtrey, Jr., W. M. Lunn, and J. M. Carr	12	1-59
use in		
control of sweetpotato diseases	99	87, 95–97
growing alfalfa in Mississippi, experiments	419	7–8
Hungary, 1921-27	160	16–17
Feterita—		
experiments at Hays, Kansas, 1912–23	14	41, 42-44
grains, respiration in storage	100{	5, 7-8,
irrigation in Oklahoma, water applied and crop yields	185	10, 14-10
nursery experiments at Fort Hays Branch Station, Kans.	410	66 37–40
• •	•	6-7,
rotation and tillage experiments in Oklahoma	330{	17-18 34
	۲ ک	31-33, 39,
seeding date, effect on yield, experiments	131{	40, 45, 46
spacing experiments and results	131	12, 25, 26
See also Sorghum(s), grain.		,,
FEUSTEL, I. C.:		
The Decomposition of Hydrolytic Peat Products Including		
Ammoniated Peat. With H. G. Byers	389	1-32
The Physical and Chemical Characteristics of Certain		
American Peat Profiles. With H. G. Byers	214	1-27
Fiber—		
board—	171	0.0
bursting-strength test	171	86
score test	171	87
flax. See Flax, fiber. Field crops, investigations on Newlands project	464	16-22
Fig(s)—	707	10-22
• • • • • • • • • • • • • • • • • • •	١ (7-11, 17-
host of Indian-meal moth, records	242{	18, 23, 25
	ſ	169, 171,
industry, in Union of South Africa	466	175-177,
	l	183, 185
Finances, irrigation companies, description	82	12-29
Finch(es)—		
banding returns, 1923–26	32	48-75
house, banding returns, 1923-26	32	54-55
purple, banding returns, 1923-26	32	48-53
Fir(s)—		
and spruce, second-growth, yields in Northeast. W. H.	142	1 50
Meyerbalsam—	174	1-52
breast-height development, period determination	142	46-47
growth rate, comparison with red spruce	223	39-40
<u> </u>	•	4, 32,
yield tables, application	142{	35-36
Douglas. See Douglas fir.		
height growth, factors affecting	223	40-43
lumber, cut, 1927-29	408	2-3
reproduction, factors affecting	223	10-33
second-growth, establishment in California	354	3-4
seed-bed conditions, effect on germination	223	30–33
21 1. 1. 1. 1 1 1 6		13, 15–16,
silver, wind-thrown, losses five years after windfall	104{	18–23,
		27-28

Fir(s)—Continued.	nical Bulleti:	na
white—	No.	Page
defects, characteristic	408	17-24
grades and their characteristics	408	41-51
lumber, characteristics		33-40 10-12
merchandising practices properties and their relation to manufacture and uses	1	
of wood. R. P. A. Johnson and M. R. Brundage properties, description		1-77 13-17
silvicultural importance	408	2-9
uses and properties involvedwood—	408	54-74
distinction from other woods		12-13
properties	408	24-32, 40-41
susceptibility to decay and insects, and treatment.	. 408	32-33
uses and manufacture, relation to properties. R. P. A. Johnson and M. R. Brundage	408	1-77
yield tables, preliminary, for second-growth stands,	354	1-23
Fire(s)—	004	1-20
control, southern pine forests, standard of		26-27
grass and woodland types, hour-control determination	r	30-32
injury to southern white cedar	251	12-13, 18-1 9
organization, State, recommendations	204	28-31,
	204	39–46
protection— adequate, in major cover types of California pine region, hour control, determination. S. B. Show) •	
and E. I. Kotok	209	1-47
costs		39-46
grain grinding, value of inert gas		1-23
southern pine forests	204{	18–46, 79–84
Fish(es)— injury by beavers, disproval	21	12-13
oil— adhesive in lead-arsenate sprays. C. E. Hood	111	1-28
efficacy as sticker in spraying codling moth	281	7-8, 27
mixing with spray materials, method	111	25-26
specifications and cost for lead-arsenate spray	111	26
use with Bordeaux mixture against gypsy moth	111	26–27
scrap	ſ	11-20,
mechanical application to soil	182 22	2, 34-40,
value as fertilizer conditioner	. 182	72–73 40–42
FISHER, D. F.: Arsenical and Other Fruit Injuries of Apples		40-42
Resulting from Washing Operations. With E. L. Reeves FIVAZ, A. E.: Longevity and Germination of Seeds of <i>Ribes</i>	. 24 5	1–12
Particularly R. rotundifolium, under Laboratory and Natura		1 40
ConditionsFlame, temperature, determination	. 261 109	1-40 27
Flax—	, 108	2.
cropping in mixture with wheat, oats, and barley. A. C. Arny, T. E. Stoa, Clyde McKee, and A. C. Dillman	133	1-47
fiber— harvest time. B. B. Robinson———————————————————————————————————	236	1-23
quality at different dates, tests		16-18
germination of seed at different dates, testsgrowing at—		10–14
Belle Fourche station, experiments	202)	6–17, 28, 44 –47
Huntley Field Station, experiments, 1927-30	353 { 1	7–8, 7–18, 29
108048376		

	Technical Bul	letins
harvest— stages, description	No. 236	Fage 1-2
time effect, on seed yield and germination, experime		
irrigation in Southwest, water applied and crop yields		37
mixed cropping, practices in India	133	3 5
prices in five States, 1923–27 root rot, resistance of certain varieties of flax to, relation histological characters of roots. L. W. Boyle	n to	1–19
effect of mixed cropping resistance of certain varieties of flax to, relation to	133	47
tological characters of roots. L. W. Boyle		1-19
yields— effect of mixed cropping in irrigated crop rotations in Montana	133 144	44–45 13
of seed at different stages, experiments		8-9,
of straw and fiber, different dates, tests		l 18−21 ∫ 15−16, l 18−21
Flaxseed—		10-21
crop-yield estimates, reliability	311	92-93, 99-100, 122-12 4
oil content, determination by optical method	71{	4-9,
production and trade in France		11-12 100-102
Flea— beetles, dissemination of bacterial wilt of corn, study— hopper, cotton. See Cotton flea hopper.	362	23–28
sticktight, control, tests by internal medication	60/	6-10, 12- 13, 18-19
Fleece(s)—		13, 18–19
Australian, preparation for market	124	25-29
duction	85{	11–12, 31–32, 48
dirt content, relation to other factors in wool productio		11, 24–26, 47, 48
fiber fineness, relation to other factors in wool production grease content, relation to other factors in wool production mohair, kemp fibers in, occurrence and elimination, studies	on. 85	11, 29–30 11, 21–24
J. I. Hardymoisture content, relation to other factors in wool prod		1-16
moisture content, relation to other factors in wool prod		11, 19-
Rambouillet, content determination		21, 48 4-9, 11
staple length, relation to other factors in wool production	. (11, 26-
weight, relation to other factors in wool production	ι	28, 47 11, 15–19
FLEMING, W. E.: Hot Water as an Insecticide for the Japanese Beetle in S	Soil	11, 10 10
and Its Effect on the Roots of Nursery Plants. W F. E. Baker	274	1-42
The Use of Carbon Disulphide against the Japanese Bee With F. E. Baker	tle. 478	1-92
With F. E. Baker The Use of Naphthalene against the Japanese Beetle. W	ith	
F. E. BakerFlicker, banding returns, 1923–26	427	1-28 39
FLINT, L. H.: Crop-Plant Stimulation with Paper Mulch	75	1-20
Flood control, influence of herbaceous vegetationFlooring—	220	64-65
manufacture from western hemlock		47-50
use of white fir	408 285	59–61 73–75
western larch, valuewoods for, properties, considerations	158	17

FLORELL, V. H.: Inheritance of Awnedness, Yield, and Quality	ical Bulle No.	rtins Page
in Crosses between Bobs, Hard Federation, and Propo Wheats at Davis, California. With J. A. Clark and J. R. Hooker	39	1-40
Florida— celery leaf tier, biological and ecological factors for con- trol. E. D. Ball, J. A. Reeves, B. L. Boyden, and W. E.	463	1-56
Stone	457	1-23
drainage districts, economic status in 1926	194	1-4, 6-7, 23-29, 32- 36, 38-42,
game laws on alligators, provisions	147	44-45 18-19 61-62, 66,
livestock possibilities, economic study	127	68, 69, 73- 74, 79-82
milk situation, 1925-26	127 ` 350	28-35 1-20
Sanford celery area, climatic data	463	9-24
strawberry industry, 1920-26	180(2-17, 22- 23, 26, 35- 37, 63-82, 86-89, 92, 99-103
Flour— beetle(s)—	•	30 200
confused. See Tribolium confusum. control measures in mills and houses materials infested by	498 498	47-49 20-23
of genus Tribolium. N. E. Good rust-red. See Tribolium castaneum. effect of heat-damaged wheat exports from Hungary, 1904-14 and 1919-28	498 6 160	1-58 4-24, 26 27
for pretzels— J. H. Shollenberger and W. K. Marshall— types and chemical analyses—	46 46	1-16 7-11
milling in— Bulgaria, statistics	126	104–105
Rumania, statusYugoslavia, status of industry moth, Mediterranean, host of Trichogramma minutum,	126 126	46-48 150-151
studyquality standards	215 197	4, 20 10–11
use as adhesive in lead-arsenate sprays	111	3, 6, 12, 13, 14
wheat, foreign trade of Yugoslavia, statistics	126{	1 49 –1 5 0, 152
Flowers—		3-7, 10, 12-15, 19, 24, 25, 28- 31, 33-35,
hosts of corn borer in New England	77{	31, 33-35, 38-39, 44- 49, 51-53, 55-61
inspection for corn-borer control	53`	26-28
height and constructionsize, determinationvelocity, effect of wind	187 187 187	53-56 63-71 60-61

Flumes—	cal Bulle No.	etins Page
capacity design, problemscharacteristic curves, flow of water in, studychute, flow of water in, study	393 393 393	65–79 79–89 89–91
shape and curvature, effects on water flow	393{	57-62, 79-89
structures, types	393 393 211	8-9 1-99 24
compounds— occurrence and availability use for control of codling moth, studies. E. J. New-	373	2–5
comer and R. H. Cartercontent of—	373	1-24
bone, discussion	364	40-41 18, 32-
phosphate rock, study	364{	44, 77
spray residues, removal, experiments Fly(ies)—	373	21–22
chemotropic responses of, testshosts of Brachymeria fonscolombei, list	270 365	1-10 14-15
sarcophagid, parasitism on lesser migratory grasshoppers	190	28
sarcophagid, parasitism on lesser migratory grasshopperstrypetid, native, descriptions and habits. F. H. Benjamin. See also under specific name.	401	1-96
Fodder— plants, utilization, acreage, and production in Hungary,		
1895–1927	160	75–7 8
rations for steers, results	30	1-14
sorgo, use in ration for fattening calvesFOHRMAN, M. H.: Analysis of the Advanced Registry Records	43	1–24
of 611 Daughters of 51 Ayrshire Sires. With R. R. Graves Folsom, J. C.: Perquisites and Wages of Hired Farm Laborers Fomes	349 213	1-59 1-58
annosus—		
infection of Douglas fir, effectsreaction to varying concentrations of chemicals,	286	30
experiments	346{	2-26, 41, 52
applanatus, infection of quaking aspen	155	5–6, 30–31
igniarius, infection of quaking aspen in Utah	155	2, 4-5, 16, 18, 28, 30-31, 32
laricis, infection of Douglas fir, effects	286 286	28-29 28
classes, use in study of pellagraenergy and nutrients, calculation by short method	333 105	12–16 6–19
products, explosibility, studies	490{	9-10, 13- 14, 17-23.
selection, by South Carolina families, relation to money value of diets	333	14, 17–23. 16–18
supply and pellagra incidence in 73 South Carolina farm families. H. K. Stiebeling and H. E. Munsell-surveys, historical review-	333 105	1-36 1-4
value—	016	0.10
as perquisites for farm laborin diet, calculation, by short method Foot-and-mouth disease—	213 105	8–12 6–19
carriers of virus	76{	7–11, 71, 107–115
comparison with vesicular stomatitis	76{	11, 117–137

Foot-and-mouth disease—Continued. Te	echnical Bulletins No. Page
Europe	76{ 15-30, 137-167
United States	7 1K 1A
differential diagnosis	76 11–12
immunity studies	
introduction, spread, and symptoms report of the commission of the United States Departme of Agriculture. P. K. Olitsky, Jacob Traum, and H. Schoening	ent W. 76 1-172
studies with guinea pigs	$76 \begin{cases} 34-36, 80-\\ 94, 97-99,\\ 114, 119-\\ 122 \end{cases}$
virus—	
filtration experiments	(101
properties and character	
types, study	106–107 76 75–86
Forage— crop(s)— acreage and production in Yugoslavia experiments at Ardmore, S. Dak experiments at Fort Hays Branch Station, Ha	17 25–28
Kans., 1913-28. R. E. Getty. field experiments at West Point, Miss. T. F. Ak and H. L. Westover.	410 1-92 ers
growing under irrigation	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
utilization by dairy cattle in Montana yield, northern Great Plains grama grass, black, influence of precipitation and grazi	45 11
upon kinds in Southwest plants—	409 1-32 68 6-11
absorption of selenium from soil, study	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
acreage and production in Hungary, 1924-27 nontoxic to livestock, feeding experiments	93 1-9
FORBES, R. D.: Timber Growing and Logging and Turpe tining Practices in the Southern Pine RegionForest(s)—	en- 204 5-115
areas and types in Northeast	480 3-5
yield tablesdamage from Pacific flathead borer	
destruction— effects in Michigan in northern Michigan, economic aspects. W.	92 19–67
Sparhawk and W. D. Brush devastation, areas in Southwest and Black Hills region. Douglas fir—	92 1-120
extent in Oregon and Washington range and growth characteristics site quality, determination	201 4-7 201 12-13
economy, adjustments, recommendations for the Ketucky Mountains	en- 289 97–98

Forest(s)—Continued.	Techni	cal Bulle No.	tins	Page
exploitation in Michigan		92{		6-11,
_		82]	19–67
fires— causes		259		14
control in Northeast		166{		1-20, 24-25
control in redwood region		283{	1	i, 15– 20–21
damage and control in Michigandamage in southern Appalachians.decay following, in young Mississippi Delta h		92 250		38–92 37–39
woodseffect on germination of Ribes seeds		494 261		1-31 1 9-2 1
		(1	5, 7, 12–16	9–10, 3, 23–
hazard of pine slash		259∢	24, 2 31–3	5–27, 2, 33, 37, 39
hazard, reduction under selective logging hour-control—		164`	•	37–38
determination, basic relationships		209		14-25
factors affecting method		209		39-40
for different types of conifers meaning of term		209 209	- 4	25–33 2
time allowance for travel		209	:	33-39
variations, and establishment		209		3-4
in fir and sugar pine-fir types, hour-control detern		209		30
lightning and man-caused, hour-control determ	ain a -	200		
tion	90	209 209		11–16 13
man-caused, distribution, by cover types, 1923– number and spread on different cover types	28	209 209		4-11
		250{	5	7–66,
prevention measures		200{		82–8 3
protective measures in Southwest and Black		ا مور	3	8–40,
region		480{		50-51
relation to lodgepole pine distributionfloor, disturbance, effect on germination of <i>Ribes</i> see hardwood-hemlock, in Michigan and Wisconsin, loca	eds	191 261		3 -4 17-39
area, and composition		164		8-11
hemlock-spruce, characteristics in southeastern Alask improvement—		412		3–4
by selective logging		164		36-39
measures for southern Appalachians		476 226	9.	1–46 5, 54-
in Alaska, types and timber utilization		220	26. 3	-ə, ə 4 7–39, 55–56
industries, marginal lands of West Virginia, possibilit insects—	1es	303{	, -	55–56
breeding in slash, prevention		259		16–17
control in southern Appalachians		250		33-84
damage. R. A. St. George	TT:11	250	•	47–49
infestations and control in Southwest and Black region	ншв	480		68
of southern Appalachians, classified list		476		44–45
land(s)—				
cut-over, in redwood region, uses ownership in West Virginia, Nicholas and We	bster	283		9–12
Counties productivity, maintenance in Northeast		303		37, 40
productivity, maintenance in Northeast		166		11-25
productivity maintenance, measures		480 204		36 -4 9 17-73
southern pine, productivity maintenance, measur valuation in Michigan	C5	92		17-75 55
management offect		~~		00
of white fir on on yields in Southwest and Black Hills region		40 8		8-9
on yields in Southwest and Black Hills region		480	•	70–75

	ical Bull	etins Page
Forest(s)—Continued. national, fire protection, problem northeastern, growth under different degrees of manage-	No. 209	1-9
northeastern, growth under different degrees of manage-		
ment	166	26-27
nursery, weed control investigationsoriginal, in Michigan, description and extent	156 92	1- 3 3 4-6
pine— infestation and damage by pandora moth	137	1-19
natural or planted in intermountain region, suitability of brush lands for growth of. F. S. Baker and C. F.	256	1–83
Korstianslash disposal in Washington and Oregon. T. T. Munger and R. H. Westveld	259	1-58
planting	247	
experiments in the Southwest		105-114
in Northeast, methods, cost, and yields	166	20-24
sites, suitability, studyponderosa—	256	49–77
Pacific Northwest, description periods of good and poor growth, 1630-1765, 1776-	407	2-5
1930selectively cut, growth in Pacific Northwest. W. H.	407	17
selectively cut, growth in Pacific Northwest. W. H. Meyer	407	1-64
shortleaf and loblolly, selective logging in Gulf States		1 -
region. R. D. Garver and R. H. Millersouthern—	375	1-54
artificial restocking	492	1-115
management for sustained yield western yellow—	204	106–108
natural or planted in intermountain region, suit- ability of brush lands for growth. F. S. Baker		
and Č. F. Korstianslash disposal in Washington and Oregon. T. T.	256	1–83
Munger and R. H. Westveld	259	1-58
products—		
consumption in Michigan, 1910-20	92{	23-26 107-120
production and values from marginal lands program, for Michigan, needs and cost	303 \ 92	47-49 92-101
redwood, composition and yield in California	283	7-9
reproduction, effects of slash	259{	10-12, 21 25, 29, 33
research—		20, 20, 00
correlation alinement charts Donald Bruce and L.		
H. Reineke curvilinear multiple correlation, problems, solution by	210	1-88
curvilinear multiple correlation, problems, solution by charts. Donald Bruce and L. H. Reineke	210	1-88
graphic method, advantages and limitations	210	1-2
roads, building, effect on germination of Ribes seedssouthern Appalachian—	261	31-32
composition	250	21-25
management	250	70-81
sites in	476	9-12
timber yield	250	30-37
southwestern, types, area, and volume of timberstands—	480	3–5
new-growth, improvement, recommendationsold-growth and second-growth, improvement recom-	476	30-34
mendationssouthern Appalachians, classification for silvicultural	476	19–29
treatment	476	12-18
trees, seed production, periodicity	191	12-14
Southwest, characteristics		86-105
Southwest, characteristics species distribution, correlation with physical condi-		
tions	247	105–123
volume tables, preparation by alinement-chart method. L. H. Reineke and Donald Bruce	304	1-28
water requirements in Columbia River Regin	200	24_25

	hnical Bull	
types, Southwest, determination by climate and soil.	G. No.	Page
A. Pearson virgin and second-growth, relative importance in Ca	li-	1-144
fornia. western hemlock-Sitka spruce, second-growth, yield	in	4
Forest Products Laboratory, column formula, presentation are tests of large timber columns. J. A. Newlin and J. M.	nd M.	1–28
Gahagan Forestry—	167	1-44
aspects, land-utilization problem, West Virginia margin landsexperiments in control of mountain pine beetle by sol	ar 303	25-53
heat policy, situation in West Virginia marginal lands practice(s)—	195	5–18 5 9– 61
conditions affecting in Southwest and Black Hil		7–36
in pine forests of Gulf States	375	1-52
private, promotion in Michigan, recommendations State aid in Michigan, discussion	92	98–99 94–97
		3, 9-10,
Formaldehyde, effectiveness in control of covered smut barley, study	207	13-15,
	L L	18, 19, 20
Formates, aliphatic, toxicity to clothes moths and beetles Formica spp., description and destruction of blueberry maggo	162 t 275	51 46 –47
Formosa, corn-borer districts and larvae shipments	455	1-6, 11, 31
Forsling, C. L.: A Study of the Influence of Herbaceous Plan	nt	1 0, 11, 51
Cover on Surface Run-Off and Soil Erosion in Relation	to	
Grazing on the Wasatch Plateau in Utah	220	1-72
Forsythia sp., hot-water treatment for insect pests	274	25-26
Fort Hays Branch Station—	410	
climate, recordsexperiments with forage crops, 1913–28. R. E. Getty	410	5-11
experiments with forage crops, 1913–28. R. E. Getty Hays, Kans.—	410	1-92
cereal experiments, 1912-23. A. F. Swanson	14	1-56
climate		4-9
pests and plant diseases		11-12
Fortier, Samuel:		
Irrigation Requirements of the Arid and Semiarid Land	ds ooo	1 -0
of the Columbia River Basin. With A. A. Young Irrigation Requirements of the Arid and Semiarid Land	200	1-56
of the Missouri and Arkansas River Basins		1-112
Irrigation Requirements of the Arid and Semiarid Land	ds	1-112
of the Pacific Slope Basins. With A. A. Young	379	1-70
Irrigation Requirements of the Arid and Semiarid Land	ds	
of the Southwest. With A. A. Young	185	1-68
Silt in the Colorado River and Its Relation to Irrigatio		1 05
With H. F. Blaney	67 481	1-95
Foulbrood, American, control measures	401	20
colored, price(s)—		
and supply movement	107	34-35
paid to shippers, 1925–26	107	26-27
infestation with nematodes	49	1-9
See also Broilers; Chickens; Poultry.	,	17 10
Fragaria virginiana, runner formation and crop production.	122{	17–18, 20–24
France—	,	20 21
agricultural survey. L. G. Michael	37	1-184
corn-borer infestation, areas and control work	•	5-11,
·		40 -00
cotton manufacturing and marketing	•	50-73 16-17.
foot-and-mouth disease, control		150-152
physical characteristicswool production and marketing	37 124	10–16 73–80, 82

Techni	ical Bulle	tins
FRANK, BERNARD: Economic Utilization of Marginal Lands in Nicholas and Webster Counties, W. Va. With Millard	No.	Page
Frank and P. A. Eke Freezing—	30 3	1-64
apples in storage and transit. D. H. Rose and J. M. Lutz	370 249	1-15 9
effect on keeping quality of dates injury to potatoes. R. C. Wright and H. C. Diehl	193 27	20-21 1-24
seed potatoes, influence on viability and yield. R. C. Wright, W. M. Peacock, and P. M. Lombard	119	1-11
Freight cars— construction of western larch, advantages————————————————————————————————————	285 139	82-83 52-53
construction, use of western hemlock. FREY, R. W.: Missolvice of Selt in Poletien to the Redden	199	32-33
Microbiological Studies of Salt in Relation to the Reddening of Salted Hides. With L. S. Stuart and L. H. James	383	1-24
James The Wearing Quality and Other Properties of Vegetable Tanned and of Chrome-Retanned Sole Leather	169	1-18
Frontina archippivora, parasitism on fall army worm	138{	16, 20, 21, 45
Frost— effect on—	_	ŕ
citrus rust-mite infestationripening of mature green tomatoes	176 268	29-30 28-29, 34
injury— definition of term to apples in Cumberland-Shenandoah region	27 54	2 10–14
FROTHINGHAM, E. H.: Timber Growing and Logging Practice	250	1-93
in the Southern Appalachian Region Frozen-pack method of preserving berries in Pacific Northwest. H. C. Diehl, J. R. Magness, C. R. Gross, and V. B. Bonney	148	1-38
Fruit(s)— acreage and production in Switzerland, 1910–26 and vegetables, marketing and distribution by motor-	101	17
truck. Brice Edwards and J. W. Parkcarlot—	272	1-88
distribution, variations from year to year shipments, by States, 1930	445 445	21-25
unloads, by markets, specified years	445	10–11, 16– 17, 22–23, 26–27
cooling before packing, advantages cooperative associations	148 40	15-16 40-44
crops, investigations on Newlands project	464	28-29 2, 134-
deciduous, fresh, industry in South Africadried—	466{	164
food of Indian-meal moth in California, studyindustry in southern Africa	242 466	1-25 164-185
food of magpiesfresh, fumigation against adult Japanese beetles	24 478	17-18, 28 74-76
growth and ripening, relation to hydrion concentration changes. J. S. Caldwell	403	1-54
hosts of corn borer in New England	77 3	37, 47, 58
hydrion concentration— changes in relation to growth and ripening. J. S.	400	
Caldwelldetermination, materials, and methods	403 403	1-54 4-5
injury by corn borer, descriptioninspection for corn-borer control	77 53	31, 36, 37 22–28

Fruit(s)—Continued.		
market— Techni	cal Bulle No.	
distribution of carlot shipments in United States.	445	Page 1–30
J. W. Park supplies, fluctuations as measured by price	445 445	6-9
supplies, variations in composition.	445	25-28
unloads per 100,000 population	445	14-20
moth, oriental—	110	11 20
egg parasite, Trichogramma minutum Riley, biological		
study. Alvah Peterson	215	1-22
See also Peach moth, oriental.		
production, effect of motortruck transportation	272	20-21
ripening and growth, relation to hydrion concentration	400	
changes. J. S. Caldwell small, preservation by cold-pack method	403 148	1-54 1-37
stone, bacterial spot disease of, and of the peach. J. C.	140	1-01
Dunegan	273	1-54
tolerance of boron	264	15, 63
transit diseases, effect of solid and gaseous carbon dioxide		-•
upon. Charles Brooks, E. V. Miller, C. O. Bratley, J. S.		
Cooley, P. V. Mook, and H. B. Johnson	318	1-60
transportation by motortruck, study	272	1-88
trees, tree hoppers injurious to, in Pacific Northwest, bi-	400	1 40
ology and control. M. A. Yothers	402	1-46
Darby and E. M. Knapp.	444	1-20
FRY, W. H.:		1 2
Alteration of Muscovite and Biotite in the Soil. With I. A.		
Denison and P. L. Gile	128	1-32
Petrographic Methods for Soil Laboratories	344	1-96
Fuel(s)—		
consumption by tractors, Mississippi and Arkansas planta-	408	07 00
tions, 1929	497	27-28
energy relation to furnace	109	26-27
for oil burners, kinds and specifications	109	26-27 2, 4, 5-11
for oil burners, kinds and specificationsoil—		
tor oil burners, kinds and specificationsdefinition of term	109	2, 4, 5–11
tor oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution	109 109 109 109	2, 4, 5-11 6 6-11 4-5
tor oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner	109 109 109 109 109	2, 4, 5-11 6 6-11 4-5 72-74
definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor	109 109 109 109	2, 4, 5-11 6 6-11 4-5
for oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor FULLWAY. S. V., Jr.: An Analysis of Log Production in the	109 109 109 109 109	2, 4, 5-11 6 6-11 4-5 72-74
for oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor FULLAWAY, S. V., Jr.: An Analysis of Log Production in the "Inland Empire" Region. With M. Bradner, F. J. Klo-	109 109 109 109 109 213	2, 4, 5-11 6 6-11 4-5 72-74 7-8
for oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor FULLAWAY, S. V., Jr.: An Analysis of Log Production in the "Inland Empire" Region. With M. Bradner, F. J. Klo- bucher, and J. W. Girard	109 109 109 109 109	2, 4, 5-11 6 6-11 4-5 72-74
for oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor FULLAWAY, S. V., Jr.: An Analysis of Log Production in the "Inland Empire" Region. With M. Bradner, F. J. Klobucher, and J. W. Girard Fumigants—	109 109 109 109 109 213	2, 4, 5-11 6 6-11 4-5 72-74 7-8
for oil burners, kinds and specifications oil— definition of term	109 109 109 109 109 213	2, 4, 5-11 6 6-11 4-5 72-74 7-8
for oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor FULLAWAY, S. V., Jr.: An Analysis of Log Production in the "Inland Empire" Region. With M. Bradner, F. J. Klo- bucher, and J. W. Girard Fumigants— aliphatic— compounds as, tests. R. C. Roark and R. T. Cotton formulas, properties, and lethal dosage	109 109 109 109 109 213 355	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34
for oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor FULLAWAY, S. V., Jr.: An Analysis of Log Production in the "Inland Empire" Region. With M. Bradner, F. J. Klo- bucher, and J. W. Girard Fumigants— aliphatic— compounds as, tests. R. C. Roark and R. T. Cotton	109 109 109 109 213 355	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34 49-51
for oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor FULLAWAY, S. V., Jr.: An Analysis of Log Production in the "Inland Empire" Region. With M. Bradner, F. J. Klo- bucher, and J. W. Girard Fumigants— aliphatic— compounds as, tests. R. C. Roark and R. T. Cotton formulas, properties, and lethal dosage toxicity to clothes moths and beetles	109 109 109 109 213 355	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34 49-51 2-48,
for oil burners, kinds and specifications oil— definition of term	109 109 109 109 213 355 162 162 162 162	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34 49-51 2-48, 51-52
for oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor FULLAWAY, S. V., Jr.: An Analysis of Log Production in the "Inland Empire" Region. With M. Bradner, F. J. Klo- bucher, and J. W. Girard Fumigants— aliphatic— compounds as, tests. R. C. Roark and R. T. Cotton formulas, properties, and lethal dosage toxicity to clothes moths and beetles toxicity to rice weevils use and efficacy against corn borer	109 109 109 109 213 355	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34 49-51 2-48,
for oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor FULLAWAY, S. V., Jr.: An Analysis of Log Production in the "Inland Empire" Region. With M. Bradner, F. J. Klo- bucher, and J. W. Girard Fumigants— aliphatic— compounds as, tests. R. C. Roark and R. T. Cotton formulas, properties, and lethal dosage toxicity to clothes moths and beetles toxicity to rice weevils use and efficacy against corn borer Fumigation—	109 109 109 109 213 355 162 162 162 162	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34 49-51 2-48, 51-52
for oil burners, kinds and specifications oil— definition of term	109 109 109 109 213 355 162 162 162 162 53	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34 49-51 2-48, 51-52 124-126
for oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor FULLAWAY, S. V., Jr.: An Analysis of Log Production in the "Inland Empire" Region. With M. Bradner, F. J. Klo- bucher, and J. W. Girard Fumigants— aliphatic— compounds as, tests. R. C. Roark and R. T. Cotton formulas, properties, and lethal dosage toxicity to clothes moths and beetles toxicity to rice weevils use and efficacy against corn borer Fumigation— fresh fruit, against adult Japanese beetle grasslands, with carbon disulphide emulsion soil—	109 109 109 109 213 355 162 162 162 53 478	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34 49-51 2-48, 51-52 124-126 74-76
for oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor FULLAWAY, S. V., Jr.: An Analysis of Log Production in the "Inland Empire" Region. With M. Bradner, F. J. Klo- bucher, and J. W. Girard Fumigants— aliphatic— compounds as, tests. R. C. Roark and R. T. Cotton formulas, properties, and lethal dosage toxicity to clothes moths and beetles toxicity to rice weevils use and efficacy against corn borer Fumigation— fresh fruit, against adult Japanese beetle grasslands, with carbon disulphide emulsion soil— with carbon disulphide against Japanese beetle,	109 109 109 109 213 355 162 162 162 162 478 478	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34 49-51 2-48, 51-52 124-126 74-76 76-79
for oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor FULLAWAY, S. V., Jr.: An Analysis of Log Production in the "Inland Empire" Region. With M. Bradner, F. J. Klo- bucher, and J. W. Girard Funigants— aliphatic— compounds as, tests. R. C. Roark and R. T. Cotton- formulas, properties, and lethal dosage toxicity to clothes moths and beetles. toxicity to rice weevils. use and efficacy against corn borer. Funigation— fresh fruit, against adult Japanese beetle grasslands, with carbon disulphide emulsion soil— with carbon disulphide against Japanese beetle, experiments	109 109 109 109 213 355 162 162 162 53 478	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34 49-51 2-48, 51-52 124-126 74-76
for oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor FULLAWAY, S. V., Jr.: An Analysis of Log Production in the "Inland Empire" Region. With M. Bradner, F. J. Klo- bucher, and J. W. Girard Funigants— aliphatic— compounds as, tests. R. C. Roark and R. T. Cotton- formulas, properties, and lethal dosage toxicity to clothes moths and beetles toxicity to rice weevils use and efficacy against corn borer. Funigation— fresh fruit, against adult Japanese beetle grasslands, with carbon disulphide emulsion soil— with carbon disulphide against Japanese beetle, experiments with naphthalene vapor for control of Japanese	109 109 109 109 213 355 162 162 162 162 478 478	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34 49-51 2-48, 51-52 124-126 74-76 76-79 32-74
for oil burners, kinds and specifications oil— definition of term	109 109 109 109 213 355 162 162 162 162 478 478 478	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34 49-51 2-48, 51-52 124-126 74-76 76-79 32-74 17-20
for oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor FULLAWAY, S. V., Jr.: An Analysis of Log Production in the "Inland Empire" Region. With M. Bradner, F. J. Klo- bucher, and J. W. Girard Funigants— aliphatic— compounds as, tests. R. C. Roark and R. T. Cotton- formulas, properties, and lethal dosage toxicity to clothes moths and beetles toxicity to rice weevils use and efficacy against corn borer. Funigation— fresh fruit, against adult Japanese beetle grasslands, with carbon disulphide emulsion soil— with carbon disulphide against Japanese beetle, experiments with naphthalene vapor for control of Japanese	109 109 109 109 213 355 162 162 162 162 478 478	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34 49-51 2-48, 51-52 124-126 74-76 76-79 32-74
for oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor FULLAWAY, S. V., Jr.: An Analysis of Log Production in the "Inland Empire" Region. With M. Bradner, F. J. Klo- bucher, and J. W. Girard Fumigants— aliphatic— compounds as, tests. R. C. Roark and R. T. Cotton formulas, properties, and lethal dosage toxicity to clothes moths and beetles toxicity to rice weevils use and efficacy against corn borer Fumigation— fresh fruit, against adult Japanese beetle grasslands, with carbon disulphide emulsion soil— with carbon disulphide against Japanese beetle, experiments with naphthalene vapor for control of Japanese beetle. Fundi, origin and value, experiments	109 109 109 109 213 355 162 162 162 162 478 478 478	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34 49-51 2-48, 51-52 124-126 74-76 76-79 32-74 17-20
for oil burners, kinds and specifications oil— definition of term for domestic use, specifications types and distribution unconsumed, detection in oil burner value as perquisite for farm labor FULLAWAY, S. V., Jr.: An Analysis of Log Production in the "Inland Empire" Region. With M. Bradner, F. J. Klo- bucher, and J. W. Girard Fumigants— aliphatic— compounds as, tests. R. C. Roark and R. T. Cotton formulas, properties, and lethal dosage toxicity to clothes moths and beetles toxicity to rice weevils use and efficacy against corn borer Fumigation— fresh fruit, against adult Japanese beetle grasslands, with carbon disulphide emulsion soil— with carbon disulphide against Japanese beetle, experiments with naphthalene vapor for control of Japanese beetle Fundi, origin and value, experiments Fungi—	109 109 109 109 213 355 162 162 162 162 478 478 478 427 410	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34 49-51 2-48, 51-52 124-126 74-76 76-79 32-74 17-20 54 1-32
definition of term	109 109 109 109 213 355 162 162 162 162 478 478 478 427 410 488	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34 49-51 2-48, 51-52 124-126 74-76 76-79 32-74 17-20 54 1-32 11-16,
definition of term	109 109 109 109 213 355 162 162 162 162 478 478 478 427 410	2, 4, 5-11 6 6-11 4-5 72-74 7-8 1-87 1-52 4-34 49-51 2-48, 51-52 124-126 74-76 76-79 32-74 17-20 54 1-32

	ical Bulle No.	etins Page
Fungi—Continued. infecting sweetpotatoes, lists	99	61, 76-77
infection of fire-scarred hardwoods	494{	8–10, 2 5–28
injuries to southern white cedar	251	13-15
parasitic, on tobacco cutworms, list and notes	88	42–46, 103, 119, 136, 175
pathogenic to honeybees, collection, isolation, and culture wood-destroying—	149	6–11
cultural study damage to wind-thrown timber	494 104	25-28 24-27
effect of varying concentrations of chemicals	346	2, 3, 4, 10-25, 41, 52
effect on living treeswood-rotting—	132	16–17
attack on white-pine slash culture tests at various temperatures relation to environment Fungicides—	132 132 132	3, 5–15 10–11 4–6
dust, efficacy in control of loose smut of barley	293{	1-10,
efficacy in control of— barley stripe disease, experiments	341	17–18 16–37
covered smut of barley	207	1-20
liquid, effectiveness in— control of covered smut of barley seed treatment, comparison with dusts	207 207	2-3 17-19
Fungous diseases— cultivated cranberry. C. L. Shear, N. E. Stevens, and H.		
F. Bain	258	1-58
honeybee. C. E. Burnside	149	1–43
beaver, value and preparation	21 21	20, 36 2–3, 17–38
Furnace, energy relation to fuel	109	26-27
beetle, fumigation tests with aliphatic compounds use of white fir	162 408	49–51 69
FURR, J. R.: Soil Moisture and Irrigation Investigations in Eastern Apple Orchards. With J. R. Magness and E. S.		
Degman FURRY, M. S.: Some Physical Properties of Starch Pastes Which	491	1–36
Affect Their Stiffening Power on Fabrics	284	1–18
acuminatum, infection of sweetpotatoesbatalatis—	99	75
cause of stem rot of sweetpotatoes	99	5, 10
morphology and life historypathenogenicity on sweetpotatoes	99 99	15–17 10–15
culmorum, infection of sweetpotatoes	99	75
potato		5, 8, 10-16
moniliforme, infection of yellow dent corn	260 99	11-14 72
rot, of potatoes— in storage, inception and development factors. Free-		
man Weiss, J. I. Lauritzen, and Philip Brierley	62	1-36
temperature and humidity relations	62{	8-17, 26-34
Futures trading— open commitments, definition of term See also under specific crop.	199	4

Techn	ical Bull	etins
Gable, C. H.: The Southwestern Corn Borer. With E. G. Davis, J. R. Horton, E. V. Walter, R. A. Blanchard, and	No.	Page
Carl Heinrich GAHAGAN, J. M.: Tests of Large Timber Columns and Presentation of the Forest Products Laboratory Column Formula.	388	1-62
With J. A. Newlin	167	1-44
Hibernation Cages in Louisiana	486 61	1-28 9
encouragement in forests of southern Appalachianslaws on alligators, Florida and Louisiana, provisions See also Shorebirds.	476 147	35 18–19
Gapeworms, infestation of wild geese Garden(s)—	49	6–9
caterpillar, striped, distribution, food habits, and history_home, under irrigation, recommendations	88 454 53	116-119 37-38 104-106
Biology of Some Japanese and Chosenese Grub Parasites (Scoliidae). With C. P. Clausen and Kaku Sato Further Investigations of the Parasites of Popillia japonica	308	1-27
in the Far East. With C. P. Clausen and H. A. Jaynes. Garner, W. W.: The Nitrogen Nutrition of Tobacco. With	366	1–59
C. W. Bacon, J. D. Bowling, and D. E. Brown	414	1–78
Selective Logging in the Northern Hardwoods of the Lake States. With Raphael Zon	164	1-47
Forests of the Gulf States Region. With R. H. Miller. The Portable Band Sawmill and Selective Logging in the Loblolly Pine Forests of North Carolina. With J. B.	375	1-54
CunoGas(es)—	337	1–30
absorption, in hay, factor in spontaneous combustion	141{	8, 9, 25,
analysis for prevention of explosionflue, use in prevention of dust explosions	74 74	26, 28, 35 7-11 13-22
effect on employees in grain-grinding plants value as a preventive of dust explosions in grinding	74	13
equipment. H. R. Brownstack, in domestic oil burners, analysisGaston, T. L.: Farm-Management Problems in Shifting from Sack to Bulk Handling of Grain in the Pacific Northwest.	74 109	1-24 4, 72-74
With N. W. Johnson, E. F. Landerholm, and G. W. Kuhlman Geese—	287	1-40
banding returns, 1923–26wild—	32	30
infestation with nematodeintroduction into United StatesGEMENY, A. L.: Electrical Equipment on Movable Bridges.	49 61	4-9 7, 8
With C. B. McCullough and W. R. Wickerham Genetic growth differentiation in guinea pigs. H. C. McPhee	265	1-114
and O. N. Eaton Geocoris punctipes, feeding on cotton, study	222 296	1-36 5-11
George E. J.: Growth and Survival of Deciduous Trees in	224	6
Shelter-Belt Experiments at Mandan, N. Dak., 1915-34 Georgia—	496	1–48
barley yields, 1922–26, by varietiesbarley yields, 1927–31	96 446	9–10 8–9, 74
cotton soils, experiments with nitrogen	452	11
northern—	127	1-94
apple-growing district, location and climatelife history of codling moth in. E. R. Van Leeuwen_	90 90	2-3, 43 1-95

Georgia—Continued. peach moth, oriental—	inical Bull No.	etins Page
infestation status		15-16
life history. O. I. Snapp and H. S. Swinglepiedmont—	152	1–16
apple district, description and record	_ 90	2-3, 43
belt, weather data, 1920-21swine sanitation, effectiveness in control of worms	- 90 - 374	2-3, 43 5-14
Georgia Peach Belt—	. 013	3-14
plum curculio, life history and habits. O. I. Snapp		1-91
topography and climate Geraniol, value in bait for flies, tests	- 188 - 270	3, 8, 9, 10
Germany—	_ 210	5, 6, 9 , 10
corn-borer investigations, 1926	_ 135	3-4
foot-and-mouth disease, outbreaks and control	_ 76{	17-18, 152-156
wheats, production, and milling and baking qualities		118-122
Germination, Ribes seeds, particularly R. rotundifolium under	r	
laboratory and natural conditions. A. E. Fivaz	_ 2 61	1-40
through Lower Chipping	_ 262	1-24
through Lower Chipping GETTY, R. E.: Experiments with Forage Crops at the For	t	
Hays Branch Station, Hays, Kans., 1913 to 1928		1-92
tribution		13
Gibberella—		
ear rot. See Corn ear rot. saubinetii—		
effect on hydrogen-ion concentration, experiments	_ 346	43-45, 52
infection of yellow dent corn	_ 260	5-7
inoculation on sweetpotatoes, effects Gibbons, W. H.: Properties of Western Hemlock and Thei		74–75
Relation to Uses of the Wood. With R. P. A. Johnson	139	1-62
Gila River Basin, silt in relation to irrigation	_ 67	18- 22
GILE, P. L.: Alteration of Muscovite and Biotite in the Soil. I. A		
Dennison and W. H. Fry	_ 128	1-32
The Effect of Different Colloidal Soil Materials on th	e	1 50
Efficiency of Superphosphate Gill, L. S.: Deterioration of Chestnut in the Southern Appa	371	1–50
lachians. With D. V. Baxter	_ 257	1-22
GIRARD, J. W.: An Analysis of Log Production in the "Inland	d,	
Empire' Region. With M. Bradner, F. J. Klobucher, an S. V. Fullaway, Jr.	a _ 355	1-87
Gloeosporium—	. 000	
caulivorum, cause of clover anthracnose	_ 28 {	2, 5, 7, 15, 20
infection of fruit in transit, prevention experiments	(41-42
minus, description and distribution	_ 258	20
Glomerella cingulata vaccinii, description and distribution	_ 258 _ 113	5
Glucose, use against arrowgrass poisoning, recommendation Glues. aircraft—	_ 110	13
durability of joints, and quality tests		9-15
formulas preparation		52-56 15-17
uses and properties	205	2-9
uses and properties	_ 205	1-58
Glycerin, use against codling moth	_ 281	23-25
Angora—		
coat characteristics	- 3 5	1-2, 9
numbers in South Africaproduction in Southwest		63-65, 66 95-103
exports and imports in France	_ 37	167, 169
feeding alpine kalmia to, experimentsnumbers—	391	4 , 6 –8
and importance in Hungary	_ 160	95
utilization, and foreign trade in Bulgaria	126	123, 128

Techni	cal Bulle	tins
Goats—Continued.	No.	Page
poisoning produced by mountain-laurel and sheep laurel		5-6, 9-10, 12-21
production, utilization, and foreign trade of Rumania	126	64, 65, 66, 75, 76, 78, 79
GOCHENOUR, W. S.: Efficacy of Anthrax Biologics in Producing Immunity in Previously Unexposed Animals. With H. W. Schoening, C. D. Stein, and W. M. Mohler	468	1–16
With H. W. Titus	435 258	1-10 2-4
Godwit, migrant in South America	26	11, 18
banding returns, 1923-26 European, importation and transplanting Consideration and transplanting	32 61	55-56 56-57
Gongylonema pulchrum, hosts, description of stages, and development GOOD, N. E.: The Flour Beetles of the Genus Tribolium GOOSeberry (ies)—	489 498	5–21 1–58
preservation by frozen-pack methodseed longevity and germination, experimentsGoosegrass. See Arrowgrass.	148 2 61	3 1, 11–39
Gopher(s)— misuse of the term pocket—	224	2
breeding records of females control measures damage to crops	224 224 224	14–15 22–23 18–21
description and habits	224	6–16, 23–24
distribution and classification food and natural enemies habits and economic status. T. H. Scheffer GOULD, H. P.: Factors Influencing the Yield of Apples in the Cumberland-Shenandoah Region of Pennsylvania, Virginia, and West Virginia. With C. R. Swinson, F. P. Weaver,	224 224 224	2-6 16-18 1-27
A. J. Dadisman, J. J. Vernon, and J. B. KincerGrackles, banding returns, 1923–26Grain(s)—	54 32	1-26 44, 46-48
acreage— cut annually by combines	70	11-13
production and exports of Bulgaria, statistics	126	93-95, 98-110
production and exports of Yugoslavia, statistics	126	147–158
production, marketing, and consumption in Ru-	126	24-34, 38- 39, 40-56, 80-81
bulk— handling equipment for the farm, types and costs hauling methods	287 287	11-24 27-29
associations, 1925 marketing, comparison in United States and Canada_	40 63	44–49 91–97
marketing in western Canada. J. F. Booth damage by corn leaf aphid drilling and fertilizing machine, description and operation	63 306 182	1-116 1-20 47-54
dust		
explosibility tests	74	11–12
tion and quality. W. H. Black. K. F. Warner, and C. V. Wilson	217	1-44

Grain(s)—Continued.		
	cal Bulle	
beef calves before and after weaning, comparison of rations. W. H. Black and E. A. Trowbridge	No. 397	Page 1–16
calves before and after weaning, effect on beef, experi-		
ments	208	2-22
cattle, margins necessary food of magpies	23 24	55-111
futures—	24	17, 28
legislation	199	1-2
trading, extent, 1923–28	199	$\hat{2} - \hat{5}$
grinding, dust explosions, prevention	74	1-23
handling		
and storage in the Corn Belt	244	47-49
in sack and bulk methods, comparisons	287	3–11
shifting from sack to bulk, farm-management problems in Pacific Northwest. N. W. Johnson, E. F.		
Landerholm, G. W. Kuhlman, and T. L. Gaston	2 87	1-40
harvesting—	20.	1 10
methods, costs, comparison	· 70	30-35
with combine on Great Plains	70	1–60
heating in storage, cause	100	1-2
hosts of physiologic forms of Puccinia coronata avenae	433	42–44
industry, development and organization in western	69	4 14
Canadainsects, toxicity of aliphatic compounds to, tests	63 162	4–14 1–52
losses in harvesting and threshing	70	38-45
markets, futures trading, open commitments	199	3–5
pools, Canadian, contracts and agreements	63	98-114
production—		
and yield in Switzerland, 1916-27	101	15-16
in southern Africanorthern Great Plains	466 45	336–338
small—	40	27–30
harvesting in the Corn Belt with combines and		
binders. L. A. Reynoldson, W. R. Humphries,		
and J. H. Martin	244	1-55
	ſ	3, 4, 7, 9,
hosts of corn borer in New England	77{	12, 19, 24,
]	39, 42–43, 56, 57
infestation by western grass-stem sawfly	157	1-23
sorghums. See Sorghums, grain.	201	1 20
storage—		
in bulk, feasibility	287{	24–27,
		39-4 0
on Great Plains	70	56–57
trade— in Hungary, development	160	19-23
technical terms, explanation	79	2-4
threshed sorghum, disposal	121	30-32
weevils, toxicity of aliphatic compounds to, tests	162	1-52
yields under irrigation, Pacific slope, 1913	379	52–55
Grama grass, black—	400	0 10
associated species on southwestern rangesdescription, habitat, and growth habits on southwestern	409	8–10
ranges	409	6-8
range, influence of precipitation and grazing upon. E. W.	100	0.0
Nelson	409	1-32
Granaries, farm, ventilation methods	6	29, 30
GRANT, D. H.: Repellency to the Japanese Beetle of Extracts	900	1 20
Made from Plants Immune to Attack. With F. W. Metzger-	299	1–22
GRANT, F. M.: Effect of Milk-Plant Arrangement and Methods of Opera-		
tion on Labor Requirements. With C. E. Clement,		
P. E. LeFevre, and J. B. Bain	153	1-40
·		

Effect of Plant Arrangement, Equipment, and Methods of	ical Bull No.	etins Page
Operation in Relation to Breakage of Bottles in Milk Plants. With C. E. Clement and J. B. Bain	280	1-29
Grape(s)— acreage and production in Switzerland, 1910–26 distribution of carlot shipments in United States hybrids—	101 445	17 5–29
phylloxera-resistant, value and userelative behavior and value for different purposes	146 146	25-27 27-51 135-141,
industry in Union of South Africa	466	145, 146, 148-152, 155, 161-162
phylloxera-resistant, growth ratings		17-25 29, 31, 33, 37-44, 55-
shipment by motortruck in various sections	272	56, 59–64 67–69, 72–76
stocks, phylloxera-resistant, testing in vinifera regions of United States. G. C. Husmann	14	1-54
transit diseases, effect of carbon dioxide	318 {	52-53, 56, 57
utilization by raisin industryvarieties—	1	1-2
and hybrids, description and resistance to phylloxera-	146	8-9 3, 4, 6-7,
grafting for control of phylloxera injury	146	8-9, 26- 27, 52
phylloxera-resistant, planting recommendations	146	4–5, 6, 26–27
yields under irrigation, Pacific slope, 1930Grapefruit—	379	56
distribution of carlot shipments in United States	445	4-29
hydrion concentration changes, study	403{	20-28, 43-49
industry in southern Africa	466	186–192, 195, 197, 200–205, 209–213, 215
infestation by citrus rust mite	176	3, 5, 7, 8, 10–12, 25
stem-end rot, control by use of borax, studyGrapevines—	488	1-32
growth, characteristic of phylloxera injuryphylloxera infestation as related to soil types	20 20	5–13 1–38
resistance to phylloxera, factors	146	5-9
Graphocephala versula, feeding on cotton, study	296	5–11
cattle-fattening experiments	23	36-43 2-6, 10-
clipped, feeding value for milk production, experiments	381	17, 25, 39-41, 43-45
damage from sod webworm	31`	3-5, 8
feed, grain supplement, effect on beef production and quality. W. H. Black, K. F. Warner, and C. V. Wilsongrowing experiments at Fort Hays Branch Station, Kanshosts of—	$\begin{array}{c} 217 \\ 410 \end{array}$	1-44 53-56
corn borer in New England	77{	3, 4, 7, 9, 17, 19, 21, 24, 37, 39,
outh boild in New England	")	24, 37, 39, 44, 48, 49, 51–53, 56
physiologic forms of Puccinia coronata avenaewestern grass-stem sawfly	433 157	42-44 7-8, 21

Techni	cal Bulle	ins
Grass(es)—Continued.	No.	Page
importance to cattle production in Virginia	237	2-3
mixed, pastures, experiments at Belle Fourche station	454 45	18 10-11
native to Great Plains region, typesnursery experiments at Fort Hays Branch Station, Kans	410	54-56
of North Dakota, annotated list	221	49-50
pasture-		10 00
feeding value for milk production when grazed, when		
fed green, and when fed as hay or silage. R. R.		
Graves, J. R. Dawson, D. V. Kopland, and T. W.		
Moseleyyield required to support one milking cow	381 465	1-48 3-19
range, association with black grama in Southwest	409	3-19 8-10
sorghums, growing experiments at Fort Hays Branch Sta-	100	0 10
tion, Kans	410	53
worm. See Army worm, fall.		
Grasshopper(s)—	,	0.0.4
hosts, intermediate, of spirurids	227{	2, 3-4, 8, 14, 25
lesser migratory—	ι	0, 14, 20
control measures.	190	30-31
economic importance	190	6–8
feeding habits	190	26-27
habitat	190	5
history, range, and variation	190	1-4
life and seasonal history migratory habits	190 190	8–23 23–26
natural enemies	190	25-26 27-29
study. R. L. Shotwell	190	1-35
Grasslands, treatment with carbon disulphide emulsion	478	76-79
GRAVES, R. R.:		
Analysis of the Advanced Registry Records of 611 Daugh-	0.40	1 20
ters of 51 Ayrshire Sires. With M. H. Fohrman. Dairy Work at the Huntley Field Station, Huntley, Mont.,	349	1–59
1918–1927. With T. W. Moseley and Duncan Stuart.	116	1-48
Feeding Value for Milk Production of Pasture Grasses	110	1-10
When Grazed, When Fed Green, and When Fed as Hay		
or Silage. With J. R. Dawson, D. V. Kopland, and		
T. W. Moseley	381	1–48
Reproduction and Health Records of the Beltsville Herd of the Bureau of Dairy Industry. With F. W. Miller	321	1-24
Seasonal Variations in Carrying Canacity of Pastures for	021	1-24
Seasonal Variations in Carrying Capacity of Pastures for Dairy Cows in Milk. With T. E. Woodward	465	1-20
Some Results of Inbreeding Grade Guernsey and Grade		
Holstein-Friesian Cattle. With T. E. Woodward	339	1-32
Sudan Grass as Hay, Silage, and Pasture for Dairy Cattle.	050	1 00
With J. R. Dawson and A. G. Van Horn	352	1-28
Ardmore, South Dakota, 1912–1925. With J. S. Cole,	•	
F. L. Kelso, E. Z. Russell, J. B. Shepherd, and		
Duncan Stuart	17	1-68
Grayia spinosa, host of sugar-beet leaf hopper	206	35–36
Grazing—		
control on timberlands of Southwest and Black Hills	480{	47-48,
	(64-67
crops, for hogs, in southeastern Coastal Plain	127	11-16
dairy cattle, experiments in Montanaeffects on—	116	2-15
ponderosa pine reproduction	480	22-28
southern pine lands.	204	65
in Nevada public domain, study	301	8-49
in South Africa, study	466	72-85
influence upon black grama grass range. E. W. Nelson	409	1-32
intensity, influence upon black grama grass livestock, danger from St. Johnswort in California	409 202	24-30 8-21
, ,	202	J-21
108048377		

Grazing—Continued. Techni	ical Bulie	ting
on watersheds, correlation with control of run-off and	No.	Page
erosion	220	68-69
steer, investigations at Ardmore, S. Dak	17	33-36 2-3, 8-10,
value for milk production, experiments with pasture grasses	381	39–42, 44–46
Wasatch Plateau in Utah, relation to influence of her-		71 10
baceous plant cover on surface run-off and soil erosion, study. C. L. Forsling	220	1-72
Great Britain—	•	10 10
foot-and-mouth disease, outbreaks and control	7 6{	18–19, 163–167
See also England.		
Great Plains— climate, effects on use of combines	70	45-51
combined harvester-thresher in. L. A. Reynoldson, R. S. Kifer, J. H. Martin, and W. R. Humphries		
Kifer, J. H. Martin, and W. R. Humphriesirrigated crops in, effect of alfalfa and farm manure on	70	1–61
yields. S. H. Hastingsnorth-central section, wintering steers. W. H. Black and	483	1-40
north-central section, wintering steers. W. H. Black and	100	1 14
O. R. Mathewsnorthern, ranch organization and methods of range-cattle	192	1–14
production. R. H. Wilcox, G. S. Klemmedson, and		
V. V. Parr	45	1-92
region— agricultural development	45	13-19
climate, description	45	4-10
northern, description	45	3-12
northern, descriptionsouthern, precipitation, data for 1912–26sweetclover farming. M. A. Crosby	131	5-6
Greece—	380	1-54
corn borer investigations, 1926	135	6
wheats, production, and milling and baking qualities	197	123–125
GREELEY, W. B., introduction to Timber Growing and Logging Practice in the Northeast	166	1-4
Green-bottle flies, chemotropic responses of, with housefly and	-00	7,7
black blowfly. E. W. Laake, D. C. Parman, F. C. Bishopp,	070	
and R. C. Roark	270	1–11
effect on—		
cotton root rot, experiments	436	17-18
spread of tomato yellows	189	13-15
value in growing alfalfa in Mississippi, experiments	419	9
Greenhouse leaf tier. See Celery leaf tier. GRIFFITHS, DAVID: The Production of Hybrid Palestine Iris		
Corms. With E. O. Orpet	11	1-15
Corms. With E. O. Orpet Grosbeaks, banding returns, 1923–26. Gross, C. R.: The Frosen-Pack Method of Preserving Berries in the Pacific Northwest. With H. C. Diehl, J. R. Magness,	3 2	48, 75
in the Pacific Northwest. With H. C. Diehl. J. R. Magness.		
and V. B. Bonney	148	1-38
Grouse—		9 4 5 0
infestation with Spiruroidea, study	227{	10-21, 20
introduction into United States	61{	12–13, 14–18, 47
ruffed—		
banding returns, 1923–26	32 49	34 2, 3
infestation with nematodes	20	2 , 3
C. P. Clausen, T. R. Gardner, and Kaku Sato	308	1-27
Guignardia vaccinii, description and distribution	258 32	4–5 9
Guinea fowl, introduction into United States	61	11-12

Techni	ical Bull	etins _
Guinea pigs—	No.	Page 9–16.
birth weight, factors affecting	279{	30-31, 34
breeding—	ſ	1-2, 6,
correlation studies	279{	8–10, 15, 19
for growth and weight, study	222	1-34 16 26-27
homozygosis in inbred lines	ι .	16, 26-27, 29, 30
crossing between inbred families, resultsdifferentiation, persistence among inbred families. Se-	103 103	3 1–46
wall Wright and O. N. Eaton genetic growth differentiation. H. C. McPhee and O. N. Eaton	222	1-36
growth—		
correlation of hereditary and other factors affecting. O. N. Eaton	279	1-36
effects of breeding, study	222	1-34
effects of breeding, studyinbred_families, persistence of differentiation. Sewall Wright and O. N. Eatoninbreeding—	103	1-46
effects on growth and weighteffects on weight, size, and frequency of litters, and	222	1-34
mortality	103{	13-16, 31-45
fixation of characters, kinds	103	28_20
homozygosis, delay	103{	16, 26–27, 29
segregation and mutations	103	24-26, 28
infection with swine lungworms, experimentslitter size—	4 56	13–15 19–24,
effect on growth	222{	26- 2 7
factors affecting	•	5–9, 29, 3 4 8–1 0.
maturity, effect of inbreeding, study	·	29-34
mortality, study weights—	279	16-19
and gains before and after weaning, studies	279{	19- 29, 31-33, 3 4
effects of breeding, study	222	1-34
Gulf States— pine forests, selective logging of shortleaf and loblolly varieties. R. D. Garver and R. H. Miller	375	1-54
region, forestry situation in shortleaf and loblolly pine	077	
stands	375 32	9-11
red, fire-scarred, and decay in	494	3-11, 17-18, 20, 23-25,
spirits of turpentine. See Turpentine, gum spirits.	(27–30
turpentine yield, factors affecting	298{	15-32, 39-43
GUNDERSON, M. F.: Western Duck Sickness: A Form of	·	93-49
Botulism. With E. R. Kalmbach	411	1-82
and brown-tail moth, imported insect enemies of. A. F.		
Burgess and S. S. Crossman attractants, chemical studies	86 336	1-1 48 14- 20
control—		
by spraying with bordeaux mixture and fish oil recent foreign work	111 86	26-2 7 11-1 6
flying, attractants, use in locating new infestations. C. W. Collins and S. F. Potts.	336	1-44

Techn	ical Bull	ating
Gypsy moth(s)—Continued.	No.	Page
introduction, spread, and early control work	86	6–10
life history and habits	86	3-4
natural control in New England	86	143-144
parasites, importation and study	86	11-119
spraying with lead arsenate and fish oil, experiments	111	18-23, 26
	[3-7, 10-
trapping tests	336{	12, 36,
77-11	ſ	41–42, 43
Habrobracon—		
brevicornis—	41	05.00
parasitism on corn borer	41	65–66
See also Microbracon brencornis. juglandis, parasite of Indian-meal moth	242	23-24
latus var. gougeleti, enemy of gypsy moth	86	
tatas var. gougetett, chemy of gypsy mont	80	119 4–11, 15,
Hackberry, fire-scarred, and decay in	404	18, 23–24,
italiant of the state of the st	707)	27-30
HAEUSSLER, G. J.: Life History of the Oriental Peach Moth at	,	21-30
Riverton, N. J., in Relation to Temperature. With Alvah		
Peterson	183	1-38
HAIG, I. T.: Second-Growth Yield, Stand, and Volume Tables	100	1-00
for the Western White Pine Type	323	1-68
Haiti—	020	1 00
Bayeux, weather records	65	28-29
Hevea rubbertrees, experimental tapping	65	1-31
HALEY, W. E.: The Sugar-Cane Moth Borer in the United		
States. With T. E. Holloway, U. C. Loftin, and Carl Hein-		
rich	41	1-77
Halimococcus—		
borassi, description of stages	404	102-106
description of stages and key to species	404	79-83
lampas, description of stages	404	83-91
spp., characteristics	404	26
thebaicae, description of stages	404	91-101
HALLER, M. H.:		
Investigations on Harvesting and Handling Fall and Winter Pears. With W. T. Pentzer, J. R. Magness,		
Winter Pears. With W. T. Pentzer, J. R. Magness,		
and H. C. Diehl	290	· 1–30
Relation of Leaf Area and Position to Quality of Fruit and	000	
to Bud Differentiation in Apples. With J. R. Magness	338	1-36
Hallositic acid in soils, hydrolysis, reaction studies	319	35–36, 41
Hamaxia incongrua, parasitism upon Japanese beetle in Far	366₹	2, 5, 8–10, 56, 57
East	ι	50 , 57
Fruits in California. With W. D. Reed and M. E. Phillips.	242	1 07
Hankins, J. M.: The Effect of Inorganic Acids on the Physical	446	1–27
Properties of Waterleaf Rag Bond Paper. With T. D. Jarrell		
and F. P. Veitch	334	1-16
HANKINS, O. G.: Correcting the Inefficiency of Peanuts for	001	1 10
Growth in Pigs. With J. H. Zeller	110	1-12
HANSEN, DAN:		
Agricultural Investigations at the Huntley (Mont.) Field		
Station, 1927-1930. With A. E. Seamans and D. V.		
Kopland	353	1-50
Irrigated Crop Rotations in Southern Montana. With S.		
H. Hastings	144	1-32
Hardiness, winter wheats—		
breeding hard red winter wheats for. K. S. Quisenberry		
and J. A. Clark	136	1-28
inheritance in crosses between Minhardi winter and H-44		
spring	218	1-43
Hardwood(s)—	101	
annual cut in Lake States and future of industry	164	11-12
brashness, causes	342	18
consumption in manufacture of boxes and crates	171	129-131

	ical Bulle	
cove, of southern Appalachians, description and impor-	No.	Page
tancecuttings, root development	476	6-7
cuttings, root developmentdecay—	151	69
following fire in young Mississippi Delta stand	494	1-31
upward spread in bolefire scars—	494	10–22
formation and rate of healing	494	6-8
importance in causing breaking-over	494	22-24
infection by fungi	494{	8–10, 25–28
mixed type, management and yields in Northeast	166	91-93
northern— of Lake States, selective logging. Raphael Zon and		
R. D. Garver	16 4	1-47
of southern Appalachians, description and importance.	476	45
reproduction, management, and yields in Northeast.	166	45-52
of Rocky Mountain region, study	420	1-105
ring growth, relation to specific gravity	168	11
seed-bed conditions, effect on germination	223	30-33
shrinkage during air seasoning	174	12-14
structure, descriptionswamp, management and yields in Northeast	248	4-5
transition type growth management and yields in North	166	89–91
transition type, growth, management, and yields in North-	166	74-77
value for box and crate construction	171	73-79
young, of Mississippi Delta, decay following fire in. G. H.		
Hepting	494	1-32
HARDY, J. I.:		
Factors that Influence Wool Production with Range Ram-		
bouillet Sheep. With D. A. Spencer and M. J. Brandon.	85	1-48
Studies of the Occurrence and Elimination of Kemp Fibers		
in Mohair Fleeces	35	1-16
HARLAN, H. V.:		
Yields of Barley in the United States and Canada, 1922-	0.0	1 04
1926. With L. H. Newman and M. L. Martini	96	1-84
Yields of Barley in the United States and Canada, 1927-31. With P. R. Cowen and Lucilla Painbach	446	1-80
With P. R. Cowan and Lucille Reinbach HARRISON, C. W.: Bacteriology and Chemistry of Oysters.	110	1-00
With A C. Hunter	64	1-76
With A. C. Hunter————————————————————————————————————	٠.	
Rust Resistance in Cereals	266	1-76
HARTER, L. L.: A Monographic Study of Sweet-Potato Diseases		
and Their Control. With J. L. Weimer	99	1-118
and Their Control. With J. L. Weimer HARTMAN, W. A.: State Land-Settlement Problems and		
Policies in the United States	357	1-88
Harvest season, duration on Great Plains	70	15–17
Harvester-thresher, combined—		
in the Great Plains. L. A. Reynoldson, R. S. Kifer, J. H. Martin, and W. R. Humphries	70	1-61
See also Combine.	70	1-01
Harvesting—		
combine—		
	ا مع	21-35,
cost on Great Plains	70{	36-37
rate on Great Plains	70	17-19
costs in the Corn Belt, study	244	24-40, 54
methods in the Corn Belt, comparison	244	12-24, 53
small grain, soybeans, and clover in the Corn Belt with		
combines and binders. L. A. Reynoldson, W. R.	044	
Humphries, and J. H. Martin	244	1-55
See also under specific crops.		

TI O II.	leel Delle	ntina
441011110b, D. 4411	lcal Bulk No.	Page
Effect of Alfalfa and Farm Manure on Yields of Irrigated Crops in the Great Plains	483	1-40
Irrigated Crop Rotations in Southern Montana. With Dan Hansen	144	1-32
Pima Egyptian Cotton in Irrigated Rotations at the Yuma Field Station, Bard, Calif. With E. G. Noble HATHCOCK, J. S.: Practices and Costs of Cotton-Gin Operation	369	1–31
in North-Central Texas, 1924–25	13 78	1–60 53, 54–73
bollworm, pink, parasites. H. F. Willard soils, effects of air drying Hawks, banding returns, 1923–26	19 291	1–16 38–39
HAWLEY, EDITH:	32	35–37
A Short Method of Calculating Energy, Protein, Calcium, Phosphorus, and Iron in the Diet	105	1–20
Nutritive Needs	8	1-32
Hawley, L. F.: Wood-Liquid Relations	248 66	1 –3 5 6
acreage and production in France alfalfa—	37	105–113
curing practice, relation to quality. T. A. Kiessel-		
bach and Arthur Anderson	235	1-26
curing tests	235	3-24
drying, artificial, effect on quality	235	16-17
loss of moisture in curing, study	235	18–22, 24
production and yields, experiments	307	24-26, 34
protein content, effect of rain	235	16
protein content, relation to leafiness	23 5	17–18, 22
protein content, relation to leafinessquality in relation to curing practice. T. A. Kiessel-		
bach and Arthur Anderson	23 5	1-26
spontaneous heating, chemical process	141	26-27
value for wintering steers on northern Great Plains	192	2-13
arrowgrass, toxicity to livestock, experimental study	113	11
chutes, in barns, construction	187	62-63
clover, spontaneous heating, chemical process	141	26-27
color measurement, apparatus and conversion tables	154	24 –31
cowpea, ration for steers, results	30	1-14
crested wheatgrass, production and yields, experiments	307	24-26
crops for the northern Great Plains, crested wheatgrass,		
comparison with bromegrass, slender wheatgrass, and		
others. H. L. Westover, J. T. Sarvis, Leroy Moomaw,		
G. W. Morgan, J. C. Thysell, and M. A. Bell	307	1-36
cubic feet requirements per ton, determination	239	28-34, 35
density, variations, study	239	32–34
exothermic reaction, temperature	141	33
tentgrading by color, apparatus and conversion tables, use	141 154	28-29 24-31 2-3, 6-7,
grass, feeding value for milk production, experiments	i	17-24, 26- 30, 34-46
growing under irrigation in Southwest	185	39, 40
harvesting, labor and power, use and cost in Corn Belt	384	54, 57
losses from spontaneous combustion, 1925–27	141	1–3
rake, type, effect on quality of hay	235	13, 23
selling in stacks, prevalence	239	1-2
sorghum, experiments at Fort Hays Branch Station, Kans-	410{	28–30, 41–47
spontaneous—	141	1 00
combustion. C. A. Browne	141	1-39
combustion, cause, theories	141	3-26
ignition, time factor	141	33–35

	cal Bulleti No.	ins Page
chemical composition and protein content, study cut at different stages of maturity, experiments		-9, 26–27 3–6, 26
for dairy cattle. J. R. Dawson, R. R. Graves, and A. G. Van Horngrowing experiments at Fort Hays Branch Station,	352	1–28
Kans	410	41-47 11-12,
palatability and consumption, studies	352{	27-28
sweetclover, experiments at Fort Hays Branch Station, Kans	410	73–76 88–91,
tame, crop-yield estimates, reliability	311{	99–100
Western wheatgrass, value for wintering steers on northern Great Plains HAYES, J. F.: Milling and Baking Qualities of World Wheats. With D. A. Coleman, O. L. Dawson, Alfred Christie, H. B.	192	2–13
Dixon, H. C. Fellows, Elwood Hoffecker, J. H. Shollenberger, and W. K. Marshall	197	1-224
HAYS, M. B.: Serviceability of the Fabrics [Made from American Upland Cotton]. With R. E. Elmquist	406	24-48
Haystack(s)—	f1 6	0, 14, 25-
ignition, fermentation as cause	141(20	6, 27, 28– 29, 33, 36
measurement—	ſ	6–12,
new methods, investigations	239	16-21, 24-35
present methods, inadequacy	239{	13–15, 21–2 4
research studies	239	3–6
volume and tonnage, determination method. W. H. Hosterman	239	1- 36 11-19,
Header, grain, use in harvesting sorghums	121	21–29, 31, 33–35
Heat—	107	6–12
animal, factor in ventilation of barnsbalance, in barns, maintenance	187 187	41-42
consumption and effects in kiln drying pine	165 6	4–7 1–32
damage to wheat. D. A. Coleman and B. E. Rothgeb effect upon larvae of swine kidney worm	405	12
effectiveness against potato wart penetration during roasting of lamb and mutton as in-	56	8–11, 13
fluenced by carcass grade, ripening period, and cooking method. N. G. Clark	440	1-27
production, horses and cows, comparison	187	9–12
solar, use in control of mountain pine beetle in lodgepole pine. J. E. Patterson	195	1-20
transfer, methods, discussionuse against corn borer	109 53	18-20 127-133
vital, of plants, relation to spontaneous combustion	141	5–7
Heating— domestic—		
use of oil burner, study. A. H. Senner with oil and gas, costs	109 109	1-84 79-81
spontaneous, of hay—		10–13, 14,
function of microorganisms		15, 16, 25, 28, 36
oxidation rate and control See also Spontaneous combustion.	141	13–14, 28
Hedging— accounts, corn futures, open commitments, 1924-28	199	40-57
corn futures, seasonal movement	199{	24–25, 27–28, 39

	cal Bulle	
Heifers—	No.	Page
dairy, fertility study at Beltsville, Md Holstein-Friesian, weight by ages, relation to feed	321 116	2-7, 22 27-29
HEINRICH, CARL: The Southwestern Corn Borer. With E. G. Davis, J. R.		
Horton, C. H. Gable, E. V. Walter, and R. A. Blanchard. The Sugar-Cane Moth Borer in the United States. With	388	1-62
T. E. Holloway, W. E. Haley, and U. C. Loftin	41	1-77
Helenium autumnale, roots, adventive buds and branching Helianthus tuberosus. See Jerusalem-artichoke. Heliothis obsoleta. See Corn ear worm.	151	48
Heliria rubidella, history and habits	402	34-35
Helminthosporium— gramineum—	202	01 00
biological studies	341	1-37
See also Barley, stripe disease.		2 0.
inaequale, description and distribution	258	20-21
Hemiptera, predators on fall army worm	34	8385
sp., parasitism and development	138	55-56
tenellus, parasitism on pandora-moth larva———————————————————————————————————	137	18
eastern—		
lumber, grades and value by log diameter	164	24, 25–26
selective logging in Lake States	164	4-44
growth in Alaska, comparison with spruce	412	5-6
mountain, names, description, growth, and propertiessecond-growth—	226	14-15
increment tables	412 412	18-23 23-27
stand tables	412	6-18
yield tableswestern—	412	0-10
and Sitka spruce stands, second-growth, yield in south-		
eastern Alaska. R. F. Taylor	412	1-30
forest, character and range	139	2-4
industrial uses	139	50-59
mine timbers, tests	226	49-54
nail-holding capacity	139	30–31, 32
names, description, growth, properties, and uses	226	15-17
painting and finishing qualities	139	33–35
properties and their relation to uses of wood. R. P. A. Johnson and W. H. Gibbons	139	1-62
properties of wood	139	6-38
resistance to splitting	139	31–33
seasoning, processes and schedules	139	28-29
	ſ	45-49,
structural timbers, tests	226	55-59,
		63-69, 73
timber, cut, supply, and value	139	4-6
uses	139	38-59
wind-thrown, deterioration rate wind-thrown, losses five years after windfall	104 104{	23-24 16-23,
· · ·	[27-28
Hemp— harvesting and processing, effect on corn-borer control in		
Japan Japan	455	32
host of corn borer in New England	77	7, 17, 24, 44, 48,
nost of coin botel in ivew Bilgiand.)	50-53
infestation by corn borer in central Europe	135	28-29
production and trade in France	37	102-103
HEMPHILL, R. G.: Irrigation of Cotton. With J. C. Marr	72	1-38
HENSON, P. R.: Alfalfa Experiments at Stoneville, Miss.	405	
Henson, P. R.: Alfalfa Experiments at Stoneville, Miss. With H. L. Westover— Hepting, G. H.: Decay Following Fire in Young Mississippi	49 5	1-14
Delta Hardwoods	494	1 20
Delta Hardwoods	494 53	1-32 39-42

	ical Bull	etins
Herd, dairy. See Dairy herd.	No. 32	Page 21 20
Herons, banding returns, 1923–26	32	31-32
control in California	81	17-24, 25
development and food plants in California	81	10-14
economic importance and history in California	81	1-4
history and distribution	361	3-4
host plants and climatic influences, Pacific Northwest	361	15-17
in California. C. M. Packardin the Pacific Northwest. L. P. Rockwood and M. M.	81	1-26
in the Pacific Northwest. L. P. Rockwood and M. M.	961	1-24
Reeher	361	1-24
injury— and economic importance	361	12-15
to wheat in California, study	81	2-3, 7-10
life history and habits in Pacific Northwest	361	5-11
parasites and control in Pacific Northwest	361	17-20, 21
seasonal history and mortality in California	81	4-7, 15-17
Hevea—		
brasiliensis—	,	. 07 00
bark consumption and renewal	65	27-28
-	}	30-31
growing in Canal Zone	94	11, 25, 28, 31, 32, 37,
8.0	()	42, 45
selection for tapping in Haiti	65	5-9
yield at Bayeux, Haiti, data	65	10-11, 30
tree characters associated with yield	65	19-20, 30
See also Rubbertrees.		
Hexamermis—	4	
meridionalis, parasitism on corn borer in Orient	455	23
microamphidis, parasitism on corn borer	363	21
pignut and shagbark, growth rate, study	168	7-8
shuckworm, damage to pecans, studies	324	23
Hides-	021	20
preparation for tanning experiments	169	2-3
reddening, development, factors influencing	383	10-12, 20
reddening organisms, microbiology	383	12-22
salted, reddening, microbiological studies of salt in relation	000	
to. L. S. Stuart, R. W. Frey, and L. H. James	383	1-24
size, weight, and thickness, comparison of Brahman with	417	21-25
tanning, effect on weight and area	169	3-4
Highway bridge surveys. C. B. McCullough.	55	1-76
HILL, H. H.: The Rubber Content of Two Species of Crypto-	00	- • • •
stegia and of an Interspecific Hybrid in Florida. With L. G.		
Polhamus and J. A. Elder	457	1-23
HILL, W. L.: The Composition and Distribution of Phosphate		
Rock with Special Reference to the United States. With		
K. D. Jacob, H. L. Marshall, and D. S. Reynolds	364	1-90
Hobson, Asher: Agricultural Survey of Europe: Switzerland Hodgson, B. E.: The Host Plants of the European Corn Borer	101	1-64
in New England.	77	1-64
HOFFECKER, ELWOOD: Milling and Baking Qualities of World	• • •	1-01
Wheats, With D. A. Coleman, O. L. Dawson, Alfred		
Christie, H. B. Dixon, H. C. Fellows, J. F. Hayes, J. H.		
Shollenberger, and W. K. Marshall	197	1-224
HOFFMAN, G. W.:		
Major Transactions in the 1926 December Wheat Future.	=-	
With J. W. T. Duvel	79	1-52
Trading in Corn Futures	199	1-82
body composition, and economy of gains, effect of quantity		
and kinds of feed. N. R. Ellis and J. H. Zeller	413	1-31
breeding, numbers, and utilization in France.	37	154-165

Techni	cal Bulle	tins
Hog(s)—Continued.	No.	Page
breeds, numbers, foreign trade in Yugoslavia	126	175-178
cholera, control by sanitation exports to Cuba, 1921–27	$\begin{array}{c} 44 \\ 127 \end{array}$	6-18 47-48
fat, quantity and composition, changes due to peanut ra-	14,	41-40
tion followed by a corn ration. N. R. Ellis	368	1-14
fattening, following calves, experiment	43	8
feed, quantity and kinds, effect on economy of gains and	419	1 91
body composition. N. R. Ellis and J. H. Zeller	413	1–31
at Belle Fourche Field Station	454	38-42
with peanuts and corn	368	1–13
	ſ	79–80,
foot-and-mouth disease, inoculation studies	76₹	100–106, 111–113,
		111-113,
gains, economy of, and body composition, effect of quan-	•	120
tity and kinds of feed. N. R. Ellis and J. H. Zeller	413	1-31
grazing crops in southeastern coastal plain	127	11-16
investigations on Newlands project marketing(s)—	464	31–32
farmers' response to price. O. V. Wells	359	1-56
from individual States, 1920-31	359	50-52
in South, receipts and sales, 1915–26	127	48-49
numbers, and foreign trade in Bulgaria	126	127–128
pastures, infestation with kidney-worm larvae, investiga-	405	3–4
tionspasturing—	400	3-4
- 0	امور	22-25,
irrigated crops, experiments	353{	34–39
on alfalfa, experiments at Belle Fourche Field Station	454	19-20
on corn, experiments at Belle Fourche Field Station	454	20-21
at Chicago, 1904–32	359	48, 54, 55
exports, and marketing in southeastern Coastal Plain	127	43-50
farmers' response in production and marketing.		
O. V. Wells	359	1-56
production— adjustment to demand	359	36-42
adjustment to demand farmers' response to price. O. V. Wells	359	1-56
in Southeast, possibilities and limitations.	127	50-54
utilization, and foreign trade of Rumania	126{	64–66,
	1201	75–77, 79
raising— at Ardmore, S. Dak	17	36-39
in Hungary, development of industry and trade	160	81-87
in southern Africa	466	132-133
roundworm, intestinal, control by sanitation, experiments.	374	1-14
slaughter statistics, 1907–32	359	49 55
supply and price data, 1921-31	359	127-129,
vesicular stomatitis, inoculation tests	76{	137
worm parasites, control by sanitation in the South	374	5-14
HOLBERT, J. R.: Results of Seed-Treatment Experiments with	000	1 64
Yellow Dent Corn. With Benjamin Koehler Holden, J. A.: Irrigated Crop Rotations in Western Nebraska.	260	1–64
With C. S. Scofield	2	1-26
Holland. See Netherlands.	_	
HOLLOWAY, T. E.: The Sugar-Cane Moth Borer in the United		
States. With W. E. Haley, A. C. Loftin, and Carl Heinrich.	41	1–77
HOLMES, R. S.: The Composition and Constitution of the Colloids of Cer-		
tain of the Great Groups of Soils. With H. G. Byers		
and L. T. Alexander	484	1-39
Variations of the Colloidal Material Extracted from the		
Soils of the Miami, Chester, and Cecil Series. With	900	1 04
Glen Edgington	229	1 -24

	Technica	1 Bulle	tins
HOLMES, W. C.: The Visual Spectrophotometry of Dyes.	With	No.	Page
J. T. Scanlan and A. R. Peterson Homalogica triquetra, feeding on cotton, study		310 2 9 6	1-42 5-11
Home economics, extension— methods, influence on changes in practices, costs—— practices, adoption————————————————————————————————————		125 106	1-30 4-24
Homogenization of milk, effect on certain characteristics. Babcock	C. J.	438	1-12
Honey— extracted—			
in white clover region, organization and manage of apiaries producing. R. S. Washburn and C	G. E.	401	1 44
Marvinproduction cost, effect of yield	·	481 481	1-44 35
extraction, quantity, process, and equipment		481	21-25
gatherers, value of package bees		309	39-41 2-3
plants, principal, in white clover region production, practices in white clover region See also Bee(s); Beekeeping; Honeybee(s).		481 481	13-30
Honeybee(s)— artificial insemination, experiments		326{	5–33, 43–47
breeding—			
succession of generations. under controlled conditions. W. J. Nolan		326 326 481	45-46, 47 1-50
colonies, increase fungous diseases. C. E. Burnside		149	19 1–43
inoculation with Aspergilli and other fungi		149	6, 11–33
swarm control and preparation for honey flow		481 481	15–18 25–30
Honeycombing, of lumber, cause and prevention		174	25–26
Honeycombs, molded, pathogenicity to bees Hood, C. E.: Fish Oil as an Adhesive in Lead-Arsenate Spi	rave	149 111	11-12 1-28
HOOKER, J. R.: Inheritance of Awnedness, Yield, and Qu	ality		1-20
in Crosses between Bobs, Hard Federation, and Propo W	he ats	00	
at Davis, California. With J. A. Clark and V. H. Flor Hop(s)—	rell	39	1-40
infestation by corn borer in Europe		135	29
oil, production and uses		16	32
vegetative propagation, method used in England Horn, E. E.: Red-Squill Powders as Raticides. With	J. C.	151	56
Munch and James Silver		134	1-36
Horse(s)— breeding—			
and numbers in France numbers, and foreign trade—		37	117-121
in Rumania		126^{6}	5, 66–68, 76, 79
in Yugoslavia		126{	168, 169–170
numbers, and trade in Hungary uses, and numbers in Bulgaria		160 126	92-9 4 120-12 1
draft— accomplishment on different operations, Corn	Rolt		
farms	Delu	384	22 -28
use of power in Corn Belt, study		384{	9, 11, 16- 18
foot-and-mouth disease, resistance experiments		76{	115–117, 130, 137
heat production, comparison with cowsimmunity to anthrax, production by biologics, effici	acy,	187`	9–12
tests		468 2	-6, 13 -15

Horse(s)—Continued. poisoning—	nical Bulle No.	l'age
by wild tobaccos, experiments		7, 9, 10, 12, 13, 15, 21
from sleepy grass, study	. 114{	1-3, 7-13, 14-18
vesicular stomatitis, study	106	130, 137 28-29
Carl Heinrich HOSTERMAN, W. H.: A Method of Determining the Volume and	. 388	1–62
Tonnage of Haystacks Hotis, R. P.:	239	1–36
Heavy Cottonseed Meal Feeding in Relation to Udder Troubles in Dairy Cows. With T. E. Woodward Transporting and Handling Milk in Tanks	473 243	1-16 1-24
chemotropic responses of, with green-bottle flies and black blowfly. E. W. Laake, D. C. Parman, F. C. Bishopp, and R. C. Roark control by use of chemical attractants. Houses, small, construction, use of white fir Housing, value as perquisite for farm labor Howell, L. D.:	270 270 408 213	1-11 8-9 62-66 7-8
Farm Prices of Cotton as Related to Its Grade and Staple Length in the United States, Seasons 1928-29 to 1932-33. With J. S. Burgess, Jr	493 423	1-63 1-22
Upland Cotton. With R. E. Beckett	277	1–16 7, 44
development of sugar-beet leaf hopper	. 206{	5, 7, 22, 31, 61, 62
drillability of fertilizerslumber	174 165 165 187	17-21, 88 6-8 7-9 52 50-53
influence on keeping qualities of onions and onion sets R. C. Wright, J. I. Lauritzen, and T. M. Whitemanrelation to—		1-38
Fusarium infection of potato	62{	10-17;
survival of Opius crawfordirelative—		26-29 15-19
determination, apparatusvarious parts of United States, by seasonsripening-room, effect on canning quality of Bartlett pears. Southwest, records for 1909-21	171 450	8-10 81 20-22 59-61,
storage, effect on subsequent yields of cut seed potatoes. R. C. Wright, W. M. Peacock, and T. M. Whiteman		135–136 1–20
Harvesting Small Grain, Soybeans, and Clover in the Corn Belt with Combines and Binders. With L. A. Reynoldson and J. H. Martin. The Combined Harvester-Thresher in the Great Plains With L. A. Reynoldson, R. S. Kifer, and J. H. Martin. Utilization and Cost of Power on Corn Belt Farms. With	244 70	1-55 1-61
L. A. Reynoldson, S. R. Speelman, E. W. McComas, and W. H. Youngman Utilization and Cost of Power on Mississippi and Arkansas	384	1–60
Delta Plantations. With L. A. Reynoldson, S. R. Speelman, E. W. McComas, and W. H. Youngman	497	1-47

Humus extract(s)— Tech	nical Bul No.	letins Page
		_
depth, measurement of organic matter in soil		3
indication of soil compounds	211	22
iodoform reaction, test	211	22
agricultural—		
development, handicaps	160	17
situation, 1913–26	160	3-7
		8-14
survey. L. G. Michael	160	1-104
survey. D. C. Wildiael	160	1-10-
communication facilities	100	
corn-borer infestations, 1925–27	135	17, 19–32
crown and pengo, values, monthly average, 1926-28		103
grain trade, development		19-23
land reform, study	160	10-14
		13-14
livestock survey	160	17-18
		79− 99 ,
		l 102–103
market competition with United States		1
population, occupational classification		9–10, 11
wheats, production, and milling and baking qualities	197	125-126
HUNTER, A. C.: Bacteriology and Chemistry of Oysters. With C. W. Harrison		
With C. W. Harrison	64	1-76
Hunter, J. H.: The Relation of Fertilizers to the Control of		
Cotton Root Rot in Texas. With H. V. Jordan, P. R. Dawson, and J. J. Skinner		
Dawson, and J. J. Skinner	426	1-76
Hunting shorebirds, in South America	26	18-20
Huntley, Mont., Field Station—		
Huntley, Mont., Field Station— agricultural investigations, 1927-30. Dan Hansen, A. E.		
Seamang and II V Konjand	353	1-50
climatic conditions, 1911-30 dairy work, 1918-27. T. W. Moseley, Duncan Stuart,	353	3-4
dairy work, 1918-27. T. W. Moseley, Duncan Stuart,	000	•
and R. R. Graves	116	1-48
Huntley reclamation project, topography, soils, and crops	144	1-2
HURST, L. A.: Agricultural Investigations at the Belle Fourche	111	1-2
(S. Dak.) Field Station, 1926-32. With Beyer Aune and		
Albert Ocenhrum	454	1-53
Albert Osenbrug HURST, W. M.: Methods of Harvesting Grain Sorghums. With J. H. Martin, L. A. Reynoldson, and B. E. Rothgeb	101	100
With I H Martin I. A Pounddoon and R F Pothach	121	1 25
Husman, G. C.: Testing Phylloxera-Resistant Grape Stocks in	121	1-35
the Vinitare Degians of the United States	140	
the Vinifera Regions of the United States	146	1-54
Hutchins, W. A.:	177	1 40
Commercial Irrigation Companies	177	1-40
Delivery of Irrigation Water	47	1-48
irrigation Districts; Their Organization, Operation, and	054	
Financing	254	1-94
Mutual Irrigation Companies Policies Governing the Ownership of Return Waters from	82	1-51
Policies Governing the Ownership of Return Waters from		
Irrigation	439	1-48
Hybrid vigor, in corn, and convergent improvement, experi-		
ments. F. D. Richey and G. F. Sprague	267	1-22
Hydrangea spp., hot-water treatment for insect pests	274	26- 27
Hydrion concentration—		
changes in relation to growth and ripening in fruits. J. S.		
Caldwell	403	1- 54
See also Hydrogen-ion concentration.		
Hydrocarbons, aliphatic, efficacy as grain fumigants	162	35
Hydrochloric acid—		
	أدوو	5, 8-9,
effect on waterleaf all-rag bond paper, tests	334	13-14, 15
use as extraction agent in analysis of soil colloids	461	2-3
wash, injury to apples	245	8
Hydrocyanic acid gas effectiveness against citrus rust mite	176	36-37

Techni	cal Bull	etins
Hydrogen peroxide— effectiveness in soil dispersion————————————————————————————————————	No. 170	1'age 3-5
reagent for oxidation of soils	211	17-18
use to estimate organic matter in soil	317{	1, 2–13, 21–23
changes in, effect of Gibberella saubinetii, experiments of soils. See Soils, hydrogen-ion concentration. See also Hydrion concentration.	346	43-45, 52
Hydrolysis, acid, of soils, formation of nitrogens	211	12-13
Hydroxyacrylic acid, factor in spontaneous combustion of hay Hygroscopicity, of fertilizer salts, discussion	141 182	27 22-24
polyembryony in, history and list	230	2-5
parasites of gypsy moth, handling at laboratory	86	21-22
Hyostrongylus rubidus, synonyms, description of stages, and	400	£1 07
development Hyperalonia oenomaus, hyperparasitism	489 308	51-67 24, 25
Hupericum perforatum (St. Johnswort), toxic effect on cattle	000	21, 20
Hypericum perforatum (St. Johnswort), toxic effect on cattle and sheep. C. D. Marsh and A. B. Clawson	202	1-24
Hyperparasites—	0.4	74 70
army worm	$\begin{array}{c} 34 \\ 294 \end{array}$	74-78 45
corn borer, species	294	23,
gypsy moth and brown-tail moth, introductions and study_	86	48-49, 78, 95, 97, 98, 117-118
scoliids in the Orient	308	20-25
Hyposoter—		
disparis—	00	F1 F0
colonization and observation foreign distribution and abundance	86 86	51-52 49-50
life history and habits	86	50-51
parasitism on gypsy moth	86	49, 51-52
spp., parasitism on gypsy moth	86	104
Ice—		
effect on cooling rate of barreled berries evaporation from, laboratory study	148 271	13-15 28-34, 93
manufacture, preservation of peaches for. C. W. Cul-		
pepper, J. S. Caldwell, and R. C. Wright	84	1-14
peach, preparation	84	5–6
species	52	195-218
Ichneumonid parasite—	02	100 210
Cremastus flavoorbitalis (Cameron), of European corn- borer, biology. W. G. Bradley and E. D. Burgess of European corn-borer pupa, Phaeogenes nigridens Wes-	441	1–16
mael. H. D. Smith.	331	1-46
Ichneumonidae, parasitism on fall army worm	34{	61-65,
, -	o.r.	74–75
Idaho— barley yields, 1922–26, by varieties barley yields, 1927–31 irrigation—	96 446	10-13 9-11, 74
•	ſ	5, 63, 68.
district development	Ų	5, 63, 68, 69, 72, 73, 74, 80–82
water, return flowtemperature records at Twin Falls, 1925–28	439 206	9-11 10-19

Illinois— Techn	ical Bull	etina
barley yields—	No.	Page
1922–26, by varieties	96 44 6	13-14 11-12, 74
broomcorn production	347{	3-4,
drainage channels, erosion and silting, study	184	18–26, 40 49–54
McLean County, swine sanitation system developed by Bureau of Animal Industry. H. B. Raffensperger and	44	1-18
J. W. Connelly	357	24-25
irrigation district, reorganization	82 (18 3, 32–42 45–51•
silt investigations	67	63-64 68-75 86-88
Inarcolata punctoria, parasitism on corn borer in Orient Inbreeding cattle, grade Guernsey and grade Holstein-Friesian,	455 `	20-21
results. T. E. Woodward and R. R. Graves	339	1–32
agricultural, relation to farm taxes	172	7-44
farm, relation to soil type, topography, and size of farmurban property, and taxation, comparison with farms Incorporation, irrigation companies, laws, articles, and ad-	303 172	9–13, 20 31–34
ministration companies, iaws, articles, and administration	82	38-49
agricultural and climatic conditions	366 197	53-55 187-194
biological studies	242	4-23
food habits and damagehistory, distribution, and description	$242 \\ 242$	3-4, 24 2-3
on dried fruits in California, biology. J. C. Hamlin, W. D. Reed, and M. E. Phillips	242	1–27
parasites, valueIndian Service, irrigation-district policyIndiana—	242 254	23–24 61
barley yields— 1922–26, by varieties	96	14–16
1927-31 farm taxation and rent, 1919-23	446 172	12–13, 74 15
	ſ	2-16, 19,
strawberry industry, 1920–26	180	2-16, 19, 23-25, 31, 38, 71-73, 80, 96-98
Indigo, host of corn borer in Japan	455	34
Indol compounds, presence in soils, studyInheritance—	211	10–12
guinea pigs, correlation studies	279	1-2, 3, 6, 8-10, 15, 19
of—	•	10, 10
awnedness, yield, and quality in crosses between Bobs, Hard Federation and Propo wheats at Davis, California. J. A. Clark, V. H. Florell, and J. R. Hooker.	90	1.40
colored scutellums in maize. G. F. Spraguecomposition of Washington Navel oranges of various strains propagated as bud variants. E. M. Chace	39 292	1-40 1-44
and C. G. Church	163	1-23
resistance to Thielavia root rot, in tobacco, studies_stem-rust reaction and correlation of characters in Pentad, Nodak, and Akrona durum wheat crosses.	175	7–20
G. S. Smith and J. A. Clark weight, in guinea pigs, study	385 222	1–28 1– 34

Inheritance—Continued.		
of—continued. Techn winter hardiness, growth habit, and stem-rust reaction in crosses between Minhardi winter and H-44 spring	ical Bull No.	etins l'age
wheats. K. S. Quisenberry	218	1-46
winter hardiness, in wheat hybrids————————————————————————————————————	136	6–7
Jr	355	1-87
Insect(s)—		
control by sulphur dustdamage to—	4	11-12
hardwoods following fire	494	28-31
timber in Southwest and Black Hills region	480	32-33 14-15
effect on decay of white-pine slash enemies, imported, of gypsy moth and brown-tail moth.	132	14-15
A. F. Burgess and S. S. Crossman.	86	1-148
food of—	•	
grasshopper mice	145	13-18
magpiesinfestation of grain sorghums, prevention	24	7-11, 28
intestation of grain sorghums, prevention	131	21, 43-44
injury to grain sorghums, effect of seeding date	131 492	43–44 56–59
injurious to southern pine, controllife-history studies in insectary and orchard, comparison	183	8–9
parasitic on sugar-cane moth borer	41	40–44
plant-sucking, feeding punctures and their effect on cotton. W. V. King and W. S. Cook	296	1-12
See also under hosts.		
Insecticidal value of— hot water for Japanese beetle, and its effect on roots of		
nursery plants. W. E. Fleming and F. E. Baker	274	1-42
pyrethrum, commercial grades. C. C. McDonnell, W. S.		
Abbott, W. M. Davidson, G. L. Keenan, and O. A.		
Nelson	198	1–10
Insecticides—	F O	0.4.07.00
efficacy against peach borer, comparison for codling-moth control, experiments. E. J. Newcomer and M. A. Yothers	58 281	2-4, 37-39 1-29
pyrethrum powders, relative effectiveness, study	198	2-8
soil, use against apple maggot	66	44
against Erythroneura in Arkansas	2 63	34-35, 38
against San Jose scale on peach trees in the South	253	1-42
against sugarcane moth borer.	41	50-52
and efficacy against corn borer in control of black vine weevil	53 325	109–126 35–40, 42
in control of Mexican bean beetle, experiments	376	27-40
· •	326{	5-33,
Insemination, artificial, of honeybees, experiments	ι .	43-47
Insulation, barn walls, studyInsurance—	187	27–31
companies, mutual, 1925	40	66
livestock, cooperative associations in Switzerland Intermountain region, brush lands, suitability for growth of	101	37–38
natural or planted western yellow pine forests. F. S. Baker and C. F. Korstian Iodides, aliphatic—	256	1-83
efficacy as grain fumigants	162	36
toxicity to clothes moths and beetles	162	50
Iodine content of phosphate rock, study	364	18, 45-48
Iodoform, reaction of soils, test	211	22
Iowa—		
barley yields, 1927–31drainage channels, erosion and silting, study	446 184	13–14, 74
	184	41–49 16–17,
farm taxation and rent, 1913-27	172{	38-39
Ipobracon— rimac, parasitism on sugarcane borer, and life history	363	14-18
tucumanus, parasitism on sugarcane borer, and life history_	363	11-14

Techni	cal Bulle	
Ipomoea batatas. See Sweetpotato.	No.	Page
Ips beetles, damage to longleaf and slash pine	$\frac{298}{197}$	46–47 194–196
Ireland, wheats, production, and milling and baking qualities	197	127-130
Iris—		
Palestine hybrid— corms, production. David Griffiths and E. O. Orpet.	11	1-15
seed production and culture	11	11-13
spp., hot-water treatment for insect pests	274	27-29
Iron—	401	
content of soil colloids from erosion experiment stations.	461	6–8 2, 4–16,
deficiency tobacca plant ayuntama	240	31-32.
deficiency, tobacco plant, symptoms	340{	30, 30, 37,
in diet, calculation by short method	105	39, 40, 41 6–19
pyrophoric, in hay, factor in spontaneous combustion	141	19-22, 33
Ironing—		,
equipment for testing sheets, description and use	406	51-52
temperatures, effects upon fabrics of American upland cotton. K. M. Downey and R. E. Elmquist	406	48-64
Irrigating up, definition of term	118	12
Irrigation—		
assessments, mutual companiesassociations, unincorporated, agreements	82 82	26–29 44
companies—	02	44
commercial. W. A. Hutchins	177	1-40
commercial, classification	177	5-6
commercial, failures, causescommercial, internal features	177 177	6-14 15-23
commercial, usefulness, discussion	177	2-5
lateral, organizations	82	29-31
mutual. W. A. Hutchins	82	1-51
mutual, finances and administration	82{	12–29, 44–49
mutual, usefulness and character	82`	2-6
mutual, organization	82	6-12
corporation laws and articles of incorporation crop-rotation experiments in Montana	$\begin{array}{c} 82 \\ 144 \end{array}$	38–43 3–32
crop rotations in western Nebraska. C. S. Scofield and		
J. A. Holden	.2	1-26
definitions of termsdevelopment, contribution of commercial enterprises	47 177	2 6
district(s)—	1.,	U
definition and attributes	254	2-3
development, historical survey	254	70-89
finances, study	254	19–47, 49–62,
		90-92
local improvement districts, operation by States	254	66-69
movement, present statusorganization and management	$254 \\ 254$	3–8 12–18
organization, operation, and financing. W. A.	-01	12 10
Hutchins	254	1-94
State supervision, character and operation	254	35, 47-54, 91
success or failure, causes	254	8-12
success or failure, causesin Colorado River, effect of silt. Samuel Fortier and H.		
F. Blaneyin Columbia River Basin—	67	1-95
developments	200	17-19
use of water and crop yields	200	34-53
	1	8-9,
in Egypt, study	451	28–29, 39–40
methods, relation to boron injury to orchards	264	11-13, 63
monthly and seasonal requirements in Southwest	185	34–36
108048878		

110 INDEX TO TECHNIONE DOLLETING 10	00	
Irrigation—Continued. Techni	cal Bulle	tius Page
cotton. See Cotton, irrigation.	110.	Z ng←
crops in Great Plains, yields, effect of alfalfa and farm manure on. S. H. Hastings	483	1-40
eastern apple orchards, investigations. J. R. Magness, E. S. Degman, and J. R. Furr	491	1–36
pear orchards on heavy soil near Medford, Oreg. M. R. Lewis, R. A. Work, and W. W. Aldrich	432	1-34
pipes— riveted steel and iron, water flow	150	1–127
·	ſ	2, 5-8,
types, description	150{	64–77, 101–127
practice— in Missouri and Arkansas River Basins	36	16–18
Pacific slope, study	379	12-15
property, transfer, rights of consumersrequirements—	177	18
arid and semiarid lands, Missouri and Arkansas River		
Basins. Samuel Fortier	3 6	1-112
Columbia River Basin, arid and semiarid lands. Samuel Fortier and A. A. Young	200	1-56
of arid and semiarid lands, Pacific slope basins. Sam-		
uel Fortier and A. A. Youngof arid and semiarid lands, Southwest. Samuel For-	379	1–70
tier and A. A. Young	185	1-68
return waters from, ownership, policies governing. W. A. Hutchins	439	1-48
utilities—		
of California, profits	177 177	36–38 23–35
public regulation water(s)—	111	20-00
algae and insect life in, effects on flow in flumes	393	62-65
analysis, methods	264	19-24
application to crops on Pacific slope, experiments	379{	16–31, 46–69
apportionment by irrigation district	254	62-63
boron in. C. S. Scofield and L. V. Wilcox	264	1-66
charges and collections in commercial companies	177	18-22
delivery. W. A. Hutchins	47	1-48
distribution, important factors	47	35–40
duty as affected by State, community, and corporate	379	31-34
regulations effect on vigor and vitality of seed potatoes. W. C.		01-01
Edmundson	216	1-7
flow in flumes, classification	393	48-51
flow in flumes, formulas for	393	9–20
use	379	5 8
of San Joaquin Valley, analyses	448	34–95
quantities applied to various crops, Pacific slope quantity requirements in Southwest, conditions in-	379	46-69
fluencing	185	29-31
relation to crop yield	36	18-20
requirements, conditions influencing	200	25-31
return flow, definitionreturn flow, economic importance in stream utiliza-	439	2–3
tion	439	17-28
return flow, ownership, policies governing. W. A.	490	1 477
Hutchinsreturn flow, phenomenon, study	439 439	1–47 3–16
return flow, public versus private ownership	439	28-36
stream utilization, equitable policy for	439	36-45
use and crop yields, statistics	36	42-109
use regulations See also Drainage; also under specific crop.	36	34-39
See also Drainage; also under specific crop.		

Tachni	cal Bullet	ine
ISELY, DWIGHT: The Leaf Hoppers Attacking Apple in the Ozarks. With A. J. Ackerman	No. 263	Page 1-40
corn-borer infestation, areas and control work	5 9{	11-13, 54-57
cotton marketing, study foot-and-mouth disease, spread and control wheats, production, and milling and baking qualities	78 76 197	75–90 26–28 130–136
Ixodes scapularis, transmission of anaplasmosis, experiments	418{	10–11, 13, 15
JACOB, K. D.: Mechanical Analysis of Finely Divided Natural Phosphates. With L. T. Alexander The Composition and Distribution of Phosphate Rock with	212	1-24
Special Reference to the United States. With W. L. Hill, H. L. Marshall, and D. S. Reynolds. James, L. H.: Microbiological Studies of Salt in Relation to the Reddening of Salted Hides. With L. S. Stuart and R. W.	364	1-90
Frey	383	1-24
citrus insects. C. P. Clausen corn-borer districts, climate and larvae shipments wheats, production, and milling and baking qualities	15 455 197	1-16 1-10, 31 197-201
Japanese beetle— control by— sterilization of plants, study— use of carbon disulphide. W. E. Fleming and F. E.	274	1–21
Bakeruse of naphthalene. W. E. Fleming and F. E. Baker hatching and rearing, equipment and methods	478 427 274	1-92 1-28 6-9
in soil, insecticidal value of hot waterparasites—	274 5 366	5-9, 11-21
investigations in Far East rearing and shipping to United States	366{	1-57 47-50,
quarantine requirements, disinfection of stock for repellency of extracts made from plants immune to attack.	478	51- 52 79-81
F. W. Metzger and D. H. Grant. thermal death point, tests. JARRELL, T. D.: The Effect of Inorganic Acids on the Physical Properties of Waterleaf Rag Bond Paper. With J. M.	299 274	1-22 10-11
Properties of Waterleaf Rag Bond Paper. With J. M. Hankins and F. P. Veitch	334	1-16
Further Investigations of the Parasites of Popillia japonica in the Far East. With C. P. Clausen and T. R. Gardner. The Parasites of the Sugarcane Borer in Argentina and	366	1-59
Peru, and Their Introduction into the United States Jays, blue, banding returns, 1923–26	363 32	1–27 42–44
JENNINGS, R. D.: An Economic Study of Livestock Possibilities in the Southeastern Coastal Plain. With M. A. Crosby Costs and Methods of Fattening Beef Cattle in the Corn	127	1-96
Belt, 1919-1923. With R. H. Wilcox, G. W. Collier, W. H. Black, and E. W. McComas	23	1-114
Jerusalem-artichoke— as a crop plant. D. N. Shoemaker	33 33	1- 32 3-5
botanical history, distribution, and name recipes for cooking selection and breeding	33 33	11-12 24-26
uses and food value	33{	6-12, 23-24
Johnson, A. G.: Effects of Certain Environmental Factors on Stripe Disease of Barley and the Control of the Disease by	33	19–23
Seed Treatment. With R. W. Leukel and J. G. Dickson	341	1-40

	ical Bulletins	Dees
Johnson, H. B.: Effect of Solid and Gaseous Carbon Dioxide	No.	Page
upon Transit Diseases of Certain Fruits and Vegetables.		
With Charles Brooks, E. V. Miller, C. O. Bratley, J. S.		
Cooley, and P. V. Mook	318	1-60
Johnson, James: Breeding Tobacco for Resistance to Thielavia		1 00
Root Rot	175	1–20
JOHNSON, N. W.: Farm-Management Problems in Shifting		
from Sack to Bulk Handling of Grain in the Pacific North-		
west. With E. F. Landerholm, G. W. Kuhlman, and T. L.	00=	
Gaston	287	1-40
Johnson, R. P. A.:		
Properties of Western Hemlock and Their Relation to	100	1 00
Uses of the Wood. With W. H. Gibbons	139	1-62
Properties of Western Larch and Their Relation to Uses of	005	1 00
the Wood. With M. I. Bradner	285	1–93
Properties of White Fir and Their Relation to the Manu-	400	
facture and Uses of the Wood. With M. R. Brundage.	408	1-77
Johnson grass—	410	10
field experiments at West Point, Miss	419	16
growing experiments at Fort Hays Branch Station, Kans	410	54
Johnston, C. O.: Studies on Physiologic Specialization in	010	1 00
Puccinia triticina. With E. B. Mains	313	1-23
Joints, timber, bolted, strength tests	332	1-32
Jones, D. W.: Imported Parasites of the European Corn Borer	00	1 00
in America	98	1–28
JONES, J. M.: Sorgo Silage, Sorgo Fodder, and Cottonseed		
Hulls as Roughages in Rations for Fattening Calves in the	40	
Southwest. With W. H. Black and F. E. Keating	43	1–24
Jones, L. G.: Studies of Exeristes roborator (Fab.), a Parasite		
of the European Corn Borer, in the Lake Eric Area. With	400	
W. A. Baker	460	1-27
JONES, S. A.: An Economic Study of the Pecan Industry.		
With V. C. Childs, R. S. Washburn, B. H. Thibodeaux,		
J. W. Park, and H. E. Rutland	324	1-91
JORDAN, H. V.: The Relation of Fertilizers to the Control of		
JORDAN, H. V.: The Relation of Fertilizers to the Control of Cotton Root Rot in Texas. With P. R. Dawson, J. J.		
Skinner, and J. H. Hunter	426	1-76
Jornada Experimental Range—		
grazing, influence of intensity on black grama grass	409	24– 30
precipitation—	400	
influence on black grama grass		13-23
records for 1915-27		10-13
Juglandaceae, relationships and generic characteristics	420 9	7-105
Juglans spp. See Walnut(s).	00	
Juncos, banding returns, 1923–26	32	66–68
Kafir(s)—		
experiments at Hays, Kansas, 1912-23		42-46
irrigation in Southwest, water applied and crop yields		60, 66
nursery experiments at Fort Hays Branch Station, Kans.		36-37
production and yields in south and east Africa		6-337
	28-3	0, 32-
seeding date, effect on yield, experiments	131 (33, 3	
	Ļ 40 <u>.</u>	41, 45
	7,	8-12,
spacing, experiments and results	131 { 15-2	1, 23-
	[25,	26, 45
	6-	7, 10-
rotation and tillage experiments in Oklahoma	330(15, 1	19–20,
	ί	34
See also Sorghums, grain.		
Kale, water received and crop yields in Willamette Valley,	000	42
Oregon	200	45
Kalmbach, E. R.:	0.4	1 20
The Magpie in Relation to Agriculture	24	1–30
Western Duck Sickness: A Form of Botulism. With	411	1-82
M. F. Gunderson	411	1-02

Kalmia—		
alpine— Techn (Kalmia microphylla) as a stock-poisoning plant.	i cal Bulle No.	tins Page
A. B. Clawson	391	1-10
A. B. Clawson nomenclature, description, and distribution	391	1-3
toxicity experiments	391	4-8
latifolia) as stock-poisoning plants. C. D. Marsh and A. B. Clawson	219	1-23
latifolia—		
(mountain-laurel) and sheep laurel (Kalmia angusti- folia) as stock-poisoning plants. C. D. Marsh and		
A. B. Clawson	219	1-23
history	219	2-3
microphylla, alpine kalmia, as a stock poisoning plant. A. B. Clawson	391	1-10
spp.— feeding to livestock, experiments	219	5-21
toxic and lethal dosage for livestock	219	13-15
Kansas—		
barley yields— 1922–26, by varieties	96	16-19
1927-31	446	14-16, 74
broomcorn production	347{	3, 4, 6, 27-32, 40
Fort Hays Branch Station-		21 02, 10
cereal experiments, 1912-23. A. F. Swanson	14	1-56
forage-crop experiments, 1913-28. R. E. Gettysoils, selenium content, study	$\begin{array}{c} \textbf{410} \\ \textbf{482} \end{array}$	1-92 32, 34
southwestern, cropping system, 1926	121	6-7
KANTOR, H. S.: Factors Affecting the Price of Peaches in the	115	1 64
New York City Market Kaoliang(s)—	115	1-64
grains, respiration in storage	100{	5, 7-8,
harvesting and uses, effect on corn borer in Orient.	455	13-15 32-34
nursery experiments at Fort Hays Branch Station, Kans.	410	40-41
seeding date, effect on yield, experiments	131{	32, 33, 34, 40, 45
Kaolin, use in repellents for blowflies, tests	80	7-10, 12
KAPP, E. M.: Observations on the Thermal Death Points of Anastrepha		
ludens (Loew). With H. H. Darby	400	1-19
Studies on the Mexican Fruit Fly, Anastrepha ludens		1 00
(Loew). With H. H. Darby	444	1-20
KEATING, F. E.: Sorgo Silage, Sorgo Fodder, and Cottonseed Hulls as		
Roughages in Rations for Fattening Calves in the South-		
west. With W. H. Black and J. M. Jones Spacing and Date-of-Seeding Experiments with Grain Sor-	43	1-24
ghums. With J. H. Martin, J. B. Sieglinger, A. F.		
Swanson, D. R. Burnham, H. J. Clemmer, E. H. Coles,		
and W. M. Osborn KEENAN, G. L.: Relative Insecticidal Value of Commercial	131	1-47
Grades of Pyrethrum. With C. C. McDonnell, W. S. Abbott, W. M. Davidson, and O. A. Nelson.		
Abbott, W. M. Davidson, and O. A. Nelson	198	1-10
Kellogg, C. E.: A Method of Rural Land Classification.	187	1-75
With J. K. Ableiter	469	1-30
Kellogg, Remington: The Habits and Economic Importance	1.47	1 24
of Alligators KELSO, F. L.: Work of the United States Dry-Land Field Sta-	147	1-36
tion, Ardmore, S. Dak., 1912 to 1925. With J. S. Cole,		
E. Z. Russell, J. B. Shepherd, Duncan Stuart, and R. R.	17	1-68
Graves	11	1-00
studies J. I. Hardy	35	1-16

Techni	cal Bulle	tins
Kentucky—	No.	Page
Laurel County, land utilization. C. F. Clayton and W. D. Nicholls	289	1–100 2–16, 18, 20, 23–24,
strawberry industry, 1920–26	180	29-30, 39-41, 71-75,
Kentucky Mountains, land utilization, study	289	101-103 1-99
cattle industrycorn industry	466 466	121-122 327-328
cotton industry	466	282-283
sugar industry	466	308-311
Kernel density, maize, relation to table and canning quality in	07	1 10
different varieties. C. W. Culpepper and C. A. Magoon Ketones, aliphatic, efficacy as grain fumigants	97 162	1-16 38
Kidney worm(s)—	102	00
economic importance	405	1-2
of swine, Stephanurus dentatus, behavior of larvae, field and	405	1 10
laboratory studies. L. A. Spindler Kiesselbach, T. A.: Quality of Alfalfa Hay in Relation to	405	1–18
Curing Practice. With Arthur Anderson	235	1-26
KIFER, R. S.: The Combined Harvester-Thresher in the Great		
Plains. With L. A. Reynoldson, J. H. Martin, and W. R.	70	1 01
HumphriesKiln—	70	1–61
construction and maintenance for drying pine	165	63-65
dry, for lumber, construction and maintenance	165	62–63
drying—	c	2-23, 28-
lodgepole pine cones, study		32-23, 20- 31, 54-57,
	101	85-89
lumber, before air seasoning, benefits	174	31
southern yellow pine lumber. L. V. Teesdale for drying lodgepole pine cones, construction and use	165 191	1-67
lumber-drying, operation	165	85–89 38–53
types for seasoning southern vellow pine	165	28-38
KINCER, J. B.: Factors Influencing the Yield of Apples in the		
Cumberland-Shenandoah Region of Pennsylvania, Virginia,		
and West Virginia. With C. R. Swinson, F. P. Weaver, A. J. Dadisman, J. J. Vernon, and H. P. Gould	54	1-26
King, C. J.: Effects of Stress Conditions on the Cotton Plant		
in Arizona. Vivia W. V. Fooding Punctures of Mirids and Other Plant-	392	1-35
King, W. V.: Feeding Punctures of Mirids and Other Plant- Sucking Insects and Their Effect on Cotton. With W. S.		
Cook	296	1-12
Kingfisher, banding returns, 1923–26	32	38
Klemmedson, G. S.:		
A Study of Ranch Organization and Methods of Range-		
Cattle Production in the Northern Great Plains Region.	45	1-92
With M. L. Wilson, R. H. Wilcox, and V. V. ParrRanch Organization and Methods of Livestock Production	40	1-92
in the Southwest. With V. V. Parr and G. W. Collier	68	1-104
KLOBUCHER, F. J.: An Analysis of Log Production in the		
"Inland Empire" Region. With M. Bradner, J. W. Girard,	355	1-87
and S. V. Fúllaway, Jr. KNIGHT, E. W.: Agricultural Investigations on the Newlands	200	2 0,
(Nev.) Reclamation Project	464	1-36
Knot, migrant shorebird in South America	$\begin{array}{c} 26 \\ 342 \end{array}$	1-14
KOEHLER, BENJAMIN: Results of Seed-Treatment Experiments	UTA	7-14
with Yellow Dent Corn. With J. R. Holbert	260	1-64

	nical Bulle	
KOPLAND, D. V.:	No.	Page
Agricultural Investigations at the Huntley (Mont.) Field		
Station, 1927-1930. With Dan Hansen and A. E.	353	1-50
Seamans Feeding Value for Milk Production of Pasture Grasses		1-30
When Grazed, When Fed Green, and When Fed as Hay		
or Silage. With R. R. Graves, J. R. Dawson, and		
T. W. Moseley		1-48
Korstian, C. F.:	001	4 30
Characteristics, Growth, and Management of the [Southern		
White Cedar] Forest	251	1-35
Suitability of Brush Lands in the Intermountain Region		
for the Growth of Natural or Planted Western Yellow		
Pine Forests. With F. S. Baker	256	1-83
KOTOK, E. I.: The Determination of Hour Control for Adequate		
Fire Protection in the Major Cover Types of the California		
Pine Region. With S. B. Show.	209	1-47
Pine Region. With S. B. Show		
Kans	410	89
KUHLMAN, G. W.: Farm-Management Problems in Shifting		
from Sack to Bulk Handling of Grain in the Pacific North-		
west. With N. W. Johnson, E. F. Landerholm, and T. L.	•••	
Gaston	287	1-40
Kutter's formula—	100	1 101
application to water flow in drainage channels, results		1-101
variation of n with diameter of pipe		9, 100
variation of n with stage in drainage channel	129	98-99
Kuwaniini Handlirsch, characteristics and keys to genera		63-71 150-151
Kyle, C. H.: Relation of Husk Covering to Smut of Corn Ears.	404 120	1-8
Kibe, C. II Itelation of Ituak Covering to Smut of Corn Ears.	120	1-0
LAAKE, E. W.:		
Biology of the Primary Screw Worm Fly, Cochliomyia		
americana, and a Comparison of Its Stages with Those		
of C. macellaria. With E. C. Cushing and H. E. Parish.	500	1-24
Tests of Blowfly Baits and Repellents during 1926.		
With D. C. Parman, F. C. Bishopp, and R. C. Roark	80	1-15
The Chemotropic Responses of the House Fly, the Green-		
Bottle Flies, and the Black Blowfly. With D. C.		
Parman, F. C. Bishopp, and R. C. Roark	27 0	1-11
Labor—		
agricultural, in—		
Egypt	451	10-11, 15
Switzerland, supply and wages	101	4–8, 19
beekeeping, requirements of apiaries of different sizes	481{	10-13
	٠ (18–21, 31
farm— and forest, situation in West Virginia	303	39
for operating combine, costs for bulk and sack meth-		O.
ods	287	3-7
hired, casual, perquisites and wages	213	35-55
	•	2-34
hired, noncasual, perquisites and wages	213{	52-55
payment in wages and perquisites, 1925	213	17-21
hours required for cotton production in Mississippi and		
Arkansas, 1929	497	22-25
	355₹	17-21,
logging operations, data	2007	82-85
man and horse, in combine harvesting	70{	14–15,
	(21-24
on ranches, in Southwest	68	55–57
requirements—	004	
and costs for crop production, Corn Belt farms	384	51-57
for milk plant, effect of arrangement and operation		
methods. C. E. Clement, P. E. LeFevre, J. B.		1 40
Bain, and F. M. Grant for sweetclover seeding, Great Plains	153 380	1-40 13
TOT DACCACIOACI DCCATHE ALLES LIVING	JOU	10

	echnical Bul	
requirements—continued.	No.	Page
in harvesting grain sorghums of combines and binders	121	8, 19–30 7–8, 25–29
southern pine planting operation	492	
use at milk plants in various sections, comparison	153	
Laborers—		
farm		
casual, average working time	213	
daily wage earnings, by States, 1926	213	{ 37-38 39-40
hired, perquisites and wages. J. C. Folsom marriage and dependents, relation to wages and p quisites	er-	1-58
harvesting, relation to casual and rush jobs		∫ 35, 4 2
Lachrymators, efficacy as blowfly repellents		(40-41
Ladybird beetles, predators of Aphis maidisLake(s)—	306	i
alkaline-saline, vegetation used as wild-duck food in Nor		
Dakotafresh-water, vegetation, use as wild-duck food in Nor		17-27
Dakota	221	28-34
North Dakota, wild-duck foods. F. P. Metcalf-saline, vegetation used as wild-duck foods in North Dako	ota 221	1-72 10-16
Lake Erie area, corn-borer parasite, Exeristes roborator,	in. 221	10-10
studies. W. A. Baker and L. G. JonesLake States—		1-27
hardwoods, annual cut and future of industry selective logging in northern hardwoods. Raphael Zon a		11-12
R. D. Garver		1-47
Lamb—		
carcass, grade, influence on shrinkage, and rate of he	eat	
penetration during roasting cooking method, influence on shrinkage, and rate of he	440	11-15
penetration during roasting	eat 440	15-21
ripening period, influence on shrinkage, and rate of he		10 2.
penetration during roasting	440	9-11
roasting, shrinkage, and heat penetration as influenced	by	
carcass grade, ripening period, and cooking method	od.	1 0
L. M. Alexander and N. G. Clark Lambs—	440	1-27
crops in Southwest	68	86-87
pasturing on—	00	00 0.
alfalfa, corn, and beet tops, experiments	454	21-23
sweetclover, experiments at Belle Fourche station.	454	28
See also Sheep.		
Land(s)— arid—		
and semiarid, Columbia River Basin, irrigation	re-	
quirements. Samuel Fortier and A. A. Young.	200	1-56
quirements. Samuel Fortier and A. A. Young and semiarid, Missouri and Arkansas River Basi	ns,	
irrigation requirements. Samuel Fortier	36	1-112
and semiarid, Pacific slope basins, irrigation requi ments. Samuel Fortier and A. A. Young	re- 379	1-70
and semiarid, Southwest, irrigation requirement	ıts.	
Samuel Fortier and A. A. Young	185	1-68
reclamation, and irrigation requirements in Sour	th-	0.4.00
westbrush, in intermountain region, suitability for growth	of 185	34–36
natural or planted western yellow pine forests. F.	S. 222	
Baker and C. F. Korstian characteristics, relation to living standards in Kentucky	256	1-83
classification—	289	67–74
method, description	469	7-25
unit. size	469	6–7
use and adaptability	469	25-27

Tand(a) Continued	echnical Bul No.	letins Page
Land(s)—Continued.		
control and utilization in Nevada public domain		44-49
drainage, economical use of large tile. R. D. Marsden farm. See Farm lands.	 2 69	1-24
for agricultural purposes, demands forest. See Forest lands.		22–28
idle, problem in Michigan marginal, economic utilization in West Virginia, Nicho	92 las	67–92
and Webster Counties. Millard Peck, Bernard Franch and P. A. Ekeownership—	nk, 303	1-64
and control in Southwest	68	14-21
West Virginia timberlands	303	36-37, 40
preparation for wheat production, experiments	329	11-42
prices and taxes in Panama	94	12
public, settlement policies pulpwood, reproduction on, in the Northeast. Marin	357 nus	25–78
Westveld	223	1-52
reclamation-		
and irrigation requirements in Columbia River Basi		31-33
Newlands projectreform law, in Hungary, enactment and application	464 160	10-16 10-14
rural classification method. C. E. Kellogg and J.	K.	
Ableitersettlement—	•	1–30
Federal activities, study	357	26-30, 79
State activities, study	357	30-78
State problems and policies in United States		79-84 1-88
southern drainage districts—	104	27 20
development, rate and degreesale and settlement	194 194	27-29 29-36
State, settlement problems and policies in the Unit	194	25-30
States. W. A. Hartman.	357	1-88
swamp and overflow, drainage, cost	194	2
taxation in northern Michigan, study		44-55
		62-66
tenure—	451	15-16
cotton farming in Egypt	451 124	10-11
in Australiatype, natural, definition and classification	469	4-5
undeveloped area, physical characteristics, classes, a	nd	
ownership.		3-22
units, social, classificationuse—		5 –6
and control in the northern Great Plains	45	21-27
in ranches in Southwest	69	21-27, 65, 73-75, 96
planning programs, need for	357	66-78
utilization in— France, 1909–25	37	04 21
Hungary.		24–31 7
Laurel County, Ky. C. F. Clayton and W.	<u>D</u> 100	•
Nicholls	289	1-100
Switzerland		14-17
Landerholm, E. F.: Farm-Management Problems in Shifti	ng	
from Sack to Bulk Handling of Grain in the Pacific Nor	th-	
west. With N. W. Johnson, G. W. Kuhlman, and T.	000	1 40
Gaston LANGOW I I : Fettening Store on Day Land Crops of the	287	1-40
Lantow, J. L.: Fattening Steers on Dry-Land Crops of t Southwest. With W. H. Black and D. R. Burnham.	30	1-15
LAPHAM, M. H.: A Study of Phylloxera Infestation in Californ	nia.	- 10
as Related to Types of Soils. With R. L. Nougaret	20	1-39
Laphygma frugiperda. See Army worm, fall.		

Techni	ical Bulle No.	tins Page
Larch, western— character and range	285	4-10
		10-13,
marketing and uses	285{	62-89
properties—		
and their relation to uses of the wood. R. P. A.	205	
Johnson and M. I. Bradner	285	1-93
description and comparisons	285	17-44
uses and possibilities	285	62-89
value in building construction	285	75–77
Larix occidentalis. See Larch, western.	•••	
Larvicides, use in control of southwestern corn borer	388	57–59
n. sp., technical description	183	22-24
See also Fruit moth, oriental; Peach moth, oriental.	200	:
Laterals, irrigation, operation and control	47	2-7
Latex—		
yield—		
effect of environment	65	20-23
of Hevea trees at Bayeux, Haiti	65	10-11, 30
See also Rubber.	00	10 11, 00
Lath—		
cedar, manufacture, grades, and prices	251	46-47
niling for air seasoning	174	43-44
piling for air seasoning LATHROP, F. H.: The Biology and Control of the Blueberry	1/4	40-44
Magget in Washington County Maine With C R		
Maggot in Washington County, Maine. With C. B.	275	1-77
Nickels	197	136-139
Laurel—	191	190-198
mountain. See Mountain-laurel. sheep—		
(Kalmia angustifolia), and mountain-laurel (Kalmia		
latifolia) as stock-poisoning plants. C. D. Marsh		
and A. D. Clarican	219	1 02
and A. B. Clawson	219	1-23
Synonyms Lauritzen, J. I.:	219	4
Factors in the Incention and Davidonment of Fusarium		
Factors in the Inception and Development of Fusarium Rot in Stored Potatoes. With Freeman Weiss and		
Didin Diored Folknoes. With Freeman Weiss and	62	1 20
Philip Brierley	02	1-36
Influence of Storage Temperature and Humidity on Keep-		
ing Qualities of Onions and Onion Sets. With R. C.	AME	1 00
Wright and T. M. Whiteman	475	1-38
Storage of Mill Cane. With R. T. Balch	449	1–30
Laws-	357	6465
blue-sky, discussion	82	38-39
corporation, for mutual irrigation companies	357	30-39 27
homestead, provisions, weaknesses, and effects	301	21
Lawton (Okla.) Field Station—	330	4-6
climate records, 1917-30	330	1-35
rotation and tillage experiments, 1917–30. W. M. Osborn.	330	1-30
Lead arsenate—	350	E 7 10
application to soil, effect on citrus trees	380	5-7, 19
coated paste, use against gypsy moth, comparison with	111	17 10
fish-oil spray	111	17-18
efficacy in control of black vine weevil, experiments	325 176	36-40, 42
ineffectiveness against citrus rust mite	245	35 3-7
injury to apples, and prevention	240	3-7
insecticides, effect on orange trees in Florida. R. L. Miller, I. P. Bassett, and W. W. Yothers	350	1 90
ner, I. f. Dassett, and w. w. I others		1-20
sprays, fish-oil as an adhesive. C. E. Hood	111	1-28
toxicity to—	373	7-19, 22
codling moth, comparison with fluorine compounds		80-86
plum curculio, tests in Georgia	188	ov-80

Lead arsenate—Continued.	echnical Bull	
use against—	No.	Page 31, 35-
apple maggot	L L	40, 46
chestnut curculio, test		19
codling moth, experiments	281{	2-8, 21, 23, 27
characters, relation to soil moisture	 256	68-77, 79
hoppers— agallian, in North America, classification. P. Oman		1-94
Omanattacking apple in the Ozarks. A. J. Ackerman a Dwight Isely	263	1–40
injury, by corn borer, description miners. See under specific host.	77	19–21
sap density, factor in drought resistancetemperatures, of cotton—	256	74–76, 79
and their relation to transpiration, varietal differen and yields. F. M. Eaton and G. O. Belden	ces,	1–40
measurement, methods and apparatusLeather(s)—	91	3–8
sole— strength and stretch, tests		6-7
vegetable-tanned and chrome-retanned, wear quality and other properties. R. W. Frey and I.	D.	
Clarke	169	1-18
wearing quality, tests	169 169	11-15 10-11
tanned, chemical analysistanning, effect on weight and area of pieces	169	3-4
Count of Milk and Foam during Certain Stages of the F teurization Process. With H. A. Whittaker. R. W. Ar	rial Pas- chi-	
bald, and L. F. Miller LEFEVRE, P. E.: Effect of Milk-Plant Arrangement	and	1–12
Methods of Operation on Labor Requirements. With C. Clement, J. B. Bain, and F. M. Grant	. E. 153	1-40
Clement, J. B. Bain, and F. M. Grant Legislation, bird protection, South America Legumes—	26	20-22
absorption of selenium from soil, study	482	13–16, 22–33, 36–39, 44
culture, extension methods and practices	106{	36–39, 44 11, 27, 34, 35, 37
found by North Dakota lakes, annotated list growing experiments at Fort Hays Branch Station, Kan winter—	221	57 79–90
field experiments at West Point, Missuse in the Southeastern States. A. D. McNair a	419	18–19
Roland McKee	367	1-36
Preparation for Winter Wheat at Arlington Experim	ent 38	1–20
LEINBACH, L. R.: Explosibility of Agricultural and Other Duas Indicated by Maximum Pressure and Rates of Press Rise. With P. W. Edwards	ure 490	1–24
Lemon(s)—		
boron injury, symptoms distribution of carlot shipments in United States	264 445	3-6 4-29 186-187,
industry in southern Africa	4 66	180–187, 189, 211–213
infestation by citrus rust mite	176	3, 5, 8, 33

Lemon(s)—Continued. Techni	ical Bulle No.	etins Page
California, analyses and composition. H. D. Poore	241 241	1-28 12-22, 28
Italian, analysesyields under irrigation, Pacific slope, 1923–31	241 379	63-64 2-5. 7.
Lenzites sepiaria, cause of decay of northern white-pine slash	132	9–10, 13, 14, 15, 16,
Leskiomima jaynesi, parasitism on sugarcane borerLespedeza—	363	17 10–11
field experiments at West Point, Miss Korean, growing experiments at Fort Hays Branch Sta-	419	17
tion, Kans	410	89 3, 4, 6–13,
Letters, circular, costs and effectiveness in extension work	125{	3, 4, 6–13, 15–17, 19–20, 22
Lettuce— distribution of carlot shipments in United States irrigation in Texas, water applied and crop yields	445 185	4-29 63
shipment by motortruck in various sections	272	42, 44, 59–68, 73–75
LEUKEL, R. W.: Effects of Certain Environmental Factors on Stripe	`	
Disease of Barley and the Control of the Disease by Seed Treatment. With J. G. Dickson and A. G. Johnson	341	1-40
Factors Affecting the Development of Loose Smut in Bar- ley and Its Control by Dust Fungicides Seed Treatment for Controlling Covered Smut of Barley	293 207	1-20 1-23
Leunasalpeter, mechanical application to soil	182	11, 14, 18, 22, 34, 40, 81
LEVINE, M. N.: Field Studies on the Rust Resistance of Oat Varieties.	•	
With E. C. Stakman and T. R. Stanton Susceptibility and Resistance of Berberis and Related	143	1–36
Genera to Puccinia graminis. With R. U. Cotter Lewis, M. R.: Studies of the Irrigation of Pear Orchards on	300	1–27
Heavy Soil near Medford, Oreg. With R. A. Work and W. W. Aldrich	432	
body, of poultry, control, test by internal medication		4-10, 12-14, 16
head, of poultry, control, tests by internal medication	60{	4-10, 12-14, 16
shaft, control, tests by internal medication	60{	4-9, 10, 12-14, 16
Light(s)— daily period—		
in summer, shortening, effects upon strawberries, experiments	453	3-6
experimentsin winter, lengthening, effects upon strawberries, experiments	453	6–17
responses of strawberry varieties and species to. G. M. Darrow and G. F. Waldo	453	1–32
effect on—		5, 20-23,
development of sugar-beet leaf hopper	206	25, 29, 31–32
larvae of swine kidney wormreproduction of oriental peach moth	405 183	11-12 5, 25
ripening of tomatoesvegetative propagation	268 151	67–69

influence on infection of barberries by Puccinia graminis. 15-16, 28, 344 6-16, 53-58	Light(s)	al Bulle No.	tins Page
properties, discussion		(15–16,
reaction of— bluegrass webworm to	•	344	6–16,
requirements of yellow poplar	bluegrass webworm to		17
Lightning fires, in California forests, hour control, comparison with man-caused fires	requirements of yellow poplar	356	17
Liliac, hot-water treatment for insect pests 274 33 Liliaceae, repellency to Japanese beetle, list 299 17 Lime	Lightning fires, in California forests, hour control, comparison		
Lime	with man-caused fires		
effect on clubroot of cabbage	Lime-		17
### effect on tomato yellows with zinc sulphate, use against weeds in forest nursery use in provention of arsenical injuries to apples 245 7-8 Lime-sulphur—	effect on clubroot of cabbage		
Lime-sulphur— liquid, use in control of external parasites	effect on tomato yellows		
Solution, effectiveness against citrus rust mites, tests		245	7–8
Limestone— fertilizer tests with tobacco 12 15-23 26-27 32-33 18-22 24-25 50-51 54-56 12 50-51 54-56 12 16, 20			41-49
12	use against fruit-tree mites	25	15–23, 26–27, 32–33
Ground, mechanical analysis, pipette method	Limestone— fertilizer tests with tobacco	12	24–25, 50–51,
Lininger, F. F.: Marketing Apples Grown in the Cumberland-Shenandoah Region of Pennsylvania, Virginia, and West Virginia. With C. R. Swinson, J. J. Vernon, F. P. Weaver, and A. J. Dadisman	Limonene, effect of temperature, water, air, and light Lincoln, F. C.: Returns from Banded Birds, 1923 to 1926 Lineburry, R. A.: Experiments with Nitrogen Fertilizers on Cotton Soils. With J. J. Skinner, J. E. Adams, C. B.	241 32	16, 20 11-12 1-96
Linseed oil— use as adhesive in lead-arsenate sprays	Lininger, F. F.: Marketing Apples Grown in the Cumberland- Shenandoah Region of Pennsylvania, Virginia, and West Virginia. With C. R. Swinson, J. J. Vernon, F. P. Weaver,		
yield, relation to time of harvesting flax 236 20 Linum usitatissimum. See Flax. Lipeurus heterographus of poultry, control by internal medication 500 12-14, 16 Liriodendron tulipifera. See Poplar, yellow 1006 8-11, 16-19, 41 Lithuania, wheats, production, and milling and baking qualities 197 139-141 Liver, beef and hog, attractiveness to blowflies, tests 80 2-5 Liverpool— cotton-futures market, functions, basis, and operation 69 84-86 Cotton market, facilities, stocks, and operation 69 18-80, 84-86 Livestock— attack by magpies 24 13-15 bloat, from pasturing sweetclover, extent 380 23-24, 51 breeding and feeding in Hungary 160			0.0
Linum usitatissimum.See Flax.Lipeurus heterographus of poultry, control by internal medication. 60 Liriodendron tulipifera.See Poplar, yellowLiterature, agricultural, efficacy in extension work. 106 Lithuania, wheats, production, and milling and baking qualities. 197 Liver, beef and hog, attractiveness to blowflies, tests. 80 Liverpool— 69 cotton-futures market, functions, basis, and operation. 69 cotton market, facilities, stocks, and operation. 69 Livestock— $84-86$ attack by magpies. 24 bloat, from pasturing sweetclover, extent. 380 $23-24$, 51 breeding and feeding in Hungary. 160		111	8, 9, 12–16
Literature, agricultural, efficacy in extension work. 106 16-19, 41 Lithuania, wheats, production, and milling and baking qualities. 197 139-141 Liver, beef and hog, attractiveness to blowflies, tests. 80 2-5 Liverpool— cotton-futures market, functions, basis, and operation. 69 55-80, 84-86 cotton market, facilities, stocks, and operation. 69 84-86 Livestock— attack by magpies 24 13-15 bloat, from pasturing sweetclover, extent 380 23-24, 51 breeding and feeding in Hungary 160 79-81	Linean esitationimem Sac Play		
Literature, agricultural, efficacy in extension work. 106 16-19, 41 Lithuania, wheats, production, and milling and baking qualities. 197 139-141 Liver, beef and hog, attractiveness to blowflies, tests. 80 2-5 Liverpool— cotton-futures market, functions, basis, and operation. 69 55-80, 84-86 cotton market, facilities, stocks, and operation. 69 84-86 Livestock— attack by magpies 24 13-15 bloat, from pasturing sweetclover, extent 380 23-24, 51 breeding and feeding in Hungary 160 79-81	tion	60{	12–14, 16
Lithuania, wheats, production, and milling and baking qualities		100	8-11,
Liver, beef and hog, attractiveness to blowflies, tests	Lithuania, wheats, production, and milling and baking quali-		
cotton-futures market, functions, basis, and operation 69 55-80, 84-86 cotton market, facilities, stocks, and operation 69 18-80, 84-86 Livestock—	Liver, beef and hog, attractiveness to blowflies, tests		
cotton market, facilities, stocks, and operation 69 18-80, 84-86 Livestock— 24 13-15 bloat, from pasturing sweetclover, extent 380 23-24, 51 breeding and feeding in Hungary 160 79-81	~	69{	
Livestock— attack by magpies————————————————————————————————————	cotton market, facilities, stocks, and operation	69 {	18–80,
commission agencies, discontinuance 57 101-103	attack by magpies bloat, from pasturing sweetclover, extent breeding and feeding in Hungary	380 160	13-15 23-24, 51 79-81

	echnical B	
cooperative— associations	No 4	o, Page 0 49-56
associations, management problems		7 25-46
commission service	5	7 18–25
disease, magpie as carrierfarmers' commission associations, operation and volum	eof	4 15
business	5	7 46-61
feed crops—	4.	
growing roots forin southeastern coastal plain		
feeding—	12	11-10
experiments with nontoxic range plants		3 1-9
on Jerusalem-artichoke	3	3 7-9
foot-and-mouth disease, report of studyhusbandry, utilization, and marketing in Hungary, 18	<i>'</i>	6 1–167
1928immunization against anthrax, efficacy of biologics	16	0 79–95
immunization against anthrax, efficacy of biologicsindustry—	46	8 1–15
development in Nevada		
development in Southwest		8 12–14 _a 11, 13,
extension methods and practices	10	6 15, 19, 29
in France, relative status	2	106-107
		f 119-10a
insurance associations, cooperative, in Switzerland keeping by farm laborers, extent and cost		
marketing, cooperative—	21	0 12 10
by terminal associations in United States. C.		
Randell numbers, values, and receipts, 1924–26	5	7 1 - 111 7 3-5
number—	0	0-0
in Switzerland, 1910-16	10	
on farms in sorghum-growing areas	12	1 7
raised and carload shipments from Belle Fourche lamation project		4 6-8
uses, and foreign trade in Bulgaria		
uses, and foreign trade in Rumania	12	
uses, and foreign trade in Yugoslavia	12	6 168–181
poisoning by— alpine kalmia (Kalmia microphylla). A. B. Claws	on. 39	1 1-10
arrowgrass, experimental study	11	
coyotillo	2	9 5–25
mountain-laurel and sheep laurel, studyrange plants, study	21 0	9 1-21 3 1-9
St. Johnswort, experiments		2
sleepy grass, experimental study	11	
sweetclover	38 2	_ : : : : : : : : : : : : : : : : : : :
wild tobaccospossibilities in the southeastern Coastal Plain, econo	mic	2 1-22
study. R. D. Jennings and M. A. Crosby	12	
producers' associations, operation and volume of busine	ees 5	7 61–95
production—		f 6–7,
at Huntley Field Station, experiments, 1927-30	35	3 ⟨ 22–25 ,
to Alabama and Mindadani Diada Dadaia Dala	10	1 40–47
in Alabama and Mississippi Black Prairie Belt in North Dakota, trends		
methods, and ranch organization in the Southw	est.	
V. V. Parr, G. W. Collier, and G. S. Klemmedso	n 6	
raising in West Virginia, Nicholas and Webster Counties shipping, aid by cooperative commission agencies	es 30 5	
Lixophaga (Euzenilliopsis) diatraea, parasitism on moth bore		
Llaveiini Morrison, characteristics and keys to genera and a	spe-	
Cies	5	2 179–1 9 5
Loams. See under specific name or series.		

	hnical Bullet No.	ins Page
Loans— cotton, rediscounting, discussion		26–33
farm-		
differences in size	- 288	34–37
holdings, sectional differences since 1914		30-34 25-29
holdings, variations among geographic divisions to cotton cooperatives—	_ 200	20-29
costs to borrower	_ 322	33-38
requirements		14-18
types		8-11
to credit corporations, activities	322	18-26
Locust, lesser migratory. See Grasshopper, lesser migratory. Lodging, corn, effect of seed treatments, experiments.		47-50
LOFTIN, U. C.: The Sugar-Cane Moth Borer in the Unite	200 ed	41-00
States. With T. E. Holloway, W. E. Haley, and Ca	rl	
Heinrich	41	1-77
Logan blackberry. See Blackberry, Logan.		
Log(s)—	 2 86	50
Douglas fir, decay indicationshardwood, relative value under selective logging		52 35
loading and unloading, data, analysis		42-47
lodgepole pine, bark temperatures in sunlight and shade.	196	6-15, 19
production, "Inland Empire" region, analysis. M. Brad	d-	,
ner, F. J. Klobucher, J. W. Girard, and S. V. Fullawa		
Jrskidding—	355	1–87
costs in "Inland Empire"	355	40-42
output data, analysis	355	21-42
transportation other than skidding, data	355	47-56
Logging—		
costs—	,	10 19
for trees of different diameters	164{	12–13, 16–17
in pine region of the Gulf States	375 [°]	18-21
crews, payment basis, effect on selective logging	164	40-41
damage on pulpwood lands in Northeast	223	21-22
importance in "Inland Empire" region	355	1–86
methods— in loblolly pine forests	337	7
relation to distribution of slash	259	5-8, 13
operations, effect on germination of Ribes seeds		18-19
output—		
data, application to operating problems		61-72
graphs and their use	355{	5-61,
practice(s)—	ι	73–82
and timber growing in Northeast. S. T. Dana	166	1-112
in coast redwood region of California. S. B. Show.	283	1-22
in Southwest and Black Hills region. G. A. Pears	on .	
and R. E. Marsh	_	1-80
southern Appalachian region	250{	66-70, 84-87
southern Appalachian region, and timber growing	ıg.	01 01
E. H. Frothingham	250	1-93
southern pine, effects on natural reproduction	204	54 –58
turpentining, and timber growing in southern pi	ne	1 112
region. R. D. Forbesprofits from pine forests of the Gulf States	204 375	1-115 40-42, 51
	•	40 47
restrictions, in forests of Southwest and Black Hills region	n_ 480{	62-63
selective-		
and portable band sawmill, in loblolly pine forests	10	1 0/
North Carolina. R. D. Garver and J. B. Cuno- in northern hardwoods of Lake States. Raphael Z	337	1-30
and R. D. Garver	164	1-47
in the shortleaf and loblolly pine forests, Gulf Sta	tes	
region R D Garyer and R H Miller	375	1_5

Logging—Continued. To selective—Continued.	echnical Bu No.	lletius I'nge
methods	375	4–9
of southern pine, methods, costs, and profits	204	
operations, description		
results, application		
studies in redwood region	283	18-20, 21
terms, glossary	355	
LOMBARD, P. M.: Comparative Influence of Different Storage Temperatu on Weight Losses and Vitality of Seed Potatoes. W William Stuart and W. M. Peacock	ith	1–18
Influence of Freezing of Seed Potatoes on Viability a	ınd	
Yield. With R. C. Wright and W. M. Peacock Source, Character, and Treatment of Potato Sets. W. William Stuart W. C. Edmundon and C. W. Down	ith	
William Stuart, W. C. Edmundson, and G. W. Dewe Longevity—	y_ 0	1–36
blueberry maggot, study, methods, equipment, and sults		24-30
Ribes seeds, particularly R. rotundifolium under laborate and natural conditions. A. E. Fivaz	ory	1-40
Lophodermium—	050	14–16
hypophyllum, n. comb., description and distribution oxycocci, description and distribution Louisiana—		
cotton boll weevil, survival and emergence in hibernati		1 00
cages. R. C. Gaines	486	$ \begin{array}{c} 1-28 \\ 1-4, 5, \\ 8-9, 17- \end{array} $
drainage districts, economic status in 1926	194	1 90 98_90
game laws on alligators, provisionslogging in shortleaf and loblolly pine forests, study	147 375	19 1–52
Madison Parish, boll-weevil control with calcium arsens	ate	
on field plots, 1920-34. M. T. Young	487	1-24
strawberry industry, 1920–26	180	22-23, 26-27,
		41–42, 60–103
Louse. See Lice. Lowman, M. S.: Commercial Possibilities of Japanese Mint	in	
the United States as a Source of Natural Menthol. Wi		1–35
Lucilia— sp., baits and repellents, tests during 1926	80	2–14
spp., chemotropic response.	270	1-10
spp., parasitism by Brachymeria fonscolombei, experiment	ts 365	
LUCKER, J. T.: Development of the Swine Nematode Stro) 172	18, 20
. gyloides ransomi and the Behavior of Its Infective Larvae_ LUGINBILL, PHILIP: The Fall Army Worm Lumber—	437	1-31 1-92
air seasoning for manufacture of containers bowing, twisting, and collapse, causes		69, 81–82 67
box, seasoning	171	79–83
casehardening, causes and preventioncedar, utilization	165 251	14 43–44
checking—	201	7J-74
and cupping, causes		. 66
cause and prevention	174	24-25
cupping, bowing, and twisting, cause and prevention		26
decay, prevention	171	168
Douglas fir, industry in Oregon and Washington	201	1-3

Toohn	ical Bulle	tina
Lumber—Continued.	No.	Page
dry, storage methods	174	53-55
fir, cut, 1927-29 grades for sugar maple, yellow birch, and eastern hemlock,	408	2–3
value	164	21-26
grading at dry kiln, experiments	165	26-27
green, dipping for control of blue stain	174	53
industry, southern Appalachian region, development	250	8-10
insect attack, prevention	174	30–31
kiln— degrade, control	165	27-28
dried, machining	165	60-62
dried, storage before machining	165	58-60
drying and air drying, comparison	171	69
drying for manufacture of containers	171	82-83
kinds, weight per square foot at various thicknesses knots—	171	61-64
effects on bending	171	66
loosening during air seasoning	174	27
loblolly pine—		
of different sizes, production costs	337	8-14
prices and value in North Carolina, comparisons	337	14-21 12-13,
logging costs for trees of different diameters	164{	16-17, 42
milling costs in hardwood forests of Lake States	164	19-21, 42
moisture content after kiln drying	165	62-63
pile— air circulation	174	22-24
general conditions, temperature, and humidity	174	18-22
piling for air seasoning	174	32-42
pine—		
grading in the Gulf States	375	34-37
kiln drying, effects of shrinkage and swelling	$\frac{165}{375}$	9-14 30-33, 51
prices in the Gulf States		
production costs in the Gulf States	3/5{	22–30, 38–40, 51
production—		17-21,
cost, factors affecting	164{	29, 42
log-run costs	164	7-8
size of logs and trees as factor	164	12-28
seasoning defects and their causes	174	24-31
shipping weights, relation to specific gravity	343 r	20-21, 2 3 11-16,
shrinkage during air seasoning	174{	24-27
softwood, specific gravity and related properties. E. C.	•	
Peck	343	1-24
southern yellow pine— handling before and after kiln drying————————————————————————————————————	165	53-63
kiln drying. L. V. Teesdale	165	1-67
kilns for seasoning, types	165	28-38
knots, causes and damage	165	13-14
stains, cause and prevention	171	67
standards, working stresses of timber conforming tosteaming before air drying	158 174	23-28 52-53
	-:-	55–69.
strength properties, study	171	98-103
use in aircraft, preparation for gluing	205	19–20
value and production cost, comparison	164	26-28 61-64,
weight, factor in box and crate construction	171	99-101
western hemlock—	120	ρ 1 <i>e</i>
grades and characteristics working stresses of structural grades	139 139	8-16 11-16
white fir, characteristics	408	33-40
yellow poplar, prices	356	45-50
108048379		

	cal Bulle	
Lumbering— factor in settlement of Michigan————————————————————————————————————	No. 92	Page 11-18
operations, effect on germination of Ribes seedsLungworms—	261	18–19
in swine— definitive hosts life history studies parasitic in swine, life history. Benjamin Schwartz and	456 456	34–35 3–34
J. E. Alicata LUNN, W. M.: Fertilizer Tests with Flue-Cured Tobacco.	456	1-42
With E. G. Moss, J. E. McMurtrey, Jr., and J. M. Carr LUSH. J. L.: Beef Production and Quality as Influenced by	12	1-59
Crossing Brahman with Hereford and Shorthorn Cattle. With W. H. Black and A. T. Semple	417	1-54
Transit. With D. H. Rose	370	1–15
wood. With L. J. Markwardt	305	1–48
infecta, distribution, food habits, and historysaucia, distribution, food plants, habits, and historyLudella—	88 88	103–107 107–115
grisescens, parasitism on corn borer in Orient	455 86	19–20 113
elisus, pest of cotton regions in Arizona and California.	4	
E. A. McGregor pratensis, feeding on cotton, study	296	1-15 3-11
spicalis, feeding on cotton, study	296	3-11
Lygusdozer, use in control of tarnished bug	30 6	12–13 18
Machinery, power, utilization and cost on cotton plantations Macrocentrus	497	1-46
abdominalis, parasitism on corn-borer larva{	59 98	32–33 8, 24–25, 27
gifuensis— Ashmead, a polyembryonic braconid parasite in the		
European corn borer. H. L. Parkerbiology	230 230	1-63 24-46
description	230{	8-23,
importance as parasite of corn borerparasitism on corn borer in Orient	230 455	58-60 58 22
parasitism on corn-borer larvae, study	230	2, 6-7, 25-43,
rearing, experiments	230	49-60 52-56
seasonal historyzones of occurrence, characteristics	230 230	49-51 47-49
Macrosaigon pusillum, parasitism on Tiphia pullivora Macrosporium solani, infection of sweetpotatoes and tomatoes_ Magnesia, fertilizer tests with tobacco	308 99 12	23-24, 25 61 48-56, 58
Magnesium-	,	2, 4–16,
deficiency, tobacco plant, symptoms	340	23-25, 35, 36, 37, 38, 40, 41
sulphate, action upon concrete, comparison with sodium sulphate	85 8	11–12
MAGNESS, J. R.: Investigations on Harvesting and Handling Fall and Winter Pears. With W. T. Pentzer, H. C. Diehl, and M. H. Haller	290	1-30
Investigations on the Handling of Bartlett Pears from Pacific Coast Districts. With H. C. Diehl and F. W.	250	1-90
Allen	140	1-28

Magness, J. R.—Continued Techn	ical Bulle	etins
Relation of Leaf Area and Position to Quality of Fruit	No.	Page
and to Bud Differentiation in Apples. With M. H.		
Haller	33 8	1-36
Soil Moisture and Irrigation Investigations in Eastern		
Apple Orchards. With E. S. Degman and J. R. Furr	491	1-36
The Frozen-Pack Method of Preserving Berries in the		
Pacific Northwest. With H. C. Diehl, C. R. Gross,		
and V. B. Bonney	148	1-38
MAGOON, C. A.:		
Relation of Kernel Density to Table and Canning Quality		
in Different Varieties of Maize. With C. W. Cul-		
pepper	97	1-16
Response of Sweet Corn to Varying Temperatures from		
Time of Planting to Canning Maturity. With C. W.		
Culpepper	312	1-40
Magpie(s)—		
attack on livestock	24	13-15
carrier of livestock diseases	24	18
control measures	24	21-28
distribution and life history	24	3-5
economic status	24	20-21
food habits	24	5–21, 28
food habits in relation to agriculture. E. R. Kalmbach	24	1-30
Mahogany, gluing for aircraft construction, experiments	205	35–37
Mahonia spp., nomenclature, habitat, and reaction to stem	300{	3, 13, 19,
rust	wy	23-25
maine, wasnington County, blueberry maggot, blology and		
control. F. H. Lathrop and C. B. Nickels	275	1-77
Maine, E. B.:		
Studies on Physiologic Specialization in Puccinia triticina.		
With C. O. Johnston	313	1-23
Susceptibility of Barley to Leaf Rust (Puccinia anomala)		
and to Powdery Mildew (Erysiphe graminis hordei.)		
With M. L. Martini	295	1-34
Maize—		
inheritance of colored scutellums. G. F. Sprague	292	1-44
kernel density, relation to table and canning qualities in		
different varieties. C. W. Culpepper and C. A. Magoon.	97	1–16
quality, table and canning, relation to kernel density in	~=	
different varieties. C. W. Culpepper and C. A. Magoon.	97	1-16
varieties, kernel density, relation to table and canning	0=	
quality. C. W. Culpepper and C. A. Magoon	97	1-16
See also Corn.		
Mallards. See Ducks.		
Mallison, E. D.: Refrigerated Transportation of Bartlett	494	1-30
Pears from the Pacific Northwest. With C. L. Powell	434 93	1-00
Malva parviflora, feeding to sheep, experiments	90	•
Manchester, cotton market, facilities, organization, and	69	6-17, 84
methods		1-6.
Manchuria, corn-borer districts and larvae shipments	455	10-11, 31
	`}	2, 4–16,
Manganese—	- 1	32-34, 35,
deficiency, tobacco plant, symptoms	340₹	37, 39,
	1	40, 41
dioxide, removal from soils by acid treatment	170	3-5
Mangels, growing as feed crop, experiments	416	3-14
Manitoba, barley yields—	-10	0-14
1916–26, by varieties	96	61-62
1910–20, by Varieties	446	60-61, 76
Mann, H. B.:	170	30 31, 10
Experiments with Nitrogen Fertilizers on Cotton Soils.		
With J. J. Skinner, R. A. Lineberry, J. E. Adams, and		
C. B. Williams	452	1-28
Fortilizers for Sweetnotatoes Resed on Investigations in	702	1-20
Fertilizers for Sweetpotatoes Based on Investigations in	225	1_47

Techn	ical Bul	letins
Manson, P. W.: Laboratory and Field Tests of Concrete Ex-	No.	Page
posed to the Action of Sulphate Waters. With D. G. Miller.	358	
Manti National Forest, watersheds—	220	19–30
climatic factors	220	
physiographic features	220	7-15
surface run-off and erosion	220	30-53
vegetation	220	15-19
vegetation, influence on run-off and erosion	220	53-60
Manure—		
barnyard, effect on occurrence of cotton root rot cow, effect as top-dressing for irrigated pastures	436 116	15-16 7-9
effect on—	144	10.00
crop yields, comparison with alfalfa	144	16-32
growth of strawberry runners	122	9, 10
		3-6, 9, 10,
yields of crops in irrigated rotations	144	11, 16, 18,
		20-23,
factor in appead of notate wort	56	(28–32 3
factor in spread of potato wart	90	3
S H Heatings	483	1 40
S. H. Hastings green. See Green manure.	400	1-40
	1.41	04 00 00
horse, spontaneous combustion, conditions and causestable, effects on yields of—	141	26, 29–32
scaple, effects of yields of—		(9 6 17
		3-6, 17-
oats in rotation	483	19, 21–23, 30–31, 32–
		33, 35-37
		3-5, 12-
potatoes in rotation	483	23, 27–30,
		35-37
		3-8, 11-
		12, 23–24.
sugar beets in rotation	483(26-27,
		35–37
value, comparison with alfalfa	2	22-24
Maple—	_	
gluing for aircraft construction, experiments	205	35-37
red, callus formation, relation to season of wounding and		
shellacking	246	3-27
sugar—		
lumber, grades and average value by log diameter	164	22, 25
selective logging in Lake States	164	4-44
specific gravity and growth rate, study	168	9–10
Marchalinini Morrison, characteristics	52	91-94
Marcottage, rubber plants, description of process	457	19–20
Margarodidae—		
coccid family, higher groups and genera, classification.		
Harold Morrison	52	1-240
generic hames, list	52	218-220
habit characteristics	52	10-13
morphology, comparative	52	13-30
Morrison, classification and keys to subfamilies	52	30-218
specific names, list	52	221-227
Margarodinae Cockerell, characteristics and keys to tribes,	F 0	61 00
genera and species	52	61–86
maigarouth Cocacren, characteristics and keys to genera and	5 0	71 00
species	52	71-82
Market(s)— carlot fruit and vegetable, comparison in various districts	445	0.19
	440	9–13
for fruits and vegetables, receipts from motortrucks	272	6-7
for fruits and vegetables, receipts from motortrucks_ motortruck redistribution of fruits and vegetables	272	76-84
	272	58-76
motortruck unloads of fruits and vegetables	212	00-10

Market(s)—Continued.	nnical Bulle	tins
distribution, carlot shipments of fruits and vegetables i	n No.	Page
United States. J. W. Park	445	1-30
for Virginia beef cattle	_ 237	13-17, 19
fruit and vegetable, location	_ 445	3–6
gardening, in Canal Zone and nearby regions	_ 94	9, 13
motortruck, regional, business in fruits and vegetables	_ 272	21-26
terminal, cooperative management	_ 57	1-111
wholesale roadside, for fruits and vegetables	_ 272	26
Marketing—		
agricultural products, in Rumania	_ 126	35, 37–39
by motortruck, economic aspects.	_ 272	18-21
cooperative. See Cooperative marketing.	,	
extension methods and practices	_ 106{	11, 15
		29-30
terminal, history of movement	_ 37	6-9
See also under specific commodity. MARKWARDT, L. J.:		
Comparative Strength Properties of Woods Grown in th	•	
United States	158	1-39
Strength and Related Properties of Woods Grown in th	e 100	- 0.
United States. With T. R. C. Wilson	479	1-99
The Distribution and the Mechanical Properties of Alask		- 0,
Woods	226	1-80
WoodsThe Strength and Related Properties of Redwood. Wit	h	
R. F. Luxford	_ 305	1-48
MARLATT, C. L., foreword to The Citrus Blackfly in Asia, an	d	
the Importation of Its Natural Enemies into Tropics	al _	
America	_ 320	1-3
Marls, mechanical analysis, pipette method	_ 212	16, 20
MARE, J. C.: Irrigation of Cotton. With R. G. Hemphill	_ 72	1-38
MARSDEN, R. D.:		
Economic Status of Drainage Districts in the South in 1926		1 40
With R. P. Teele	_ 194 _ 269	1-48
Economical Use of Large Tile for Land Drainage	_ 209	1-24
MARSH, C. D.: Arrow Grass (Triglochin maritima) as a Stock-Poisonin	~	
Plant. With A. B. Clawson and G. C. Roe		1-18
Coyotillo (Karwinskia humboldtiana) as a Poisonou		1-14
Plant. With A. B. Clawson and G. C. Roe	_ 29	1-27
Four Species of Range Plants Not Poisonous to Livestock	:.	
With A. B. Clawson and G. C. Roe	_ 93	1-10
Mountain-Laurel (Kalmia latifolia) and Sheep Laure	el	
(Kalmia angustifolia) as Stock-Poisoning Plants. Wit.	h.	
A. B. Clawson Sleepy Grass (Stipa vaseyi) as a Stock-Poisoning Plant	_ 219	1-23
Sleepy Grass (Stipa vaseyi) as a Stock-Poisoning Plant	i.	
With A. B. Clawson	_ 114	1-20
Toxic Effect of St. Johnswort (Hypericum perforatum) or	n acc	
Cattle and Sheep. With A. B. Clawson	_ 202	1-24
Wild Tobaccos (Nicotiana trigonophylla Dunal and Nico	-	
tiana attenuata Torrey) as Stock-Poisoning Plants	١.	1 00
With A. B. Clawson and G. C. Roe	_ 22	1-23
MARSH, R. E.: Timber Growing and Logging Practice in th Southwest and in the Black Hills Region. With G. A	е	
Pearson	480	1-80
Pearson MARSHALL, H. L.: The Composition and Distribution of Phos	- 100	1 00
phate Rock with Special Reference to the United States	l.	
With K. D. Jacob, W. L. Hill, and D. S. Reynolds	364	1-90
MARSHALL, R. P.: The Relation of Season of Wounding and	d	
Shellacking to Callus Formation in Tree Wounds	246	1-29
Marshall, W. K.:		
Flour for Pretzels. With J. H. Shollenberger.	- 46	1-16
Milling and Baking Qualities of World Wheats. With		
D. A. Coleman, O. L. Dawson, Alfred Christie, H. H.		•
Dixon, H. C. Fellows, J. F. Hayes, Elwood Hoffecker	107	1994
WILL I I ADDITOR	1117	

	ical Bull	
An Economic Study of Broomcorn Production. With R. S.	No.	Page
Washburn	347	1-42
Harvesting Small Grain, Soybeans, and Clover in the Corn		
Belt with Combines and Binders. With L. A. Reynold-	044	
son and W. R. Humphries Methods of Harvesting Grain Sorghums. With L. A.	244	1-55
Methods of Harvesting Grain Sorghums. With L. A.	121	1 95
Reynoldson, B. E. Rothgeb, and W. M. Hurst	121	1-35
Spacing and Date-of-Seeding Experiments with Grain Sorghums. With J. B. Sieglinger, A. F. Swanson, D. R.		
Burnham H I Clamman F H Color F F Kasting		
Burnham, H. J. Clemmer, E. H. Coles, F. E. Keating, and W. M. Osborn	131	1-47
and W. M. Osborn	101	1-41
With L. A. Reynoldson, R. S. Kifer, and W. R. Hum-		
phries	70	1-61
MARTINI, M. L.:		
Susceptibility of Barley to Leaf Rust (Puccinia anomala)		
and to Powderv Mildew (Erysiphe graminis hordei).		
With E. B. Mains	295	1-34
Yields of Barley in the United States and Canada, 1922-		
1926. With H. V. Harlan and M. L. Martini	96	1-84
MARVIN, G. E.: Organization and Management of Apiaries		
Producing Extracted Honey in the White Clover Region.		
With R. S. Washburn	481	1-44
Maryland—		
Angoumois grain moth, life history. Perez Simmons and	071	1 05
G. W. Ellington	351	1-35
Beltsville herd of Bureau of Dairy Industry, reproduction	201	1 04
and health records. F. W. Miller and R. R. Graves	321 326	1-24 11-12
Somerset, bee breeding, experiments	320	2-16, 18
	1	21, 23-24
		30, 42-43
strawberry industry, 1920–26	180⟨	53–55, 63
		88-89
		101-103
Masicera senilis, parasitism on-	,	
corn borer	98	2-3, 24-26
corn borer in central Europe	135	32-34
corn-borer larva	59{	18–21
	ວອາ	43-59
Mason, A. C.: The Citrus Rust Mite and Its Control. With		
W. W. Yothers	176	1-56
Massachusetts, farms, owner-operated, income and taxes, 1920-		
	172	39-40
MATHEWS, O. R.: Wintering Steers in the North Central Great	100	
Plains Section. With W. H. Black	192	1-14
MATHEWSON, J. S.: The Air-Seasoning of Wood	174	1-56
Matsucoccini Morrison, characteristics and keys to species	52	48-53
McArdle, R. E.: The Yield of Douglas Fir in the Pacific North-	201	1-64
West. With W. H. Meyer	201	1-04
Management	356	1-58
McComas, E. W.:	000	1 00
Costs and Methods of Fattening Beef Cattle in the Corn		
Costs and Methods of Fattening Beef Cattle in the Corn Belt, 1919-23. With R. H. Wilcox, R. D. Jennings,		
G. W. Collier, and W. H. Black	23	1-114
Utilization and Cost of Power on Corn Belt Farms. With		
L. A. Reynoldson, W. R. Humphries, S. R. Speelman,		
and W. H. Youngman	384	1-60
Utilization and Cost of Power on Mississippi and Arkansas		
Delta Plantations. With L. A. Reynoldson, W. R.		
Humphries, S. R. Speelman, and W. H. Youngman.	497	1-47
McCullough, C. B.:		
Electrical Equipment on Movable Bridges. With A. L.	005	4 44
Gemeny and W. R. Wickerham Highway Bridge Surveys	265 55	1-114 1-76
TUVUWAY DEIOVE DULYEYS	อก	1-76

Techn	ical Bulle	tins
McDonnell, C. C.: Relative Insecticidal Value of Com- mercial Grades of Pyrethrum. With W. S. Abbott, W. M.	No.	Page
Davidson, G. L. Keenan, and O. A. Nelson	198	1–10
in Arizona and California	4	1-15
McKee, Clyde: Experiments in Montana: Flax Cropping with	100	00.40
Wheat, Oats, and Barley	133	36–40
McKee, Roland: The Use of Winter Legumes in the Southeastern States. With A. D. McNair	0.07	1 90
McMurtrey, J. E., Jr.:	367	1–36
Distinctive Effects of the Deficiency of Certain Essential		
Elements on the Growth of Tobacco Plants in Solution		
Cultures	340	1-43
Fertilizer Tests with Flue-Cured Tobacco. With E. G.		
Moss, W. M. Lunn, and J. M. Carr	12	1-59
McNair, A. D.: The Use of Winter Legumes in the Southeast-		
ern States. With Roland McKee	367	1-36
MCNULTY, J. B.: Relation of the Method of Watering Dairy		
Cows to Their Water Consumption and Milk Production. With T. E. Woodward	278	1 14
McPhee, H. C.: Genetic Growth Differentiation in Guinea	210	1-14
Pigs. With O. N. Eaton	222	1-36
Meal worm(s)—		1 00
R. T. Cotton and R. A. St. George	95	1-38
American, technical description	95	33-35
control measures	95	25
dark, technical description	95	33-35
distribution and origin	95	2
economic importance	95	3-4
European, technical description	95 95	25–33 4–24
life historyresistance to starvation and temperatures	95 95	24
yellow, technical description	95	25-33
Meat(s)—	•	20 00
• • • • • • • • • • • • • • • • • • • •	ſ	132-135,
consumption and trade in France, 1909–25	37{	161-165,
to Junkey to Their of Claude Adding the La	400	170-177
industry in Union of South Africa, study	466	85–94
production and—	ſ	122,
consumption in Bulgaria	126	125, 127,
		128-129
consumption in Hungary	160	96-98
		71-72, 74,
consumption in Rumania	126(76, 77, 78
	Ļ	79–80, 81
foreign trade in Yugoslavia	126{	174, 176 177, 178
quality and palatability, effect of crossing Brahman with	·	177, 170
other breeds of cattle	417	38-51, 52
South African, exports	466	91-94
trade, South African, governmental assistance	466	90-91
value as perquisites for farm labor	213	10-11
MERRING. A. L.:		
Effects of Particle Size on the Properties and Efficiency of Fertilizers. With L. M. White, W. H. Ross, and J. E.		
Adams	405	1 07
Factors Affecting the Mechanical Application of Fer-	485	1-27
tilizers to the Soil. With G. A. Cumings	182	1-96
MEINECKE, E. P.: Quaking Aspen: A Study in Applied Forest	102	1 00
Pathology	155	1-34
Melanoplus atlanis—		
key to instars	190	10-11
synonymytechnical description of instars and adult	190	1-2
technical description of instars and adult	190	11-21
Melanospora destruens, description and distribution	258	16

	ical Bulle	
Melons— Honey Ball, harvesting practices	No. 425	Page 18–19
Honey Dew, harvesting practices	425	18-19
See also Cantaloups; Muskmelons.		10 10
Membracidae, species occurring in Pacific Northwest	402	35
Mentha—		
arvensis piperascens. See Mint, Japanese.		
piperita. See Peppermint.	900	17 16
Menthaceae, repellency to Japanese beetle, list Menthol, natural—	299	17–18
source	378	1
uses and importance in United States	378	2-3
Mercaptans, aliphatic, efficacy as grain fumigants	162	42-43
Meristem, of flowering plants, source of vegetative propaga-		
gation	151	3-88
Metals, explosibility, studies	490	13, 16
Metastrongylidae, early stages, morphological data	489	18-21 33-4 4
Metastrongylus—	100	00 11
elongatus—		
definitive hosts	456	34-35
development in earthworms	456	24-25
development in mammalian hosts	456	_31
infection of earthworms, experiments	456	5-7
infection of mammals, experiments	456	11-16 18-23
migration and molting in earthworms migration and molting in mammalian hosts	456 456	29-31
synonyms, hosts, description of stages, and develop-	400	29-01
ment	489	37-41
salmi-		-
description of stages and development	489	33–37
development in earthworms	4 56	27
infection of earthworms, experiments	456	1 70
METCALF, F. P.: Wild-Duck Foods of North Dakota Lakes	221	1-72
japonicus, parasitism on gypsy moth	86	103
Japoneous, parasionam on gypsy mountaining		16-18, 20,
laphygmae, parasitism on fall army worm	138{	28-33
• • • • • • • • • • • • • • • • • • • •	l	57-60
pulchricornis, parasitism on gypsy moth	86	103
versicolor—	0.0	107 100
foreign distribution and abundanceintroduction and colonization	86 86	127-129 130
life history and habits	86	129
and the second s	•	127, 130-
parasitism on brown-tail moth	86{	131
METZGER, F. W.: Repellency to the Japanese Beetle of Extracts		
Made from Plants Immune to Attack. With D. H. Grant	299	1-22
METZGER, HUTZEL: Cooperative Marketing of Fluid Milk	179	1-92
Mexican fruit fly, Anastrepha ludens (Loew), studies. H. H. Darby and E. M. Kapp	444	1-20
Mexico, wheats, production, and milling and baking qualities.	197	43-47
MEYER, W. H.:	201	10 11
Growth in Selectively Cut Ponderosa Pine Forests of the		
Pacific Northwest The Yield of Douglas Fir in the Pacific Northwest. With	407	1-64
The Yield of Douglas Fir in the Pacific Northwest. With	004	
R. E. McArdleYields of Second-Growth Spruce and Fir in the Northeast	201 142	1-64
Miami—	142	1-52
silt loam, description and analyses	484	11-14
soil(s)—	-01	
description	229	5-6
series, colloidal material extracted, variations. R. S.		
Holmes and Glen Edgington	229	1-24
Mica(s)—	128	94_90_91
composition in different horizons of soil profiles	128	24-30, 31 9-11

Techn	ical Bull	etins
Mica(s)—Continued.	No.	Page
isolation from soil material, method	128	4-5
muscovite and biotite, alteration in soilparticles—	128	1–31
alteration, relation to clearness of interference figure_	128	15–18
composition, relation to size	128	13-15
Mice, grasshopper—		
genus Onychomys, life history and habits. Vernon Bailey		
and C. C. Sperry	145	1-20
range	145	1-2
MICHAEL, L. G.: Agricultural Survey of Europe: The Danube Basin—Part 2,		
Rumania, Bulgaria, and Yugoslavia	126	1-186
Agricultural Survey of Europe: France	37	1-184
Agricultural Survey of Europe: Hungary	160	1-104
Michigan—		
agricultural expansion, rate, discussion	92	74–78
barley yields— 1922–26, by varieties	96	19–20
1927–31	446	16-17, 74
educational facilities	92	61-67
farm taxation and rent, 1919-26	172	18-20
forest(s)—		
exploitation	92{	6-11,
	92	10-01
original, description and extentprogram, needs and cost	92 92	4-6 92-101
land—	02	<i>02</i> -101
resources, inventory	357	71-72
utilization, 1921	92	19
northern—		
forest destruction, economic aspects. W. N. Sparhawk	00	1 100
and W. D. Brushhighway facilities and maintenance	92 92	1–120 40–44
		20-40,
resources and industries, decline	92{	54-55, 61
settlement, result of lumber industry	92`	11–18
·	ſ	2–16, 19,
strawberry industry, 1920-26	180	21, 23–24,
		32, 43–44, 77–79, 102
	•	40-55,
taxation, relation to forests	92{	62–66
timber supplies and needs	92{	21-29,
	82)	105–106
Micosphaerella nigro-maculans, n. sp., technical description and	050	11 10
distribution	258	11–12
brevicornis—		
breeding methods	98	12-16
parasitism on corn borer	98{	4-5, 11,
-		24-27
parasitism on corn borer in central Europe	135	32–34
parasitism on corn-borer larva	59	33, 35–37, 43–47, 52,
purantista on com-bord faita		55, 58-59
cephi, parasitism on western grass-stem sawfly	157	20
mellitor		_
life historyparasitism on boll weevil, habits and development	19	4-11
parasitism on boll weevil, habits and development	112	66-68
parasitism on pink bollworm	19	2-11, 14
breeding methods	98	16-21
parasitism on corn borer	98	6, 22-27
parasitism on corn borer in Orient	455	22
parasitism on corn-borer larva	59	29–31

	ical Bull No.	etins Page
Microscope— petrographic, and accessories, description and use——— use by soil laboratories, studies————————————————————————————————————	344 344	16-33 1-94
MIDDLETON, H. E.: A Pipette Method of Mechanical Analysis of Soils Based on Improved Dispersion Procedure. With L. B. Olmstead and L. T. Alexander	170	1–23
Physical and Chemical Characteristics of the Soils from the Erosion Experiment Stations. With C. S. Slater and H. G. Byers	316 178	1-51 1-16
from the Erosion Experiment Stations—Second Report. With C. S. Slater and H. G. Byers	430	1-63
Migration— birds, reports from banding stations, 1923-26. Mormon cricket, study	32 161	1-93 17-18
barley to. E. B. Mains and M. L. Martini	295	1-34
bacterial count, comparison with foambottles—	18	7-8, 10-11
breakage in milk plants, relation to plant arrangement, equipment, and operation methods. C. E. Clement, J. B. Bain, and F. M. Grantwashing and filling, labor requirements	280 153	1-29 16-24
certified, sales variation in New York City	73	24–25, 33, 38, 40,
condensed, sales variation in New York City	73{	, 56, 59, 66 16, 18, 29, 58, 61, 63
demand factors in New York, metropolitan area. H. A. Ross.	73	1–68
dry skim, value in prevention of pellagra, experiments	333{	18–19, 24 , 33
evaporated, value in prevention of pellagra, experiments_flavor(s)—	333	19, 24, 33
abnormal, homogenization as source, investigation effect of succulent feeds. C. J. Babcock fluid—	438 9	2-4 1-7
cooperative marketing. Hutzel Metzger	179	1-92
industry in southeastern coastal plain	127	73, 71–38, 71–73, 75, 88–89
prices, family trade at nine markets, 1920-28 prices received by members of cooperative associa-	179`	90-91
tions, 1920–28receipts and sales, seasonal variation and control	179	88-90
foam, bacterial count and temperature in pasteurization.	179 18	29-46 1-11
handling from motor tanks at city plantshomogenization, effect on—	243	7-11
Babcock test certain characteristics. C. J. Babcock homogenized—	438 438	9 1–12
palatabilitysediment, examinationspecific gravity	438 438 438	2 4–9 9–10
marketing— basic surplus and contract plans— cooperative associations—	179	31-46
development and types	179 179 179	2-21 21-29 46-60
seasonal variation and production control plans in New York City, demand factorsrepresentative, cooperative associations, description	179 73 179	29-46 1-68 60-86

Milk—Continued. marketing—continued.	rechnical Bu No.	
sales variation in New York City	78	3 54
odor, effect of succulent feeds. C. J. Babcock pasteurization, temperature and bacterial count, comp son with foam during certain stages of process. H Whittaker, R. W. Archibald, C. S. Leete, and L	oari- . A.	1–7
Millerpasteurizing—		3 1–12
and cooling, labor requirements labor requirements plant(s)—	153	
arrangement and operation methods, effect on la requirements. C. E. Clement, P. E. LeFevre B. Bain, and F. M. Grant————————————————————————————————————	e, J. 153 ods, /. B.	
equipment, effect on breakage of bottles	280	$\left\{egin{array}{cc} 6-20, \ 25-28 \end{array} ight.$
labor requirements, effect of arrangement and option methods. C. E. Clement, P. E. LeFevre, J. Bain, and F. M. Grant	. в.	•
operation, methods, effect on bottle breakage, stud		6 9 4 10
time requirements for various operations	153	10.15
price(s)— changes in New York City, effect on demand policies and plans of cooperative associations production—		
analysis of advanced registry records of daughter Ayrshire sires at Huntley Field Station, experiments, 1927-30		C 00-08
dairy cows— feeding experiments for relation to watering method and water consu		14–23
tion. T. E. Woodward and J. B. McNulty feeding value of pasture grasses when grazed, when green, and when fed as hay or silage. R. R. Gra J. R. Dawson, D. V. Kopland, and T. W. Mosele	7 27 8	1–14
		.f 6–8.
relation to inbreeding, experiments		23-30, 31
utilization, and prices, in Switzerland		41-43
values of Sudan-grass hay, silage, and pasture purchasing power in Switzerland, decrease		27–28
rancidity, causes receiving at plant, methods and labor requirements routes, checking—	438 153	2-4
in, systems and labor requirementsout, systems and labor requirements	153 153	
storage time and temperature, effect on viscosity of createmperature—	m 249	
changes in motor tankscomparison with temperature of foam		
transporting and handling in tanks. R. P. Hotis wagons, loading, methods and labor requirements Milkweed, desert, Asclepias subulata, possible source of rubl	248 153	1-24
R. E. Beckett and R. S. Stitt	472 449 Ex-	
posed to the Action of Sulphate Waters. With P. Manson	w. 358	1-80

Techni	cal Bulle	etins
MILLER, E. V.: Effect of Solid and Gaseous Carbon Dioxide upon Transit Diseases of Certain Fruits and Vegetables. With Charles Brooks, C. O. Bratley, J. S. Cooley, P. V.	No.	Page
Mook, and H. B. Johnson MILLER, F. W.: Reproduction and Health Records of the Beltsville Herd of the Bureau of Dairy Industry. With R.	318	1–60
R. Graves MILLER, L. F.: A Comparison of the Temperature and Bacterial Count of Milk and Foam during Certain Stages of the Pasteurization Process. With H. A. Whittaker, R. W.	321	1-24
Archibald, and C. S. Leete	18	1-12
lolly Pine Forests of the Gulf States Region. With R. D. Garver	375	1-54
MILLER, R. L.: Effect of Lead Arsenate Insecticides on Orange Trees in Florida. With I. P. Bassett and W. W. Yothers.	350	1-20
Millet(s)—		
growing, dry-land experimentsinfestation by corn borer—	17	27–28
in central Europe	135 77	27 7, 9, 56
in New Englandirrigation in Southwest, water applied and crop yields	185	60, 66
nursery and variety tests at Fort Hays Branch Station,	410	56–58
utilization of superphosphate, effects of soil colloids, study. Milling—	371	2-36
costs, in hardwood forests of Lake States	164	19-21, 42
methods, in loblolly pine forests qualities and baking qualities of world wheats. D. A. Coleman, O. L. Dawson, Alfred Christie, H. B. Dixon, H. C. Fellows, J. F. Hayes, Elwood Hoffecker, J. H. Shollenberger, and W. K. Marshall See also under specific subjects.	337 197	1-224
Mills, flour— infestation with beetles, and disinfection methods——— operation in Rumania———————————————————————————————————	498 126	47–48 46–48
Milo—	1.4	
experiments at Hays, Kansas, 1912–23	14	41, 42–44 5, 7–8,
grains, respiration in storage	100	9–10, 13–15
irrigation in Southwest, water applied and crop yields	185	42, 55, 60, 66
rotation and tillage experiments in Oklahoma	330{	6-7, 19-20, 34
storage, temperature, influence on respiratory rateyellow, dwarf—	100	9–10
seeding date, effect on yield, experiments	131	27-28, 34-36, 39-41, 43-46 7-9, 13-
spacing experiments and results	131	15, 19–20, 21–22, 26, 45
See also Sorghums, grain. Milstead, E. H.: Shortening the Rest Period of the Potato. With William Stuart	415 139	1-32 57
Mineral(s)— deficiency, tobacco plants, symptoms identification in soils	340 344	1-41 64-71
mixtures, feeding to pigs, experiments	110{	3-5, 7-8, 10-12
oils, effect upon— insects, studies peach trees, study soil, hydrolytic action, discussion	253 253 319	23-24, 41 34-37, 41 33-40
,,,,		·

Minnesota-	Technical Bull	lating
barley vields—	No.	Page
1922-26, by varieties		20-23
1927–31		0 04
flax cropping in mixtures with wheat and oats, experin land—	nents. 133	44-47
economic survev	357	76
settlement project		43-44
Mint, Japanese—	001	10 11
commercial possibilities in United States as a sour	rea of	
natural menthol. A. F. Sievers and M. S. Lowman	an 378	1-35
comparison with peppermint	378	3-5
diseases and pests	378	17-19
distillation and acreage yields of oil	378	15–17
field tests and observations	378	6–19
oil of—		0 10
comparison with peppermint oil	378	6
from various sources, comparison		19–31
Mirids, feeding punctures, and their effect on cotton.		10 01
King and W. S. Cook	296	1-12
Mississippi—		
drainage—		
channels, erosion and silting, study	184	16-29
ondition, dronon and bromb, brad, 11111111		1-5.8-9
•		15-17, 28-
districts, economic status in 1926	194	30, 32–37,
districts, comomic status in rescription		39, 41, 42,
		44, 46–47
		25–26,
		38-42,
livestock possibilities, economic study	127	44-45, 50-
mvostota possiomitos, totalomo staty ililililili		64, 66, 69-
		70, 83–94
logging in shortleaf and loblolly pine forests, study	375	1-52
Stoneville, alfalfa experiments. P. R. Henson and	H. L.	1 02
Westover	495	1-14
	100	2-17. 20.
strawberry industry, 1920-26	180 <u>{</u>	2-17, 20, 23, 27, 44
West Point—	`	, ,
climatic data	419	3-4
forage-crop field experiments. T. F. Akers and	H. L.	
Westover	419	1-20
Mississippi Delta—		
hardwoods, young, decay following fire in. G. H. Hep	ting_ 494	1-32
plantations, power utilization and cost. L. A. Reynol	ldson.	
W. R. Humphries, S. R. Speelman, E. W. McCo	omas,	
and W. H. Youngman	497	1-47
soils for growing alfalfa, description	 495	2
Mississippi Valley, upper—	- ~	
drainage pumping plants in, design and operation.		
Sutton	390	1-60
pumping for drainage, cost. J. G. Sutton		1-100
run-off, determination	390	11-27
Missouri—		
barley yields—		
1922-26, by varieties	96	23
1927-31	446 _,	20–22, 74
A. W.	i	1-4, 10-
drainage districts, economic status in 1926	194	14, 28–30,
		32-36, 41,
form Associan and most 1010 00	180	42–43, 47
farm taxation and rent, 1913–23	172 _,	20-21
	ĺ	2-16, 18,
strawberry industry, 1920-26	180√	30-31, 45,
• •,	1	55–58,
	į.	63–104

Missouri River Basin—	nical Bull No.	
climate	. 36	Page 8-14
irrigation requirements	. 36	1-109
Mite(s)—	. 50	1-10
brown, control experiments	. 25	1-33
chicken, control, tests by internal medication	60	12-13, 19
European red—		12 10, 10
and other fruit-tree mites, experiments for control		
E. J. Newcomer and M. A. Yothers	. 25	1-34
biology in Pacific Northwest. E. J. Newcomer and	l	
M. A. Yothers	89	1-70
distribution, food plants, and economic importance	. 89	3-6
eggs, oviposition and hatching, study	. 89	54 –55
feeding and quiescent periods, comparison	. 89	56
life history and habits		6-18
life-history phases, summary		51-52
predacious enemies, study		56–67 , 68
related species	. 89	10-11
reproduction	89	52-54
seasonal history, study	89	18-51
synonymy fruit-tree, control experiments. E. J. Newcomer and	. 89	2-3
iruit-tree, control experiments. E. J. Newcomer and		
M. A. Yothers	25	1-34
kinds mistaken for citrus rust mite	176	6
rust, of citrus. See Citrus rust mite.	en	10
scaly-leg, control, tests by internal medication	60	10 11
two-spotted, distinction from European red mite	89	10-11
Mockingbird(s)— banding returns, 1923–26	32	78
transplanting experiments		52-53
Mohair—	01	02-00
characteristics	35	1-2
examination for kemp	35	2-16
fibers, meduliae development	35	11-12
fleeces, kemp fibers in, occurrence and elimination, studies.	•	
J. I. Hardy	35	1-16
industry in South Africa	466	63-70
prices in South Africa	466	67-69
MOHLER, J. R., introduction to Report of the Foot-and-Mouth-		
Disease Commission of the United States Department of		
Agriculture	76	1-3
MOHLER, W. M.: Efficacy of Anthrax Biologies in Producing		
Immunity in Previously Unexposed Animals. With W. S.		
Gochenour, H. W. Schoening, and C. D. Stein	468	1–16
Moisture—		
content—		
Deglet Noor dates, determination	193{	5, 7-8,
	·	12-14
southern yellow pine, determinationwood. See Wood, moisture content.	165	46-48
wood. See Wood, moisture content.		
decay of white-pine slash	132	13-14
development of Trichogramma minutum	215	16
yield of grain sorghums in various spacings	131	20-21
factor in transmission of bean blight	186	6-13
factor in transmission of bean blight gradient, in pine lumber, cause and effects	165	4
in barn air, relation to ventilation	187	17-20
intermountain region, records	256	9–18
movement in wood	174	16-17
requirements, forest species in the Southwest	247	123-124
Southwest forest zones, range	247	119-123
supply, effect on seeding date for grain sorghums	131	42
Mold(s)—		
blue, of citrus fruits, control by use of borax, experiments.	488	-6, 12-13,
	L L	10, 19
pathogenicity to honeybees, experimental results	149	6-40
Molting, Mormon cricket, description of process	161	12-14

	ical Bull	
Money— market conditions, effect on supply of mortgage funds— purchasing power, 1904–26————————————————————————————————————	No. 288 50	Page 69–70 4
Monilia, infection of fruit in transit, prevention experiments	318{	22-40, 46-49, 56
Monilochaetes infuscans— cause of scurf disease of sweetpotatoes	99	36, 38, 71
morphology and life history Monoammonium phosphate, effect on tobacco yields	99 414	38–40, 71 16–18
Monochloroacetates, aliphatic, toxicity to clothes moths and		
Monocotyledons, adventive shoots, formation	162 151	51 29–30
colonization and observation	86	78-80
life history and habitsparasitism on gypsy moth and brown-tail moth	86 86	77–78 77, 80
Monophlebinae Mashell, characteristics and keys to tribes,		
genera, and species Monophlebini Cockerell, characteristics and keys to genera	52 52	117-218 121-158
Monophlebulini Morrison, characteristics and keys to genera.	52	173-179
Monosporium uredinicolum, parasitism on sweetpotato rusts, and description	99	59
Montana-	•••	•
barley yields— 1922–26, by varieties	96	23-26
1927-31	446	22–23, 75
dairy work at Huntley Field Station, 1918-27. T. W. Moseley, Duncan Stuart, and R. R. Graves	116	1-48
flax cropping in mixture with spring wheat, experiments. Huntley Field Station, agricultural investigations, 1927—	133	36–40
30. Dan Hansen, A. E. Seamans, and D. V. Kopland irrigation-district development	353 254	1-50 2, 5, 82-83
soils, selenium content, study	482	7, 21, 28
southern, irrigated crop rotations. S. H. Hastings and Dan Hansen	144	1-32
trichum trifolii	28	1-27
Montmorillonitic acid in soils, hydrolysis, reaction studies Mook, P. V.: Effect of Solid and Gaseous Carbon Dioxide upon	319	35, 37, 41
Transit Diseases of Certain Fruits and Vegetables. With		
Charles Brooks, E. V. Miller, C. O. Bratley, J. S. Cooley, and H. B. Johnson	318	1-60
MOOMAW, LEROY: Crested Wheatgrass as Compared with Bromegrass, Slender Wheatgrass, and Other Hay and Pas- ture Crops for the Northern Great Plains. With H. L. West-	010	1-00
over, J. T. Sarvis, G. W. Morgan, J. C. Thysell, and M. A.		
Moon, H. H.: Composition of the Developing Asparagus Shoot in Relation to Its Use as a Food Product and as Material for	307	1–36
Canning, With C. W. Culpepper	462	1-24
Morgan, G. W.: Crested Wheatgrass as Compared with Bromegrass, Slender Wheatgrass, and Other Hay and Pas- ture Crops for the Northern Great Plains. With H. L. West-		
over, J. T. Sarvis, Leroy Moomaw, J. C. Thysell, and M. A.	307	1 96
Mormon cricket—	307	1–36
distribution, habitat, and economic importance	161 161	3-5
food plants and cannibalisminfestation extent and nature of injury	161	16–17 5
insect parasites, study	161	22-23
life history, habits, and control. F. T. Cowannatural enemies	161 161	1-28 21-23
rearing experiments	161 161	7–8 6–7
seasonal history Morocco, wheats, production, and milling and baking qualities	197	177-1 79
MORRISON, HAROLD: A Classification of the Higher Groups and Genera of the Coccid Family Margarodidae	52	1-240

Tochn	ical Bulle	tina
Mortgage(s) farm—	No.	Page
credit. D. L. Wickens	288	1-102
debt, estimation methods	288 288	10-13 96-97
debt, total, 1910 and 1920funds, sources	288	21-40, 90
indebtedness, principal features and changes since 1910	288	13-20
interest rates and their relation to farm-mortgage		
financing	288	63-73
lenders' holdings, variationslending agencies, relative importance	288 288	22-25 21-22
rates in Michigan	92	56-57
Mosaic disease, corn, effect on productiveness. H. F. Stone-		
berg	10	1–18
MOSELEY, T. W.:		
Dairy Work at the Huntley Field Station, Huntley, Mont., 1918–1927. With Duncan Stuart and R. R. Graves	116	1-48
Feeding Value for Milk Production of Pasture Grasses	110	1 10
When Grazed, When Fed Green, and When Fed as Hay		
or Silage. With R. R. Graves, J. R. Dawson, and D. V.	001	
Kopland Moss, E. G.: Fertilizer Tests with Flue-Cured Tobacco. With	381	1-48
J. E. McMurtrey, Jr., W. M. Lunn, and J. M. Carr	12	1-59
Moth—	12	1 00
borer—		
injury to sugarcane, character	41	4-7
reaction to light	41	53-55
corn-borer, flight Pandora. See Pandora moth.	53	12
Motor(s), electric, on movable bridges—		
operation	265	28-66
types, description	265	3-27
Motortruck(s)—	•	15 16
cost in Arkansas and Mississippi Delta area	497	15–16, 36–37
marketing and distribution of fruits and vegetables. Brice		00.01
Edwards and J. W. Park	272	1-88
See also Trucks.		
Mountain-laurel— (Kalmia latifalia) and about laurel (Kalmia anaustifalia) as		
(Kalmia latifolia) and sheep laurel (Kalmia angustifolia) as stock-poisoning plants. C. D. Marsh and A. B. Clawson.	219	1-23
synonyms	219	2
synonyms		_
beetle.		
Mozambique—	400	010 012
citrus fruit industrycorn industry	466 466	210-213 326
cotton production	466	272-277
sugar industry	466	305-307
tobacco industry	4 66	252-254
Mucor—	r	6, 31,
hiemalis, pathogenicity to honeybees	149{	
racemosus, infection of sweetpotatoes	99`	36, 40 73
Mulch—		
impervious, effect on soil moisture and fertility	75	16-18
paper— experiments with crop plants	75	4-15
		-5, 15, 18
kinds and valuestimulation of crop plants. L. H. Flint	75	20
use in apple orchards for moisture conservation	4 91	31
Mulching, theory and practice	75	1–3
exports and imports in France	37	166-167
	126	78, 128,
numbers in Danube States	[181
use on Mississippi and Arkansas Delta plantations	497{	2-7, 9-25,
	(29–34

MUNCH, J. C.: Techn	ical Bull	
Red-Squill Powders as Raticides. With James Silver and E. E. Horn	No. 134	Page 1–36
E. E. Horn The Pharmacology of Thallium and Its Use in Rodent Control With James Silver	238	1–28
Control. With James Silver MUNGER, T. T.: Slash Disposal in the Western Yellow Pine		
Forests of Oregon and Washington. With R. H. Westveld. MUNSELL, H. E.: Food Supply and Pellagra Incidence in 73 South Carolina Farm Families. With H. K. Stiebeling	259	1–58
MURPHY, H. C.: Physiologic Specialization in Puccinia coronata	333	1-36
Murres, banding, returns, 1923–26	433 32	1–48 9
and biotite, alteration in soil. I. A. Denison, W. H. Fry, and P. L. Gile	128	1-32
disappearance from soil profiles, rate	128	29 -30
soil and fresh, composition, comparison	128	12-13, 19, 26-27, 30
Mushrooms, shipment by motortruck in various sections	272{	39, 46–47, 63–66, 74
Musk, of beaver, location and use Muskmelons—	21	5, 36
acreage and production, 1928–32competition with other fruits	425 425	2-4 48-49
marketing— J. W. Park methods, information, and outlets	425	1-51
methods, information, and outlets	425	30-41
packing, grading, and loading for market	425	19-29
precooling and inspection	425	29 –30
prices, 1928–32	425	41-48
shipments, 1923-32	425	4-7
shipping seasons, records for 1928-32	425	7-12
	ſ	32-34,
Mustards, host plants of sugar-beet leaf hopper	206	37-52,
named and the state of sugar book four nopportunities	2 00)	61–62,
Moddan	ι	108–110
Mutton— industry in Union of South Africa, study	466	01 02 04
production in Rumania	126	91, 93–94 72, 74
roasting, shrinkage and heat penetration as influenced by carcass grade, ripening period, and cooking method. L. M. Alexander and N. G. Clark	120	12, 14
L. M. Alexander and N. G. Clark	440	1-27
Mycetococcus ehrhorni, description of stages	404	144-148
Mycosis, symptoms in honeybees	149	17-21
Mycosis, symptoms in honeybees	25 8	11-12
Myiophasia globosa, parasitism on plum-curculio larvae in Georgia	188	79-80
Myna, crested— *		
description and habits	467	5-9
food habits in British Columbia	467	9–22
in Pacific Northwest. T. H. Scheffer and Clarence Cot-	467	1-27
Myoleja—		
description and history	401	20-21
limata, descriptions, host, and distribution	401	21-22
Myrmicomorpha perniciosa, parasitism on fall army worm and	138	21, 55
other hosts. Myzus persicae, control with pyrethrum powder and flowers,	100	£1, 00
tests	198	5–8
Nasvia oxycocci, description and distribution	258	16-17
	1715	13-14,
Nail-holding power of woods, study	****	13–14, 45–52, 64

108048--37----10

Techni	cal Bull No.	etins Page
Nails, use in box and crate construction	1	9-22, 32-37, 45-55, 86, 88-95, 103-114,
Nantucket tip moth, infestation of southern pines Naphthalene—	204	126 103
crystals, use in treating potted soil and plants against Jap- anese beetle properties and estimation use against Japanese beetle. W. E. Fleming and F. E. Baker- use as repellent against Japanese beetle, experiments vapor—	427 427 427 427	7-17 2-4 1-28 20-24
effect on immature stages of Japanese beetle use in fumigating soil against Japanese beetle National Cooperative Milk Producers Federation, membership	427 427	4–7 17–20
and work	179	86-88
industry, status practice, experiments. Lenthall Wyman terms, glossary Neaspilota—	262 298 298	1-3 1-60 54-57
description, history, and key to speciesspp., history, description, hosts, and distribution Nebraska—	401 401	34–36 37–40
barley yields— 1922-26, by varieties 1927-31	96 446	26-27 24-25, 75 5, 55, 63,
irrigation-district development	254	69, 72, 73, 83–84
North Platte River, irrigation water, return flow	439	12-13 4-11, 13,
soils, selenium content, study	482	18–21, 32–33
western, irrigated crop rotations. C. S. Scofield and J. A. Holden	$\frac{2}{27}$	1-26 1-24
bacterial spot disease, studyvarietal spot diseasevarietal susceptibility to bacterial spot disease	273 273	1–49 16–17
Nectria ipomoeae, on sweetpotatoes	99	10–11, 77
upon Black Grama Grass Range Nelson, O. A.: Relative Insecticidal Value of Commercial	409	1-32
Grades of Pyrethrum. With C. C. McDonnell, W. S. Abbott, W. M. Davidson, and G. L. Keenan	198	1–10
cause of sweetpotato diseasesin swine, early developmental stages. J. E. Alicataof Spiruroidea parasitic in poultry and game birds, developmental stages.	99 489	79–80 1–96
opmental stages. E. B. Cram pathologically significant, in some economically important	227	1-28
birds in North America. E. B. Cram	49	1–10
of infective larvae. J. T. Lucker	437 455	1-31 20
Neopristomerus appalachianus, parasitism on fall army worm	138{	16, 17, 19, 20, 21, 39
Neps, in cotton, and similar imperfections. N. L. Pearson Netherlands—	396	1-19
cotton marketing, study foot-and-mouth disease, controlwheats, production, and milling and baking qualities	78 76 2 197	46–50 28, 161–163 141–144

Nevada—	ical Bulle No.	etins Page
irrigation-district development	254{	
	ι	84
livestock industry, development	301 464	31–37 1–36
physiographic features, forage resources, and water supply_	301	3-19,
public domain, legal status and recorded range claims	301	44–45 37–43
public domain, use, factors affecting. E. O. Wooton New Brunswick, barley yields—	301	1-52
1916–26, by varieties	96 446	62-63
New England—	440	62, 76
host plants of European corn borer. B. E. Hodgsonsouthern, decay of northern white-pine slash. Perley	77	1-64
Spaulding	132	1-20
New Jersey—		
barley yields— 1922–26, by varieties	nα	00
1922-20, by varieties	96 446	28 25–26, 75
1927-31 farm taxation and rent, 1925-27	172	21-22
Riverton, temperature, relation to life history of oriental peach moth. Alvah Peterson and G. J. Haeussler	183	1-38
-		2-16, 19,
strawberry industry, 1920–26	1804	21, 23-24,
New Mexico—	ι	32, 46
barley yields—		
1922–26, by varieties	96	28-29
1927-31	446	26–27, 75
bean beetle, Mexican, habits, life history, and control. J.	970	1 40
R. Douglass climatological records, 1929–30	376 376	1–46 24–27
forest—	010	27-21
types or zones, description	247	3-14
values	480	7-8
irrigation-district development	254	5, 69,
range, black grama, influence of precipitation and grazing	ι	84–85
upon	409	1-32
uponRio Grande River, irrigation water, return flow	439	15-16
soils, selenium content, study	482	7, 34–35
timber growing and logging practices New York (City)—	480	1-79
live poultry marketing, union terminal and exchange	107	55-57
market, peaches, prices, factors affecting. H. S. Kantor	115	1-64
marketing, wholesale, live poultry. F. A. Buechel	107	1-68
metropolitan area, demand for milk and cream, factors	70	1 00
affecting. H. A. Ross	73	1–68
barley yields— 1922–26, by varieties	96	29-32
1927-31	446	27-29
land-use program	357	76-78
	ſ	2-16, 19, 21, 23-24, 31, 46-48,
strawberry industry, 1920-26	190	21, 23-24,
www.north underth, tone an-in-in-in-in-in-in-in-in-in-in-in-in-in	• • • • • • • • • • • • • • • • • • • •	89–71, 8 6 –
	(88, 103
New Zealand—		
topography and climatewheats, production, and milling and baking qualities	124	45-46
	197	213-216 46-55, 80,
wool production and marketing	124{	83, 85–91
	•	•

NEWCOMER, E. J.: Techn	ical Bulle	
Biology of the European Red Mite in the Pacific Northwest. With M. A. Yothers.	No. 89	Page 1–70
Experiments for the Control of the European Red Mite and Other Fruit-Tree Mites. With M. A. YothersExperiments with Insecticides for Codling-Moth Control.	25	1-34
With M. A. Yothers Studies of Fluorine Compounds for Controlling the Codling	281	1-29
Moth. With R. H. CarterNewlands reclamation project—	373	1-24
agricultural conditions	464	5-10
location, soil, and weather Nevada, agricultural investigations. E. W. Knight	464 464	1-5 1-36
Newlin, J. A.: Foreword to Principles of Box and Crate Construction Tests of Large Timber Columns and Presentation of the Forest Products Laboratory Column Formula. With	171	1-2
J. M. Gahagan NEWMAN, L. H.: Yields of Barley in the United States and	167	1-44
Canada, 1922-1926. With H. V. Harlan and H. L. Martini.	96	1-84
News service, extension methods, costs and effectiveness	125{	3–4, 6, 7, 9–22
NICHOLLS, W. D.: Land Utilization in Laurel County, Ky. With C. F. Clayton	289	1-100
Nickel— in infertile soils, availability	471	20-23
salts in soils, toxicity to plants	471	23–25
Lathrop	275	1-77
of Agricultural Products	154	1-32
Nicotiana— attenuata, analysis and experimental results	22	16-21
spp. See Tobacco. trigonophylla, analysis and experimental results	22	6–16
Nicotine— content of wild tobacco	22	6, 16
dust— ineffectiveness against citrus rust mite toxicity to plum curculio, tests in Georgia	176 188	36 86–88
solutions, use against codling moth, experiments	281	19–25, 27, 28
use against fruit-tree mites	25{	9, 10, 18, 26, 32
NIGHBERT, E. M.: Effectiveness of the Swine Sanitation System in the South. With J. W. Connelly	374 61	1-15 51-52
Nightingale, introduction into United States	ſ	8-9,
Nile River, use for irrigation of cotton	4 51	28–29, 39–40
Nitrate(s)—	1	11-25,
mechanical application to soil	182	28-40, 65-66, 72-73, 74-75,
of potash, effect on tobacco yield	414 162	86-94 16-18 42
absorption by peat and peat products, quantity	389	18-19
content of peat, study	214	6, 7, 12, 15–16
deficiency, tobacco plant, symptoms	340	2, 4–19, 35–36, 39–40

	ical Bull	otine
Nitrogen(s)—Continued	No.	Page
distribution in soilseffectiveness on tobacco yields, experiments	211 414	6–8 9–22
fertilizer(s)—		
experiments, use of exponential yield curveon cotton soils, experiments. J. J. Skinner, R. A. Lineberry, J. E. Adams, C. B. Williams, and H. B.	348	16-66
Mann	452	1-28
recovery and distribution in tobacco plant	414	37-39
fixed, mechanical application to the soil metabolism, tobacco leaf, effect of fertilizers	182 414	5-94 46-49
mixtures, effectiveness in growing cotton, experiments	426	7-43
need for production of strawberry runners	122	9–10
nutrition of tobacco. W. W. Garner, C. W. Bacon, J. D. Bowling, and D. E. Brownsoil—	414	1–78
formation by hydrolysis	211	12-13
forms, study	211	8-12
sources in sweetpotato fertilizers, study	335	20-23, 44
use in fertilizers on Norfolk loams Noble, E. G.: Pima Egyptian Cotton in Irrigated Rotations at the Yuma Field Station, Bard, Calif. With S. H. Hast-	225	2-21
ingsNogal, history, characteristics, occurrence, and habitsNOLAN, W. J.:	369 42 0	1-31 102-105
Breeding the Honeybee under Controlled Conditions	326	1-50
The Development of Package-Bee Colonies	309	1-44
periments, results. J. J. Skinner	225 451	1-23 1-43
North America, agallian leaf hoppers, classification. P. W.		
Oman North Carolina—	372	1-94
barley yields—		
1922–26, by varieties	96	32
1927–31	446	30
	ſ	4-6,
cotton soils, experiments with nitrogen	452	13–16,
cotton soils, experiments with nitrogen	452	13–16, 18–22,
cotton soils, experiments with nitrogen	452	13–16, 18–22, 24–26
cotton soils, experiments with nitrogen	452	13–16, 18–22, 24–26 1–4,5,
	452	13–16, 18–22, 24–26 1–4,5, 8–9,
		13–16, 18–22, 24–26 1–4,5,
drainage districts, economic status in 1926		13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36,
		13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36, 37, 39-42,
drainage districts, economic status in 1926	194	13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36, 37, 39-42,
		13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36, 37, 39-42, 44 22-23,
drainage districts, economic status in 1926 farm taxation and rent, 1925–27 livestock possibilities, economic study	194	13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36, 37, 39-42,
drainage districts, economic status in 1926 farm taxation and rent, 1925-27 livestock possibilities, economic study loblolly pine forests, portable band sawmill and selective	194 172 127	13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36, 37, 39-42, 44 22-23, 40-42 1-94
drainage districts, economic status in 1926 farm taxation and rent, 1925-27 livestock possibilities, economic study loblolly pine forests, portable band sawmill and selective logging. R. D. Garver and J. B. Cuno	194 172{	13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36, 37, 39-42, 44 22-23, 40-42
drainage districts, economic status in 1926 farm taxation and rent, 1925-27 livestock possibilities, economic study loblolly pine forests, portable band sawmill and selective logging. R. D. Garver and J. B. Cuno	194 172 127	13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36, 37, 39-42, 44 22-23, 40-42 1-94
farm taxation and rent, 1925-27. livestock possibilities, economic study loblolly pine forests, portable band sawmill and selective logging. R. D. Garver and J. B. Cuno sweetpotatoes, fertilizers for, investigations. J. J. Skinner, C. B. Williams, and H. B. Mann North Dakota	194{ 172{ 127 337	13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36, 37, 39-42, 44 22-23, 40-42 1-94
farm taxation and rent, 1925-27	194{ 172{ 127 337 335	13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 37, 39-42, 44 22-23, 40-42 1-94 1-30
drainage districts, economic status in 1926	194{ 172{ 127 337 335	13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36, 37, 39-42, 44 22-23, 40-42 1-94 1-30 1-47
farm taxation and rent, 1925-27. livestock possibilities, economic studyloblolly pine forests, portable band sawmill and selective logging. R. D. Garver and J. B. Cunosweetpotatoes, fertilizers for, investigations. J. J. Skinner, C. B. Williams, and H. B. Mann	194 172 127 337 335	13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36, 37, 39-42, 44 22-23, 40-42 1-94 1-30 1-47 33-35 30-33, 75
drainage districts, economic status in 1926	194{ 172{ 127 337 335	13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36, 37, 39-42, 44 22-23, 40-42 1-94 1-30 1-47
farm taxation and rent, 1925-27. livestock possibilities, economic study. loblolly pine forests, portable band sawmill and selective logging. R. D. Garver and J. B. Cuno. sweetpotatoes, fertilizers for, investigations. J. J. Skinner, C. B. Williams, and H. B. Mann. North Dakota— barley yields— 1922-26, by varieties. 1927-31. crop yields, variability in different type of farming areas.	194 172 127 337 335 96 446 102	13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36, 37, 39-42, 44 22-23, 40-42 1-94 1-30 1-47 33-35, 30-33, 75, 10-13 23
farm taxation and rent, 1925–27. livestock possibilities, economic study. loblolly pine forests, portable band sawmill and selective logging. R. D. Garver and J. B. Cuno. sweetpotatoes, fertilizers for, investigations. J. J. Skinner, C. B. Williams, and H. B. Mann. North Dakota— barley yields— 1922-26, by varieties. 1927-31 crop yields, variability in different type of farming areas_farm taxation and rent, 1919-24. farming—	194{ 172{ 127 337 335 96 446 102 172	13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36, 37, 39-42, 44 22-23, 40-42 1-94 1-30 1-47 33-35 30-33, 75 10-13 23 21-23,
farm taxation and rent, 1925-27. livestock possibilities, economic study. loblolly pine forests, portable band sawmill and selective logging. R. D. Garver and J. B. Cuno. sweetpotatoes, fertilizers for, investigations. J. J. Skinner, C. B. Williams, and H. B. Mann. North Dakota— barley yields— 1922-26, by varieties. 1927-31 crop yields, variability in different type of farming areas farm taxation and rent, 1919-24. farming— systems, typical.	194 172 127 337 335 96 446 102 172	13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36, 37, 39-42, 44 22-23, 40-42 1-94 1-30 1-47 33-35, 30-33, 75, 10-13, 23 21-23, 29-49
farm taxation and rent, 1925-27. livestock possibilities, economic study. loblolly pine forests, portable band sawmill and selective logging. R. D. Garver and J. B. Cuno. sweetpotatoes, fertilizers for, investigations. J. J. Skinner, C. B. Williams, and H. B. Mann. North Dakota— barley yields— 1922-26, by varieties. 1927-31 crop yields, variability in different type of farming areas. farm taxation and rent, 1919-24. farming— systems, typical. types. F. F. Elliott, J. W. Tapp, and R. E. Willard.	194 172 127 337 335 96 446 102 172 102 102	13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36, 37, 39-42, 44 22-23, 40-42 1-94 1-30 1-47 33-35 30-33, 75 10-13 23 21-23, 29-49 1-55
farm taxation and rent, 1925-27. livestock possibilities, economic study. loblolly pine forests, portable band sawmill and selective logging. R. D. Garver and J. B. Cuno. sweetpotatoes, fertilizers for, investigations. J. J. Skinner, C. B. Williams, and H. B. Mann. North Dakota— barley yields— 1922-26, by varieties. 1927-31 crop yields, variability in different type of farming areas farm taxation and rent, 1919-24. farming— systems, typical.	194 172 127 337 335 96 446 102 172	13-16, 18-22, 24-26 1-4,5, 8-9, 20-21, 28, 31-32, 33-36, 37, 39-42, 44 22-23, 40-42 1-94 1-30 1-47 33-35, 30-33, 75, 10-13, 23 21-23, 29-49

	nical Bulle	
lakes—	No.	Page
classification and vegetation	_ 221	9-4 6
wild-duck foods. F. P. Metcalf	_ 221	1-72
land, rural, classification method	_ 469	1-29
climatic conditions, 1915-34shelterbelt experiments, growth and survival o	f	2-3
deciduous trees, 1915–34. E. J. George	_ 496	1-48
soil types and topography	_ 102	5-7
trends in crop and livestock production	_ 102	15-21
type of farming areas	_ 102	3–5
Northeast—	_ 166	5–9
forest areas and typespulpwood lands, reproduction on. Marinus Westveld	223	1-52
timber growing and logging practice. S. T. Dana	166	
winder growing and logging practice. S. I. Dana	_ 100	1-112
yields of second-growth spruce and fir. W. H. Meyer Northern Great Plains Field Station, Mandan, N. Dak., shelter	_ 142	1-52
holt apportments	_ 496	1-48
belt experiments	- 490	1-40
	_ 197	145 147
Norway, wheats, production, and milling and baking qualities. NOUGARET, R. L.: A Study of Phylloxera Infestation in Cali		145-147
		1-39
fornia as Related to Types of Soils. With M. H. Lapham.		1-98
Nova Scotia, barley yields— 1916–26, by varieties——————————————————————————————————	_ 96	63-64
1010-20, Dy Varieties	- 446	63, 76
1927–31 Nursery(ies)—	_ 330	00, 70
damage from Pacific flathead borer	_ 83	3
European, spread of white-pine blister rust	- 87	10-13
ont must location and more 1002 27	143	3-4
oat-rust, location and work, 1923–27plants—	- 140	0-4
roots, effect of hot water as insecticide. W. E	:	
Fleming and T. E. Baker	274	1-42
sterilization against root pests, study	274	1-40
stock—		
fumigation with carbon disulphide, experiments	_ 478	32-74
tolerance to carbon disulphide treatments		68-71
treatment against Japanese beetle, quarantine require	-	
ments.		79-81
Nuthatches, banding returns, 1923-26	32	81-82
Nutrients, dietary, calculation by short method.	105	6-19
Nutrition—		0 10
extension methods and practices	_ 106	11, 15, 30
family, measurement by scales and standards	. 8	1-30
nitrogen, of tobacco, W. W. Garner, C. W. Bacon	١.	
nitrogen, of tobacco. W. W. Garner, C. W. Bacon J. D. Bowling, and D. E. Brown	414	1-78
Nuts, cooperative associations, 1925	_ 40	56-57
Nvasaland		
cotton industry	_ 466	268-272
tobacco industry	_ 466	247-252
Nygmia phaeorrhoea. See Brown-tail moth.		
Nysius californicus, feeding on cotton, study	_ 296	5-11
Oak(s)—	_	
black, callus formation, relation to season of wounding an		
shellacking	_ 246	3–27
chestnut—	_	
callus formation, relation to season of wounding an		
shellacking	₋ 246	3–27
stands, southern Appalachians, description and		
importance	- 4 76 ₋	5-6
	ا	4-15, 16,
fire-scarred, and decay in	_ 494{	19-24,
along the state of the same time and the same times to	مورا	26-30
gluing for aircraft construction, experiments	_ 20 5	35–37
red, callus formation, relation to season of wounding and	a - 246	3-27
AUCUNCKIUV	_ 440	o−41

Oale(a) Cantinued	Technical Bu	lletins Page
Oak(s)—Continued.		
region in Northeast, location	166	
scrub, management in Northeast	166	98
type forests, reproduction, management, and yiel Northeast	166	80-89
white, callus formation, relation to season of woundin shellacking		4-27
Oat(s)—		
acreage, production, and—		
exports of Bulgaria, statistics	126	∫ 99–102 <u>,</u>
exports of Dulgaria, soundities	120	\ 107–108
exports of Rumania, statistics	126	1 52-54
annual of Warrantonia at At At at	100	ì 147
exports of Yugoslavia, statistics		155-156
trade in Hungary, 1877-1929	160	60-62
breeding for resistance to—		
covered and loose smuts	422	1-9
rusts		
		∫70–73, 99 –
crop-yield estimates, reliability	311	100, 122
	•	8-24, 29-
cropping in mixture with flax	133	33, 41–43,
cropping in mixture with maximum.	100	45, 47
crown rust—		(40, 41
infection percentage for oat varieties	143	6, 21–27
infection percentage for out varieties	1 2 0	
infection types	433	6-7
See also Puccinia coronata avenae.		
growing—	904	FO FO FF
and harvesting, labor and power, use and cost	384	,
A Dalla Barrata Astronomostros A	4.54	6, 13–14,
at Belle Fourche station, experiments	404	25-26, 45,
		<u> 49–52</u>
at Huntley Field Station, experiments, 1927-30_	353	5, 7-8, 15-
av == a::-:-, = :-:-, == ; == ; == ; = :-:		[10, 20, 32
		43, 55, 60,
under irrigation	36	75, 86–89,
		l 103-104
harvesting with combines and binders in the Corn Bo		1-54
hybrid selections, resistance to covered and loose s	muts,	
field studies. T. R. Stanton, F. A. Coffman, and	V. F.	
Tapke	422	1-10
irrigation in Southwest, water applied and crop yield	s 185	37, 38, 47
leaves, inoculation with Puccinia coronata avenae, stud		4-8
losses in harvesting and threshing, Illinois and Ind		
1927	244	21-24
prices in five States, 1923-27	133	5.
production and imports in France	37	79–8 5
resistance to—	_	
covered and loose smuts, field studies of hybrid	selec-	
tions. T. R. Stanton, F. A. Coffman, and		
Tapke	422	1–10
hessian fly	81	14
stem rust, discussion	143	30-31
ripening, delay due to smut infection, experiment	 2 66	62 ⁻
		6-7, 28,
rotation and tillage experiments in Oklahoma	330	29, 34
rust(s)—		
control recommendations	143	34
control recommendationsnurseries, location and work, 1923-27	143	3-4
resistant varieties, description and origin	143	27-30
spring, varietal experiments at Hays, Kans		32-35, 54
sprouted, feeding to—		•
dairy cattle, experiments	321	15–17
dairy cows, effect on breeding troubles		23-24

	cal Bulle	
Oat(s)—Continued. stem rust, infection coefficients for oat varieties— varieties—	No. 143	Page 6–21
reaction to crown rust, field tests	433	4, 7–8
reaction to physiologic forms of Puccinia coronata	433{	28–44, 45–46
rust resistance, field studies. M. N. Leyine, E. C. Stakman, and T. R. Stanton	143	1-36 36-37,
water received and crop yields in Columbia River Basin	200	41-42, 49-51
yield(s)—	•	
effect of manure and alfalfa on	483	3-6, 17-24, 30-33, 35-37
in irrigated crop rotations in Montana	144	8-9, 11, 16, 18- 20, 31
under irrigated rotation in Nebraska	2{	7–8, 13,
Oceania, wheats, production, and milling and baking qualities. Odostemon spp., nomenclature, habitat, and reaction to stem	197	15–17 203–216
rust	300	3, 13, 19
and development	489	68-73
OFFORD, H. R.: The Chemical Eradication of Ribes	240	1-24
barley yields— 1922-26, by varieties— 1927-31————————————————————————————————————	96 446 172	35–37 33–34, 75 24
experiments	133	42-43
strawberry industry, 1920–26	180	2-16, 64, 67, 71-72, 81-83, 84-86, 94-96, 100
Oil(s)—	•	00, 100
adhesive, sources, extraction, and pricesburner—	111	4
application to domestic heating, study. A. H. Senner	109	1-84
automatic control devices, kinds and efficiency boiler ratings, problem	109 109	15–18 75–77
combustion volume, problem	109	74-75
domestic, fuels and fuel consumption	109{	4, 5–11, 81–82
domestic, ignition methods domestic, types, efficiency and construction efficiency in relation to continuous and intermittent	109 109	14-15 2, 11-14
operation	109	4, 70-72
fuel consumption, estimation	109	81-82 27-70,
tests, objects, methods, and results	109	82–84
unconsumed fuel in, detection	109 241	72-74 1-31
content, determination— by optical method, tests and comparisons—————	71	2-13
by Wesson's test	71	2-10
conversion table, preparationin seeds and other oil-bearing materials, simple	71	7–10
method. D. A. Coleman and H. C. Fellows cost for heating, comparison with coal	71 109	1-14 3, 77-79

Oil(s)—Continued.		
emulsions—	No. 253	Page 20-21
analysis methodsas insecticides, use against San Jose scale on peach	200	20-21
trees in the South. H. S. Swingle and O. I. Snapp.	253	1-48
compatibility with insecticides and fungicides	253	39–40 37–39,
effectiveness against citrus rust mite	176{	44–46
freezing pointsengines, drainage pumping plants, equipmentessential. See Oil(s), volatile. fish. See Fish oil. lubricating	253 390	21-22 44-45
chemical and physical properties commercial preparation from crude petroleum refined, composition	253 253 253	8-12, 41 5-8 8
use against codling moth, experiments	281{	12–19, 27–28
sprays, use against fruit-tree mites	25{	2–15, 19–31, 33
toxicity to insects, properties influencingvegetable—	253	24, 34, 41
determination methodssaponification numbersvolatile—	71 253	2–13 14–15
extraction methods and production in the United		
States. A. F. Sieversplants, growing factors	16 16	1-36 32-35
production and extraction methods in the United	10	02-00
States. A. F. Sievers	16	1-36
production, commercial	16	23–32
Oilseeds, production and trade in France	37	99-100
Oklahoma— barley yields, 1927–31	446	35–38, 75
	347{	4 . 6.
broomcorn production	·	32-36, 40
irrigation-district legislation Lawtonin the proof of the control of	254	85 2–3
Field Station, rotation and tillage experiments, 1917— 30. W. M. Osborn	33 0 33 0	1–35
northwestern, cropping system, 1926	121	6-7
soils, selenium content, study	482	32, 34
Woodward, broomcorn experiments at United States Dry- Land Field Station. J. B. Sieglinger	51	1-32
Oleoresin— production, improvement through lower chipping. Eloise		
Gerryproducts, comparative value from different heights of	262	1–24
chipping of trees	262	13-14
yields from different heights of chipping of treesOLITSKY, P. K.: Report of the Foot-and-Mouth Disease Commission of the United States Department of Agriculture.	262	11–13
With Jacob Traum and H. W. Schoening	76	1-172
Olive industry in Union of South Africa	466	147
Soils Based on Improved Dispersion Procedure. With L. T.		
Alexander and H. E. Middleton	170	1-23
OMAN, P. W.: A Classification of North American Agallian Leaf Hoppers	372	1-94
Onions—		
distribution of carlot shipments in United Statesinvestigations on Newlands project	445 464	4–29 26, 28
keeping qualities, influence of storage temperature and	-91	~U, #U
humidity on. R. C. Wright, J. I. Lauritzen, and T. M. Whiteman	475	1-38

Onion(s)—Continued.	cal Bull	et ins
sets, keeping qualities, influence of storage temperature and humidity on. R. C. Wright, J. I. Lauritzen, and	No.	Page
T. M. Whiteman	475	1-38 30-31, 38-43,
shipment by motortruck in various sections	272	46, 55–56, 60–64, 67–68, 70, 73–74
Ontario, barley yields—		
1916–26, by varieties	96 446	64–67 64–66, 76
Onychomys— genus—		
grasshopper mice, life history and habits. Vernon		
Bailey and C. C. Sperry	145	1-20
history	145	3
spp.— breeding habits	145	9–10
description, characteristics, and general habits	145	4-9
food habits	145	10–19
list and range	145	3–4
$Ophion\ bilineatus$, parasitism on fall army worm and other hosts.	138	16-21, 39-42, 57-59
Opius-	•	
crawfordi—		10 15
parasitism on Anastrepha ludenssurvival, relation to humidity	444 444	10-15 15-19
melleus, parasitism of blueberry maggot and life history.	275	47-48, 74
spp., parasitism on apple maggot	66	30
Orange(s)—		_
composition, sampling and analysis, methods	163	3
distribution of carlot shipments in United Statesfruitflies, injury to citrus fruits in Japan	445 15	4-29 11
· • •		20-28.
hydrion concentration changes, study	403{	43-49
industry in southern Africa	466	186–215 3, 5,
infestation by citrus rust mite	176{	14-16, 25, 27, 29, 32
navel, inheritance of composition, study	163	1-22
navel, strains, comparison as to composition	163	5-21
California, analyses and composition. H. D. Poore.	241	1-28
California, composition	241	22-28
Italian, analyses	241	7-8
Pulvinaria, injury to citrus fruits in Japan	15 1 23	6, 13 2
shipments from California, 1916-27stem-end rot, control by use of borax, study	488	1-32
transit diseases, effect of carbon dioxide	318	53, 56
trees		
lead arsenate insecticides, effect in Florida. R. L.	350	1 20
Miller, I. P. Bassett, and W. W. Yothersspraying with lead arsenate, effect	350 350	1-20 1-20
Washington Navel, top-working, recommendations	123	66–67
Washington Navel—		
bud selection: Progeny tests of limb variations. A. D.	100	1 70
Shamel, C. S. Pomeroy, and R. E. Caryl	123 123	1-72 4-6
isolation and propagation of superior strains	123	65
limb variations, perpetuation through budding	123{	7-64, 66,
	ι	68-69
strains, progeny performance recordsvalue, introduction, and acreage	123 123	8-62 1-3
various strains propagated as bud variants, inheritance	1 40	1-3
of composition. E. M. Chace and C. G. Church	163	1-23
yields under irrigation, Pacific slope, 1923-31	379	5 7 , 5 9-63

Technic	al Bulle	tins
Orchard(s)—	No.	Page
damage from Pacific flathead borer	83 454	5–6 35–36
spraying for control of—		
codling moth, experiments	281⟨	3-4, 6-7, 9-10, 16-
	l	19, 23–25
tree hopperswater requirements in Columbia River Basin	402 200	40–42 23–25
See also under specific kinds.	200	20-20
Oregon—		
arid and semiarid lands—	000	44.50
irrigation, rainfall, and crop yields irrigation requirements	200 379	44–50 1–69
barley yields—		1-00
1922–26, by varieties	96	37-40
1927-31	446	39–41, 75
codling moth, life history in the Rogue River Valley. M. A. Yothers and E. R. Van Leeuwen	255	1-35
district improvement companies, purpose and work.	82	36–37
Douglas fir, forests, location, and yielddry lands, wheat production, experiments. D. E. Stephens,	201	63
dry lands, wheat production, experiments. D. E. Stephens,	000	1 00
H. M. Wanser, and A. F. Bracken forests, western yellow pine, slash disposal. T. T. Munger	329	1–68
and R. H. Westveld	259	1-58
W24 W 22 W 000 W 0	1	5, 56–58,
irrigation-district development	254	69, 72,
millianon and an coopment in the second	20.7	73, 74,
land-settlement project	357	85–86, 91 44–45
Medford—	00.	11 10
district, climate and soils	432	3-4
pear orchards, irrigation studies. M. R. Lewis, R. A.	400	1 24
Work, and W. W. Aldrich pine forests, infestation and damage by pandora moth	432 137	1–34 1–19
Rogue River Valley—	101	1 10
climate codling moth, life history. M. A. Yothers and E. R.	255	2–3
codling moth, life history. M. A. Yothers and E. R.	055	35
Van Leeuwen	255	2-16, 19,
strawberry industry, 1920–26	180{	24, 49
Umatilla River, irrigation water, return flow	439	5-6
western, Douglas fir decay and other losses. J. S. Boyce.	286	1–60
Orient—	455	32-35
agricultural practices affecting corn borer corn borer in, and its control. C. A. Clark	455	1-38
Oriental fruit moth. See Fruit moth, oriental.		
Oriental peach moth. See Peach moth, oriental.	32	46
Orioles, banding returns, 1923–26Ornamentals, growing at Huntley Field Station	353	47-49
ORPET, E. O.: The Production of Hybrid Palestine Iris Corms.	000	
With David Griffiths	11	1-15
Orthodichlorobenzene, efficacy against peach borer	58	2, 3
Osborn, W. M.: Rotation and Tillage Experiments at the Lawton (Okla.)		
Field Station, 1917–1930	330	1-35
Spacing and Date-of-Seeding Experiments with Grain Sor-		
ghums. With J. H. Martin, J. B. Sieglinger, A. F. Swanson, D. R. Burnham, H. J. Clemmer, E. H. Coles,		
swanson, D. R. Burnnam, H. J. Clemmer, E. H. Coles, and F. E. Keeting	131	1-47
and F. E. Keating OSENBRUG, ALBERT: Agricultural Investigations at the Belle		
Fourche (8. Dak.) Field Station, 1920-32. With Bever		1 50
Aune and L. A. Hurst	454	1-53 108-109
Ouachita National Forest, managementOverflow lands, southern, economic status in 1926	204 194	1-48
Ovicides, use in control of southwestern corn borer	388	57-59
•		

16cmi	No.	l'age
Owls, banding returns, 1923–26. Oxidation, catalytic, factor in spontaneous combustion of hay Oxides—	32 141	37-38 18-19
aliphatic, efficacy as grain fumigantsaliphatic, toxicity to clothes moths and beetles	162 162	37 50–51
Oxygen— absorption by soils, study———— percentage necessary for prevention of explosions————	211 74	3-6 17-20
Oyster(s)— bacteriological infection————————————————————————————————————	64	13–36, 42–47, 57–58
bacteriology and chemistry. A. C. Hunter and C. W. Harrison	64	1-76
beds, pollution	04{	18–22, 23–26
cooking, effect on bacterial content floating in the shell, effect	64 64 64	23 36–41 64–66
green, studyhibernation, effects, discussion industry, data	64 64	26-29 2-4
Olympia, infection from physical and chemical examination	64 64	68-69 10-13
pink, studyproduction, areas restricted	64 64	66-68 23-26
spoilage, detection and prevention washing, study Ozarks, apple leaf hoppers in. A. J. Ackerman and Dwight	64 64	60-62 43-56
Ozarks, apple leaf hoppers in. A. J. Ackerman and Dwight Isely	263 99	1-40 35-36
Pacific—	88	30-30
coast districts— Bartlett pears, handling investigations. J. R. Mag-		
ness, H. C. Diehl, and F. W. Allenclimate, relation to storage quality of pears	140 140	1-28 21, 26
flathead borer— H. E. Burke and A. G. Böving	83 83	1-36
control methodseconomic importance and distribution	83	28-34 3-7
enemies and associateshabits and seasonal history	83 83	25-28 22-25
history and identity	83	2-3
injury, descriptionparasites	83 83	9-12 26
technical descriptionslope—	83	12-22
basins, arid and semiarid lands, irrigation requirements. Samuel Fortier and A. A. Young	379	1 70
climate, description	379 379	1-70 6-9
river basins and water resources Pacific Northwest—	379	9-12
Bartlett pears— maturity and handling, relation to quality of canned		
product. B. D. Ezell and H. C. Diehlrefrigerated transportation. E. D. Mallinson and	450	1-24
C. L. Powell- berries, preservation by frozen-pack method. H. C. Diehl	434	1-30
J. R. Magness, C. R. Gross, and V. B. Bonney crested myna, or Chinese starling, in. T. H. Scheffer and	148	1-38
Clarence Cottam Douglas fir yield. R. E. McArdle and W. H. Meyer	467 201	1-27
farm-management problems in shifting from sack to bulk handling of grain. N. W. Johnson, E. F. Landerholm,		1-64
G. W. Kuhlman, and T. L. Gaston hessian fly in. L. P. Rockwood and M. M. Reeher	287 361	1-40

Pacific Northwest—Continued. Techn	ical Bulle	etins
ponderosa pine forests, selectively cut, growth. W. H.	No.	Page
Morron		_
Meyer red mite, European, biology. E. J. Newcomer and M. A.	407	1-64
red mive, European, biology. E. J. Newcomer and M. A.		
Yothers	89	1–70
tree hoppers injurious to fruit trees, biology and control.		
M. A. Yothers	402	1-46
M. A. Yothers PACKARD, C. M.: The Hessian Fly in California	81	1-26
Paconia spp., hot-water treatment for insect pests	274	29-30
PAILTHORP, R. R.: Marketing Apples. With J. W. Park	474	1-82
Dalama agishing an aminim an Minhiman	308	
Palarus saishiuensis, parasitism on Tiphia spp		21-22, 25
Pales weevil, infestation of white pine and control in Northeast_	166	69-70
Palestine, wheats, production, and milling and baking qualities_	197	201–203
PALKIN, S.: The Fractionation of American Gum Spirits of		
Turpentine and Evaluation of Its Pinene Content by Optical		
Means	276	1-14
Palmaricoccus—		
attaleae, n. sp., description of stages	404	53-66
merides description of stages	404	72-70
nesiotes, description of stages		72-79
new genus, description of stages and key to species	404	49-53
pritchardiae, n. sp., description of stages	404	67–72
spp., characteristics	404	25–26
spp., characteristics	161	23
Palms, hosts of—		
Parlatoria date scale, and infestation	421	1-2
Phoenicococcus marlatti and relatives	404	5–6
Panama Canal Zone and contiguous territory, soil reconnais-	101	0 0
analia Canal Zone and configures territory, son recommand-	94	1 47
sance. H. H. Bennett	94	1-47
Pandora moth—	40-	
biology in southern Oregon	137	13–17, 19
hosts and distribution	137	36
identity and description	137	2–3
injury to pines, nature and extent periodic pest of western pine forests. J. E. Patterson	137	6-13
periodic pest of western pine forests. J. E. Patterson	137	1-20
Panus stipticus, infection of tree wounds	246	25-26
Paper—	210	20 20
	334	3–15
deterioration due to inorganic acids, investigations		
manufacture from western larch	285	89
mulch. See Mulch, paper.		
waterleaf rag bond, physical properties, effect of inorganic		
acids on. T. D. Jarrell, J. M. Hankins, and F. P. Veitch	334	1–16
Paracantha—		
description and history	401	29-30
spp., description, history, and host	401	30-31
Paradichlorobenzene—		
efficacy in peach-borer control, experiments in South.	58	1-40
O. I. Snapp and C. H. Alden	00,	. U. U. 3U
evaporation rate	58∤	27, 29–30, 31–36
		. 31–30
Parasite(s)—		
braconid—		
Apanteles solitarius (Ratzeburg), of satin moth. D. L.		
Parker of European corn borer, Apanteles thompsoni Lyle.	477	1-18
of European corn borer. Apanteles thompsoni Lyle.		
A. M. Vance	233	1-28
A. M. Vance		
hiology and morphology A M Vance	294	1-48
shalaidaid of harrian fluin California	81	
chalcidoid, of hessian fly in California	91	14-15, 25
egg, of the oriental fruit moth, Trichogramma minutum Riley, biological study. Alvah Peterson	015	1 00
ruley, biological study. Alvan Peterson	215	1-22
external, of poultry, control, ineffectiveness of internal		
medication. D. C. Parman, W. S. Abbott, J. J. Culver,		
external, of poultry, control, ineffectiveness of internal medication. D. C. Parman, W. S. Abbott, J. J. Culver, and W. M. Davidson	60	1-24
grub, Japanese and Chosenese (Scoliidae), biology. C. P.		
Clausen T R Gardner and Kaku Sato	308	1-27

Parasite(s)—Continued. ichneumonid—	nical Bulle	tins Boss
Cremastus flavoorbitalis (Cameron), of European corn	No.	Page
borer, biology. W. G. Bradley and E. D. Burgess. Phaeogenes nigridens Wesmael, of European corn-borer	441	1-16
pupa. H. D. Smith imported, of European corn borer in America. D. W.	331	1-46
Jones Jones		1-28
spirurid, of fowls, developmental stages		3-26
See also under specific host.		
Parastichtis bicolorago, distribution, food habits, and history Paratetranychus pilosus—	88	128–132
synonymy	89	2–3
See also Mite, European red.		
Paratheresia claripalpis, parasitism on sugarcane borer, and life	•	3–10,
history	363{	24-25
Paris green, use against tobacco cutworms, dosage tests	. 88ໍ	164-165
Parish, H. E.: Biology of the Primary Screw Worm Fly,		-01 100
Cochliamuia americana, and a Comparison of Its Stages with	1	
Those of C. macellaria. With E. W. Laske and E. C.		
Cushing	500	1-24
PARK, J. W.: An Economic Study of the Pecan Industry. With S. A.		
Jones, V. C. Childs, R. S. Washburn, B. H. Thibodeaux	•	
		1-91
Market Distribution of Car-Lot Shipments of Fruits and		
Vegetables in the United States	445	1-30
Marketing Apples. With R. R. Pailthorp	474	1-82
Marketing Cantaloups and Other Muskmelons	425	1-51
The Marketing and Distribution of Fruits and Vegetables by Motor Truck. With Brice Edwards	272	1 00
PARKER, D. L.: Apanteles solitarius (Ratzeburg), an Introduced	212	1–88
Braconid Parasite of the Satin Moth	477	1-18
PARKER, H. L.:		
Macrocentrus gifuensis Ashmead, a Polyembryonic Braconid		
Parasite in the European Corn Borer	230	1-63
The European Corn Borer and Its Controlling Factors in		1 60
Europe. With W. R. Thompson	59	1-63
blanchardi Targioni Tozzetti, Parlatoria date scale, external		
anatomy with studies of head skeleton and associated		
parts. F. S. Stickney.		1-68
date scale—		
damage and hosts	42 1	1-2
external anatomy with studies of head skeleton and		1 60
associated parts. F. S. Stickneyhead skeleton and associated parts, description	421 421	1-68 50-64
PARMAN, D. C.:	721	90-0 1
Ineffectiveness of Internal Medication of Poultry for the)	
Control of External Parasites. With W. S. Abbott, J. J.		
Culver, and W. M. Davidson	60	1-24
Tests of Blowfly Baits and Repellents during 1926. With E. W. Laake, F. C. Bishopp, and R. C. Roark	90	1-15
The Chemotropic Responses of the House Fly, the Green-	. 80	1-10
Bottle Flies, and the Black Blowfly. With E. W. Laake,	•	
F. C. Bishopp, and R. C. Roark	270	1-11
Paroxyna—		
description and history	401	40-41
spp., history, description, host, and distribution	401	41-42
PARR, V. V.: A Study of Ranch Organization and Methods of Range		
Cattle Production in the Northern Great Plains Region.		
With M. L. Wilson, R. H. Wilcox, and G. S. Klemmed-	-	
son	45	1-92
Ranch Organization and Methods of Livestock Production	1	
in the Southwest. With G. W. Collier and G. S Klemmedson	. 68	1 104
ALICHIMICUMULI	. 00	1-104

PARROTS—PASTURING

Techn	ical Bulle	etins
Parrots, introduction into United States	No. 61	Page 2, 48
in Brachyrhinus sulcatus	325	20-21
in Chelonus annulipes	294	37-38
in citrus rust mites	176	23 24, 27, 31,
in parasites of fall army worm	138	35, 44, 52, 58
occurrence and importance in hymenopterous parasites	233	22-24
study in European red mite	89	52-54
Partridges, introduction and transplanting in United States Pasteurization—	61	33–38
effect on viscosity of cream	249{	6-7, 12-13, 18
milk, temperature and bacterial count, comparison with foam during certain stages of process. H. A. Whittaker, R. W. Archibald, C. S. Leete, and L. J. Miller	18	1–12
Pasture(s)—	10	1-12
California, infestation by St. Johnswort	202	8, 20–21
carrying capacity, for dairy cows in milk, seasonal variations. T. E. Woodward and R. R. Graves.	465	1-20
crops, for the northern Great Plains, comparison of crested wheatgrass with others. H. L. Westover, J. T. Sarvis, Leroy Moomaw, G. W. Morgan, J. C. Thysell, and	200	
M. A. Bell	307	1-36
effect on maintenance of body weight and milk flow of		
dairy cows	116	14-15
experiments with dairy cows at Huntley Field Station grass(es)— feeding value for milk production when grazed, when fed green, and when fed as hay or silage. R. R. Graves, J. R. Dawson, D. V. Kopland, and T. W.	116	2-15
Moseley	381	1-48
investigations on Newlands project	464	22-24
irrigated, carrying capacity	116	5-6
irrigated, effect of cow manure as top-dressing	116	7-9
importance in swine sanitation	44	7-8 5, 22 -25,
investigations at Huntley Field Station, 1927-30	353	34-39, 43-44
irrigated, grass mixtures for	116	4-5
land utilization in Kentucky Mountains	289	39-47, 92
mixed grass, experiments at Belle Fourche station permanent, acreage and improvement in southeastern	454	18
Coastal Plain	127	9-11
Sudan-grass, value for milk production of dairy cattlesweetclover—	352	21-26, 28
experiments at Fort Hays Branch Station, Kans	410	76–7 <u>7</u>
irrigated, carrying-capacity	116	70 70
treatment with carbon disulphide emulsion	478	76-79
value of crested wheatgrass, experiments See also Grass; Grasslands. Pasturing—	307	27–29, 34
dairy cows on sweetclover, experiments at Belle Fourche		
station	454	19
effect on breeding efficiency of dairy cows	116	9-14
hogs on-	-	
alfalfa, experiments at Belle Fourche station	454	19-20
corn, experiments at Belle Fourche stationsheep on—	454	20-21
alfalfa, corn, and beet tops, experiments	454	21-23

	cal Bull	
PATTERSON, J. E.: Control of the Mountain Pine Beetle in Lodgepole Pine	No.	Page
by the Use of Solar Heat. The Pandora Moth, a Periodic Pest of Western Pine	195	1-20
Forests	137	1-20
Western Pine Beetle in Standing Timber PAUL, B. H.: The Application of Silviculture in Controlling the	3	1–10
Specific Gravity of Wood	168	1–20
arrivals and unloads at New York, 1923-27	115{	32–44, 54–57
bacterial spot disease— and of other stone fruits. J. C. Dunegan———— symptoms————————————————————————————————————	273 273	1-54 8-9, 21-22
blossom blight— control experiments	328	
development and damageborer—	328	45–46 31–32
control, chemical testscontrol, paradichlorobenzene experiments in the South.	58	2-4, 37-39
O. I. Snapp and C. H. Alden	58	1-40
moths, emergencebrown rot—	58	2
J. W. Roberts and J. C. Dunegan causal organism, study	328 328	1-60 6-42
control measures	328{	42-51,
phases of the disease, description	328	53-54 31-38, 52
cankers, developmentcanning—	328	33–38
factors determining success	196	41-42
for ice cream, experimentsindustry, southeastern, development possibilities	84 196	4, 7-8, 12 42-43
quality, indication in pressure tests	196	13-15
quality, tests	196	26-34
crops and prices to producers, 1910–27	115	31–32, 37
distribution of carlot shipments in United Stateseastern, commercially important, canning quality. C. W.	445	4–29
Culpepper and J. S. Caldwell.	196	1-47
flavor, preservation in ice cream	84	6-9
for canning— chemical and physical studies	196	6–25
cold-storage experiments	196	34
selection and handling	196	34-40
freezing for preservation, experiments	84{	4, 7-8, 11-12
Georgia—		
prices at New York, 1923-27	115{	32-34, 36, 38, 45-53
prices to producers, 1910-27	115	31-32
p.1000 to p.10440019, 2010 2122211111	(135-138,
	- 1	141, 142,
industry in Union of South Africa	466	145-146, 169, 174,
	t	177, 183– 185
inoculation with Bacterium pruni, experiments	273	46-47
insect pests, relation to infection by Sclerotinia fructicola	328	38-39
leaves, symptoms of bacterial spot disease on marketing in New York City—	2/3	6-8, 18-20
factors affecting prices	115	1-30
statistics for 1910–27	115	31-64
maturity, effect on canning quality moth, oriental—	196	29 –30
infestation status in Georgia	152	15-16
larvae, entrance into host	152	12–13, 14

	chnical Bulle	
moth, oriental—continued. larvae, feeding, cocooning, and hibernation periods	No. 152	Page 4-7
life-cycle periods and emergence dates in New Jersey life history at Riverton, N. J., in relation to temper	183	25-26
ture. Alvah Peterson and G. J. Haeussler	183	1-3
life history in Georgia. O. I. Snapp and H. S. Swingl		1-16
oviposition and incubationpupal period and moth stage		2-4 8-11
rearing, methods and equipment.		2-9
study in orchard and insectary, comparison		8-9
New Jersey, grade marks and prices at New York	115	25–27, 37–39, 62–64
orchards—		
paradichlorobenzene tests against borer infestations production of oriental fruit-moth eggs parasitized	by	9–26
Trichogramma minutumspraying for San Jose scale, experiments	215 253	16-19 25-42
preservation for use in ice-cream manufacture. C.		20-42
Culpepper, J. S. Caldwell, and R. C. Wright-price in New York City market, factors affecting. H.	84 S.	1–14
Kantor	115	1-64
prices, market, July-August 1931production and shipment, United States, 1920–29	445 196	7 1-2
returns to shippers, New York market, 1924–25	115	57-62
ripening, effect of storage		15-25
11 41	979	29–57,
shipment by motortruck in various sections	272	60–64, 67–76
size, quality, and pack, effect on price		21-29
storage, effect on chemical and physical changes		15-25
supply and price variations	•	6–17 2, 21–36,
transit diseases, effect of carbon dioxide trees—	318{	54-57
dusting with lead arsenate, for control of plum cu	ır-	
culiodusting with nicotine sulphate, for control of plu	188	80–86
curculio		86-88
effect of oil-emulsion sprays		35-37
fumigation for control of brown rot, study immunity to Japanese beetle attack, experiments		48-51 6-12
	(5-26,
injury from paradichlorobenzene	ι	38, 39
San Jose scale, petroleum oils and oil emulsions insecticides. H. S. Swingle and O. I. Snapp		1-48
spraying against Bacterium pruni		49
spraying for control of brown rot, recommendations spraying, with lead arsenate, for control of plum cu	328	44-47
culio		80-86
twigs, bacterial spot disease, symptomsuse in ice cream		9–10 1–13
varietal susceptibility to—	04	1-10
bacterial spot disease	273	16-17
brown rot varieties, value in ice cream, comparison	328	6
Peach Belt, Georgia, plum curculio, life history and habit	84. ts.	9–10, 11
O. I. Snapp		1-91
PEACOCK, W. M.: Comparative Influence of Different Storage Temperatur		
on Weight Losses and Vitality of Seed Potatoes Wi	es th	
on Weight Losses and Vitality of Seed Potatoes. Wi William Stuart and P. M. Lombard	117	1-18
Effect on Subsequent Yields of Storing Cut Seed Potato	es	
at Different Temperatures and Humidities. With R. Wright and T. M. Whiteman	C. 394	1-20
108048—37——11	084	1-20
2000.0 0111		

	cal Bull	
Peacock, W. M.—Continued. Influence of Freezing of Seed Potatoes on Viability and Yield. With R. C. Wright and P. M. Lombard	No. 119	1'age 1–11
Yield. With R. C. Wright and P. M. Lombard Influence of Storage Temperatures on the Rest Period and Dormancy of Potatoes. With R. C. Wright	424	1-11
Peanuts		
composition and digestible nutrients crop-yield estimates, reliability feeding to hogs—	110 311	95, 96–9 ²
comparison of gains and feed consumption effects on physical and chemical composition of car-	413	8–13
casseseffect on quantity and composition of pork	413 368	18–19 1–13
inefficiency for growth in pigs, correction. O. G. Hankins and J. H. Zelleroil content, determination by optical method	110	1–12 4–9, 11–12
production and exports from Africa Pear(s)—	466	337–338
Bartlett—		
canning quality, relation of maturity and handling of pears to, in Pacific Northwest. B. D. Ezell and H. C. Diehl	450	1–24
cold storage, effect on quality of canned product	450	17-20
from Pacific coast districts, cold storage	140	10-11
from Pacific coast districts, handling investigations. J. R. Magness, H. C. Diehl, and F. W. Allen	140	1-28
holding at high temperatures before cold storage, effect	450	. 20
maturity and handling, relation to quality of canned product in Pacific Northwest. B. D. Ezell and		
H. C. Diehl	450	1-24
maturity, effects, experimentspicking time on Pacific coast, investigations	450 140	8-17 2-10, 25
precooling for transportation, advantages	434{	18, 26-28
refrigerated transportation from the Pacific Northwest. E. D. Mallison and C. L. Powell	434	1-30 13-20,
ripening for market	140{	21, 25–26
ripening-room temperatures and humidities, effect on canning quality	450	20-22
storage diseases on Pacific coast	140	14, 16–25
canned, quality tests	450 450	7–8 6
chemical analysis, methodcrop yields under irrigation, Pacific slope, 1930–32	379	47
fall and winter, harvesting and handling, investigations. W. T. Pentzer, J. R. Magness, H. C. Diehl, and M. H.		
Hallerfoliage, oriental fruit moth on, parasitism of Trichogramma	290	1-30 2-3,
minutum(215{	17–19
harvesting and handling fall and winter varieties. W. T. Pentzer, J. R. Magness, H. C. Diehl, and M. H. Haller.	290	1-30 135-138,
industry in South Africa	466	141-149, 168, 169, 171-177, 182-185
orchards, irrigation— economic aspects	432	27-32
on heavy soil near Medford, Oreg., studies. M. R. Lewis, R. A. Work, and W. W. Aldrich	432	1-34
picking maturity, determination, fall and winter varieties_	290	1-13 9-11.
refrigeration, use of salt, experiments ripening, effect of—	434{	25–26, 27
humidity on loss of weight transit and storage temperatures	450 290	21-22 13-27

Pear(s)—Continued.	No.	Page
shipment by motortruck in various sections	070	34, 39–46, 49–52, 55, 30–64, 67–
storage, effect of temperatures upon ripening	290	68, 73 13–27
transit diseases, effect of carbon dioxide	318{	49-51, 56, 57
world production and exports, 1927-32 yield and rate of growth under irrigation, study Pearson, G. A.:	466 432	135 12–26
Forest Types in the Southwest as Determined by Climate and Soil	247	1-144
Timber Growing and Logging Practice in the Southwest and in the Black Hills Region. With R. E. Marsh Peason, N. L.: Neps and Similar Imperfections in Cotton Peason	480 396	1-80 1-19
Austrian winter, use in the Southeastern States field—	367	1–36
tolerance of zinc sulphate in soilvarietal tests at Fort Hays Branch Station, Kans growing—	156 410	15–17 80 –81
on Newlands project	464 346{	25-26, 28 32-33, 39-41
under irrigation	36	51, 89-90
irrigation in Southwest, water applied and crop yields	185{	37-38, 40, 67 29-31, 35,
shipment by motortruck in various sections	272	38, 42-44, 53, 59-68, 75-76
winter, turning methods in Southeastern States Peasantry, conditions in Rumania Peat—	367 126	22-26, 35 16-24
American, profiles, physical and chemical characteristics. I. C. Feustel and H. G. Byers	214	1–27
ammoniated, decomposition, experimentsbacterial activity and decomposition chemical analysis, methods	389 214 214	17-28, 30 20-22 5-7
chemical analyses, results.	214	10-20, 22-24
decomposition, investigations	389{	5-17, 28-29, 30
effect on efficiency of superphosphate and rock phosphate inorganic constituents	371 214 214	25-28 17-20 10-17, 23
organic constituents physical properties—		
determination methodstest results	214 214	4–5 7–10, 22
products, hydrolytic, including ammoniated peat, decomposition. I. C. Feustel and H. G. Byers.	389	1-32
sawgrass, use in fertilizer experimentsvalue as fertilizer conditioner	$\begin{array}{c} 389 \\ 182 \end{array}$	22–28 40–42
Pecan(s)— aphid, black, damage and control industry, economic study. S. A. Jones, V. C. Childs, R. S. Washburn, B. H. Thibodeaux, J. W. Park, and	324	22–23
H. E. Rutiand	324 324	1-91 22-23
insects, control measuresleaf case-bearer, damage and control	324	22
marketing, practices, prices, and conditions markets, conditions and possibilities creates—	324 324	62–87 72–77
dusting, costsspraying, costs and recommendations	$\begin{array}{c} 324 \\ 324 \end{array}$	21- 2 2 21- 2 3

	hnical Bull	
Pecan(s)—Continued. prices, shipping-point, 1925–31		Page 65-67
production and costs, study	324{	2-62, 87-89
scab, control measuresshelling industry, practices and pricesPeck, E. C.: Specific Gravity and Related Properties of Sof	324 324	20–22, 89 85
PECK, MILLARD: Economic Utilization of Marginal Lands	. 343 in	1–24
Nicholas and Webster Counties, W. Va. With Bernas Frank and P. A. Eke	rd 303	1-64
Pelargonium, roots, branching and adventive buds Pellagra— incidence—	151	48-49
and food supply in 73 South Carolina farm familie H. K. Stiebeling and H. E. Munsell relation to sex and age prevention, experiments with farm families in South Car	333 333	1-36 21
lina Pellagric families—		2-34
dietary records for	333	11-14
food-consumption data	333	6-10
citrus fruits and control by use of borax	488{	1-6, 12- 13, 16, 19
sweetpotatoes	99	74
pathogenicity to honeybees, nature	149{	30–31, 36
Pennsylvania— barley yields— 1922-26, by varieties— 1927-31— Cumberland-Shenandoah region, apples grown in, marke ing. C. R. Swinson, J. J. Vernon, F. F. Lininger, F. L	96 446 t- P.	40-41 41-42, 75
Weaver, and A. J. Dadisman farm taxation and rent, 1924–25	•	1-51 24-25
	· ·	42-43 26
Pennyroyal oil, production PENTZER, W. T.: Effect of Various Temperatures on the Storage and Ripei ing of Tomatoes. With R. C. Wright, T. M. Whitema and D. H. Rose Investigations on Harvesting and Handling Fall and Win	n- n, 268	1-35
ter Pears. With J. R. Magness, H. C. Diehl, and M. I Haller	Η.	1-30
Pepper weevil— J. C. Elmore, A. C. Davis, and R. E. Campbell———— economic importance, distribution, and history—————	447	1-28 1-4
enemies and controlfood habits, seasonal activity, and relation to host plants	447 447	25 16-20
host plants, injury, and dissemination	447	5-9, 18-20
infestation, sources, and progress in field	447	10-11
life cycletechnical description	447 447	20-24 12-16
Peppermint— comparison with Japanese mint————————————————————————————————————		3-5
oil— comparison with Japanese mint oil	. 378	A
production and use	16	27-28
H. G. Byers	232	1-24
Perezia pyrausta, parasitism on corn-borer larva	. 59	38–39 42
Perilamnus sp., parasitism on Tiphia pullivora	87 308	23

	ical Bull	
Perisierola emigrata— oviposition and habits	No. 19	Page 11–13
parasitism on pink bollworm		2-4, 11-13
Peronyma—		
description and history	401 401	24 24–26
Perquisites—	401	24-20
and wages of hired farm laborers. J. C. Folsom	213	1-58
of farm laborers, character and value, by States, 1925	213	3–6 4–10, 19,
Persimmon, fire-scarred, and decay in	494{	28-29
Peru—		
parasites of the sugarcane borer and their introduction into the United States. H. A. Jaynes	363	1-27
sugarcane growing and handling Pestalozzia guepini vaccinii, description and distribution	363	24
Pestalozzia guepini vaccinii, description and distribution————————————————————————————————————	258	9
With W. C. Holmes and J. T. Scanlan	310	1-42
Peterson, Alvah:		
A Biological Study of <i>Trichogramma minutum</i> Riley as an Egg Parasite of the Oriental Fruit Moth	215	1-22
Life History of the Oriental Peach Moth at Riverton, N. J.,	210	1-22
in Relation to Temperature. With G. J. Haeussler	183	1-38
Peterson, E. C.: A Quantitative Method for Measuring Stiffness. With		
Tobias Dantzig	108	14-26
Stiffness Produced in Fabrics by Different Starches and	100	0.10
Starch Mixtures Petrography, methods for soil laboratories. W. H. Fry	108 344	2-13 1-96
Petroleum—		1 00
compounds present, properties of groupscrude, occurrence and analyses	253	3-5
oils—	109	4, 5
as insecticides, use against San Jose scale in South.		
H. S. Swingle and O. I. Snappcrude, constituents and properties	$\frac{253}{253}$	1- 4 8
origin, theories Pexomyia genalis, parasitism upon Japanese beetle in Japan	253	2–3
Peromyia genalis, parasitism upon Japanese beetle in Japan	366	2, 11, 56
Pezizella lythri, description and distribution	258	17
nigridens—		
biology, description, and seasonal history	331{	6-36,
collection and shipment	331	42-43 39-42
distribution, history, and hosts	331	2-5
parasite of corn borer, effectiveness Wesmael, an important ichneumonid parasite of pupa	331	36–39, 43
of European corn borer. H. D. Smith	331	1-46
planifrons, parasitism on—	00	0.04.00
corn borer	98	3, 24-26 39-40, 43,
corn-borer pupa	·	47, 49, 55
sp., parasitism on corn borer in Orient Phalaropes, migrants in South America	455 26	23-24
Pheasants, introduction into United States	61	2, 7, 8 39–47
Phenol—		
aldehyde adhesives, preparation and usecompounds, in soils, indication by humus	$\begin{array}{c} 205 \\ 211 \end{array}$	6 2
reactions, of soils, tests	211	23
PHILLIPS, J. C.: Wild Birds Introduced or Transplanted in	61	1 04
PHILLIPS, M. E.: Biology of the Indian-Meal Moth on Dried	01	1-64
Fruits in California. With J. C. Hamlin and W. D. Reed.	242	1-27
Phlox— roots, branching and adventive buds————————————————————————————————————	151	50
spp., hot-water treatment for insect pests	274	31-32

	cal Bulle	etins _
Phlyctaenia rubigalis. See Celery leaf tier.	No.	Page
Phoebes, banding returns, 1923–26 Phoenicococcinae, new subfamily, characterization	32 404	41 26–31
Phoenicococcini— classification	404	24–26
new tribe—		
characteristics	404	26-31
key to genera	404	31-34
description of stages	404	34-36
Cockerell, red date scale, and its allies, external		
anatomy. F. S. Stickney	404	1-163
description of stages	404	37-49
host plants and geographical distribution	404	5-6
morphology, comparative	404	6-24
relation to other coccids.	404	1 43 –1 44
Phormia regina— chemotropic response	270	1–10
parasitism by Brachymeria fonscolombei, experiments		4, 8, 13–14
Phorocera—	000	-, 0, 10 13
agilis—		
foreign distribution and abundance	86	104
introduction and colonization	86	108-111
life history and habits	86	105-108
parasitism on gypsy motherecta, parasitism on corn borer in Orient	86 455	104, 111 20
Phosphate(s)—	700	20
•		11-40, 72-
mechanical application to soil	182	74, 76–84, 87–94
natural—	(01-94
	امیر	11-12.
clay-residue yield	212{	11-12, 14, 16-17
finely divided, mechanical analysis. L. T. Alexander and K. D. Jacob	212	1–24
mechanical analysis— development of method	212	11–18
pipette method	212	18-22
mechanical separates, composition	364	57-66, 78
mechanical separation of large samples, method and	010	
results particle shape, factor in mechanical analysis	212 212	5-8 17-18
settling velocities, determination	212	14-17
specific gravity, determination	212	9-11
use of chemical dispersing agents	212	11-12
rock—		
availability	371	28- 29
chemical analysis, methods and results	364	17-57,
composition and distribution, with special reference to	·	77–78
the United States, K. D. Jacobs, W. L. Hill.		
H. L. Marshall, and D. S. Reynolds	364	1-90
compounds present, study	364{	71–77,
		78-79
efficiency, effects of charcoal and peat on	371	25-28
production and reserves in United States recovery, flotation method	364 364	10-12 13-14
use on Norfolk loams, triangle experiments	225	2-21
Phosphatic compounds in phosphate rock, classification.	364	72-76
Phosphoric acid—		
ammonium citrate-soluble, in natural phosphates, study	364	66-71
content of phosphate rock, study	364	17, 25–26
fertilizer—	348	10 00
experiments, use of exponential yield curve		16-66 34-36,
tests with tobacco	12{	56-57
	•	JU 01

	nical Bullet No.	
Phosphoric acid—Continued. mixtures, effectiveness in growing cotton, experiments—use in fertilizers on Norfolk loams————————————————————————————————————	426	Page 7-43 2-21
Phosphorus— application to sweetclover on Great Plains	380	6-7
deficiency, tobacco plant, symptoms		2, 4–1 6 , 0–22, 35– 36, 39–41
in diet, calculation by short method Photoperiodism—	105	6-19
effect on seeding date of sorghums	453	42–43 28–29 2, 32
study in bluegrass webwormsugar-beet leaf hopper, experiments	173 206	17 31–32
citrella— infestation, comparison with that of Throscoryssa citri-	252	11
range, food plants, life history, and habits		1-5 2, 12
batatas, cause of leaf blight of sweetpotatoes putrefaciens, description and distribution Phylloxera—		57 21–22
infestation— in California, relation to types of soils. R. L. Nou-		
garet and M. H. Lapham of grape stocks in Europe	. 20 146	1–39 3, 7
resistant grape stocks, testing in vinifera regions of United States. G. C. Husmann	146	1-54
vitifoliae— infestation, relation to soil types	20	1-38
injury to grapevines, nature	426	5–6 1
velopment		27–32
Pica pica hudsonia. See Magpie. Picea spp. See Spruce.		
Piedmont Plateau, soil formation, alteration of muscovite and blotite	128	3–31 1–52
Pig(s)— feed—	772	1-02
quantity and kinds, effect on economy of gains and body composition	413	1-29
utilization on peanut and tankage ration feeding experiments—		10-11
at Belle Fourche station with peanuts and tankage crowth on peanuts inefficiency correction O. G.	110	38-42 1-12
growth on peanuts, inefficiency, correction. O. G. Hankins and J. H. Zellerhardening after peanut feeding, experiments infection with—	110 110	1-12 3-12
lungworms, experiments	456 437	11-13 11-16, 27
poisoning from red-squill powders, experiments raising, spring and fall farrowings, comparison sanitation, efficacy in control of intestinal parasites, study_	134 44	26 16–17
surveys, spring and fall, 1923–30. Pigeonpeas, field experiments at West Point, Miss	359	5–14 54 18
Pigeons—	•	3, 4-5, 9,
infestation by Spiruroidea, studyintroduction into United States	L L	18-21, 25 47-48
nematode infestation poisoning from red-squill powders, experiments	49	3-4 26

Techn	ical Bull No.	etins Page
Pigmentation, corn scutellums, inheritance	292 429	1-43 1-20
age, relation to blister-rust infection	87	32-34
bristlecone, planting experiments in the Southwest	247{	105–108 113–114
chipping— height of, effect on microscopic structure———— low, effects on resin production————————————————————————————————————	262 262 407	15-18 2-23 33-37
distillates, efficacy as blowfly repellents————————————————————————————————————	80 492	9, 11 113–114
forests. See Forest(s), pine. growing in the South, advantages	204	12-17
growth studies, methods usedhemlock type forests, management and yields in Northeast_limber—	407 166	6–8 9 3 –9
blister-rust infection in Europe and North America	87	28, 32 105–108
planting experiments in the Southwest	247{	113-114
oblolly— forests of North Carolina, selective logging and portable band sawmill. R. D. Garver and J. B. Cunologging costs in North Carolina————————————————————————————————————	337 337 337 337	1-30 9-10 10-14 17-21
regionlodgepole—	204	11
cone-drying kiln, construction cones, collection and storage cones, description, weight, and fuel value cones, drying, loss of water cones, opening temperatures, importance crown classes, seed production fecundity, comparison with other species mountain pine beetle in, control by use of solar heat.	191 191 191 191 191 191	85-89 20-27 5-6 26-31 31-32 15-19 14-15
J. E. Pattersonseed-extracting plant, model	195 191	1-20 85-89
seed extraction, study	191	21-25 80-83 85-89
seed, germinable, effect of various treatmentsseed, production, extraction, and germination. C. G.	191 191	33 –50
Batesseed production per acre of forestseeds, description and yieldseeds,	191 191	1-92 10
seeds, germination studies	191	31-39, 50-
soil preferenceslongleaf—	191	79, 83–84 4–5
bark thickness, prediction by use of equations	210{	17-21
chipping, low, effect on oleoresin production, study	262	54-64 2-23
importance in naval stores industry, studies	298	1-57
kiln-drying experiments mortality studies range, growth habits, and condition in southern pine	165 2 98	24–25 47–48
regionseed-bearing trees, utilization in reforestationlumber. See Lumber, pine.	204 204	7-10 48-5 0
management and yields in pine and oak region, Northeast mountain, beetle, control in lodgepole pine by use of solar	166	95–97
heat. J E Patterson	195	1-20

D: () () ()		
Pine(s)—Continued. northern white—	ical Bulle No.	tins Page
slash, age, relation to rottingslash decay in southern New England. Perley	132	3-4
Spaulding	132	1-20
slash decay progress	132	2-3
wood structure	248	3-4
nurseries, baits and treatments, formulae	492	111-113
oak region in Northeast, locationoak type of forests, management and yields in Northeast	166	95
oak type of forests, management and yields in Northeast	166	97-98
oils, efficacy against flies, studyponderosa—	270	6, 7, 9
age composition of typical stands	407	- 4
cutting methods	407	5-6 43-45,
cutting regulations	480{	51-61
forests, features and care	480	12-28
forests, general periods of good and poor growth.	40=	
1630–1765, 1776–1930	407	17
growing and logging practice in Southwest and Black	480	1-79
Hills regiongrowth in selectively cut forests of Pacific Northwest.	100	1-19
W. H. Mever	407	1-64
growth of individual trees, effect of selective cutting		
on	407	37-45
mortality, study	407	29-31
reproduction stand, growth studies	407	45-49
selectively cut, growth tables	407 ⟨	21–28, 34–47
selectively cut, volume tables	407	51-64
region—		
California, adequate fire protection in major cover		
types, hour control, determination. S. B. Show		
and E. I. Kotok	209	1-47
California, second-growth stands, preliminary yield	254	1 04
tables. Duncan Dunning and L. H. Reineke southern, advantages for timber growing	354 204	1-24 12-17
southern, artificial reforestation in. P. C. Wakeley	492	1-115
southern, timber growing and logging and turpentin-		1 110
ing practices. R. D. Forbes	204	1-115
relative susceptibility to blister rust	87	31–32
second-growth, establishment in California	354	3-4
seedlings, nursery stock, characteristics	492	61-63,
selectively cut, growth estimates	407 L	77-85 19-29
selectively cut, growth rate, factors influencing	407	8-19
shortleaf—	20,	0 10
bark thickness, indication factors and prediction	210	54-64
kiln-drying experimentsrange, growth habits, and condition in southern pine	165	23-24
range, growth habits, and condition in southern pine	904	10.11
regionseed-bearing trees, utilization in reforestation	204 204	10-11 50-51
slash-	204	30-31
chipping, low, effect on oleoresin production, study	262	2-23
importance in naval stores industry, studies	298	1-57
mortality studies	2 98	47–48
range, growth habits, and burning in southern pine	904	11 10
regionsouthern—	204	11-12
brown-spot needle blight, description and control	492	59 –60
butt rot, cause, damage, and prevention	204	104
cultural operations	204	91-96
fire protection	204	18-46
insects injurious to, control	492	56- 59
nursery principles and practices	492	36-66, 111-113,
mandy principles and practices	102	111-115,
	•	

Dimer(a) Claudinous d		
Pine(s)—Continued. southern—continued.	nical Bulle No.	etins Page
plantation, care of	492	94-108
planting for reforestation, advantages, methods, and	204	100-102
costs planting, labor requirements	492	93-94
planting recommendations	492	66-94
range, growth habits, and present condition	204	6-12
seed, collection, storage, and treatment	492	7-36
seedlings, reproduction requirements	204	65-68
selective logging investigations	375	1-52
specific gravity and growth rate, studysouthern yellow—	168	12–16
characteristics that affect kiln drying	165	14-15
columns, tests by Forest Products Laboratory	{	3-6,
formula	167	10-11,
		14–18, 20, 32–39
defects, appearance in kiln drying	165	25–28
kiln drying, fundamental principles		3-17
kiln-drying practices, survey	165	18-23
kiln-drying schedules	165	41-45
kilns for seasoning		28-38
kilns for seasoning lumber, kiln drying. L. V. Teesdale	165	1-65
protection after kiln drying	165	62–63
seasoning to suit marketsstand and—	165	15–17
tree condition, relation to turpentining work	298	32–45, 49–50
turpentine yield, effect of working methods on	298{	14-32, 48-51
sugar, blister-rust infection in Europe and North America.	87	29
tar oil(s)—	٠.	20
efficacy as blowfly repellent	. 80	9, 11
value as repellents to flies, tests		
	270	6-7, 9, 10
trees, seed-bearing, utilization in reforestation		6-7, 9, 10 46-64
trees, seed-bearing, utilization in reforestation western—	204	
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to high-	204	46-64
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to high- way slash. J. E. Patterson	204	
trees, seed-bearing, utilization in reforestationwestern— western— beetle, infestations in standing timber, relation to highway slash. J. E. Pattersonwhite—	204 3	46-64 1-10
trees, seed-bearing, utilization in reforestationwestern— beetle, infestations in standing timber, relation to highway slash. J. E. Pattersonwhite— seeds, germination under chemical treatment	204 3 156	46-64 1-10 6-13
trees, seed-bearing, utilization in reforestationwestern— western— beetle, infestations in standing timber, relation to highway slash. J. E. Pattersonwhite—	204 3	46-64 1-10 6-13 62-63
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to high- way slash. J. E. Patterson———— white— seeds, germination under chemical treatment—— stand-table material and technic———————————————————————————————————	204 3 156 323	46-64 1-10 6-13 62-63 6-15.
trees, seed-bearing, utilization in reforestationwestern— beetle, infestations in standing timber, relation to highway slash. J. E. Pattersonwhite— seeds, germination under chemical treatment	204 3 156 323	46-64 1-10 6-13 62-63
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson———— white— seeds, germination under chemical treatment—— stand-table material and technic————— tolerance of chemicals used in weed-control tests—	3 156 323 156{	46-64 1-10 6-13 62-63 6-15, 17-21,
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to high- way slash. J. E. Patterson———— white— seeds, germination under chemical treatment—— stand-table material and technic———————————————————————————————————	3 156 323 156	46-64 1-10 6-13 62-63 6-15, 17-21,
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson————————————————————————————————————	204 3 156 323 156{ 323 323	46-64 1-10 6-13 62-63 6-15, 17-21, 26-27
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson————————————————————————————————————	204 3 156 323 156{ 323 323	46-64 1-10 6-13 62-63 6-15, 17-21, 26-27 1-68
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson white— seeds, germination under chemical treatment stand-table material and technic tolerance of chemicals used in weed-control tests type, second-growth yield, stand, and volume tables. I. T. Haig volume-table material and technic yield-table material and technic See also Pinus monticola.	204 3 156 323 156{ 323 323	1-10 6-13 62-63 6-15, 17-21, 26-27 1-68 63-66
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson———— white— seeds, germination under chemical treatment—— stand-table material and technic————— tolerance of chemicals used in weed-control tests— type, second-growth yield, stand, and volume tables. I. T. Haig—————————— volume-table material and technic———————————————————————————————————	204 3 156 323 156 323 323 323 323	46-64 1-10 6-13 62-63 6-15, 17-21, 26-27 1-68 63-66 54-59
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson————————————————————————————————————	204 3 156 323 156 323 323 323 323	1-10 6-13 62-63 6-15, 17-21, 26-27 1-68 63-66
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson————————————————————————————————————	204 3 156 323 156{ 323 323 323 323	46-64 1-10 6-13 62-63 6-15, 17-21, 26-27 1-68 63-66 54-59
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson	204 3 156 323 156 323 323 323 323 323	46-64 1-10 6-13 62-63 6-15, 17-21, 26-27 1-68 63-66 54-59 25-27
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson white— seeds, germination under chemical treatment stand-table material and technic tolerance of chemicals used in weed-control tests type, second-growth yield, stand, and volume tables. I. T. Haig volume-table material and technic yield-table material and technic See also Pinus monticola. yellow— fires in California, hour-control determination forests, natural or planted in intermountain region, suitability of brush lands for growth of F. S. Baker and C. F. Korstian	204 3 156 323 156 323 323 323 323 209	46-64 1-10 6-13 62-63 6-15, 17-21, 26-27 1-68 63-66 54-59
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson————————————————————————————————————	204 3 156 323 156 323 323 323 323 209 256	46-64 1-10 6-13 62-63 6-15, 17-21, 26-27 1-68 63-66 54-59 25-27
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson— white— seeds, germination under chemical treatment— stand-table material and technic— tolerance of chemicals used in weed-control tests— type, second-growth yield, stand, and volume tables. I. T. Haig— volume-table material and technic— yield-table material and technic— yield-table material and technic— yield-table material and technic— fres in California, hour-control determination— forests, natural or planted in intermountain region, suitability of brush lands for growth of F. S. Baker and C. F. Korstian— forests of Oregon and Washington, slash disposal— T. T. Munger and R. H. Westveld— nail-holding power—	204 3 156 323 156{ 323 323 323 323 209 256 259 171	1-10 6-13 62-63 6-15, 17-21, 26-27 1-68 63-66 54-59 25-27
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson white— seeds, germination under chemical treatment stand-table material and technic tolerance of chemicals used in weed-control tests type, second-growth yield, stand, and volume tables. 1. T. Haig volume-table material and technic yield-table material and technic See also Pinus monticola. yellow— fires in California, hour-control determination forests, natural or planted in intermountain region, suitability of brush lands for growth of F. S. Baker and C. F. Korstian forests of Oregon and Washington, slash disposal. T. T. Munger and R. H. Westveld nail-holding power natural range and occurrence	204 3 156 323 156 323 323 323 323 209 256 259 171 256	1-10 6-13 62-63 6-15, 17-21, 26-27 1-68 63-66 54-59 25-27 1-83 1-58 45-47, 48
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson— white— seeds, germination under chemical treatment— stand-table material and technic— tolerance of chemicals used in weed-control tests— type, second-growth yield, stand, and volume tables. I. T. Haig— volume-table material and technic— yield-table material and technic— See also Pinus monticola. yellow— fires in California, hour-control determination— forests, natural or planted in intermountain region, suitability of brush lands for growth of F. S. Baker and C. F. Korstian— forests of Oregon and Washington, slash disposal. T. T. Munger and R. H. Westveld— nail-holding power— natural range and occurrence— planting experiments in Southwest—	204 3 156 323 156 323 323 323 209 256 259 171 256 247	1-10 6-13 62-63 6-15, 17-21, 26-27 1-68 63-66 54-59 25-27 1-83 1-58 45-47, 48 3-6 105-110
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson— white— seeds, germination under chemical treatment— stand-table material and technic— tolerance of chemicals used in weed-control tests— type, second-growth yield, stand, and volume tables. I. T. Haig— volume-table material and technic— yield-table material and technic— See also Pinus monticola. yellow— fires in California, hour-control determination— forests, natural or planted in intermountain region, suitability of brush lands for growth of F. S. Baker and C. F. Korstian— forests of Oregon and Washington, slash disposal. T. T. Munger and R. H. Westveld— nail-holding power— natural range and occurrence— planting experiments in Southwest— planting sites, factors affecting—	204 3 156 323 156{ 323 323 323 323 209 256 259 171 256 247 256	1-10 6-13 62-63 6-15, 17-21, 26-27 1-68 63-66 54-59 25-27 1-83 1-58 45-47, 48 3-6 105-110 49-79
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson— white— seeds, germination under chemical treatment— stand-table material and technic— tolerance of chemicals used in weed-control tests— type, second-growth yield, stand, and volume tables. I. T. Haig— volume-table material and technic— yield-table material and technic— See also Pinus monticola. yellow— fires in California, hour-control determination— forests, natural or planted in intermountain region, suitability of brush lands for growth of F. S. Baker and C. F. Korstian— forests of Oregon and Washington, slash disposal T. T. Munger and R. H. Westveld— nail-holding power— natural range and occurrence— planting experiments in Southwest— planting sites, factors affecting— planting sites, selection—	204 3 156 323 156{ 323 323 323 323 209 256 256 247 256 247 256 247 256 247 256	1-10 6-13 62-63 6-15, 17-21, 26-27 1-68 63-66 54-59 25-27 1-83 1-58 45-47, 48 3-6 105-110 49-79 77-79
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson— white— seeds, germination under chemical treatment— stand-table material and technic— tolerance of chemicals used in weed-control tests— type, second-growth yield, stand, and volume tables. I. T. Haig— volume-table material and technic— yield-table material and technic— See also Pinus monticola. yellow— fires in California, hour-control determination— forests, natural or planted in intermountain region, suitability of brush lands for growth of F. S. Baker and C. F. Korstian— forests of Oregon and Washingston, slash disposal T. T. Munger and R. H. Westveld— nail-holding power— natural range and occurrence— planting sites, factors affecting— planting sites, selection— seeds, germination under chemical treatment——	204 3 156 323 156{ 323 323 323 323 323 209 256 259 171 256 247 256 247 256 256 156 156	1-10 6-13 62-63 6-15, 17-21, 26-27 1-68 63-66 54-59 25-27 1-83 1-58 45-47, 48 3-6 105-110 49-79 77-79 13-15
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson— white— seeds, germination under chemical treatment— stand-table material and technic— tolerance of chemicals used in weed-control tests— type, second-growth yield, stand, and volume tables. I. T. Haig— volume-table material and technic— yield-table material and technic— See also Pinus monticola. yellow— fires in California, hour-control determination— forests, natural or planted in intermountain region, suitability of brush lands for growth of F. S. Baker and C. F. Korstian— forests of Oregon and Washington, slash disposal T. T. Munger and R. H. Westveld— nail-holding power— natural range and occurrence— planting experiments in Southwest— planting sites, factors affecting— planting sites, selection—	204 3 156 323 156{ 323 323 323 323 323 209 256 259 171 256 247 256 247 256 256 156 156	46-64 1-10 6-13 62-63 6-15, 17-21, 26-27 1-68 63-66 54-59 25-27 1-83 1-58 45-47, 48 3-6 105-110 49-79 77-79 13-15 13-15,
trees, seed-bearing, utilization in reforestation western— beetle, infestations in standing timber, relation to highway slash. J. E. Patterson— white— seeds, germination under chemical treatment— stand-table material and technic— tolerance of chemicals used in weed-control tests— type, second-growth yield, stand, and volume tables. I. T. Haig— volume-table material and technic— yield-table material and technic— See also Pinus monticola. yellow— fires in California, hour-control determination— forests, natural or planted in intermountain region, suitability of brush lands for growth of F. S. Baker and C. F. Korstian— forests of Oregon and Washingston, slash disposal T. T. Munger and R. H. Westveld— nail-holding power— natural range and occurrence— planting sites, factors affecting— planting sites, selection— seeds, germination under chemical treatment——	204 3 156 323 156{ 323 323 323 323 323 209 256 259 171 256 247 256 256 156 156 156	1-10 6-13 62-63 6-15, 17-21, 26-27 1-68 63-66 54-59 25-27 1-83 1-58 45-47, 48 3-6 105-110 49-79 77-79 13-15

Pine(s)—Continued.	al Bulle	
white—	No.	Page
blister rust, comparison of European with North American conditions. Perley Spaulding	87	1-59
blister rust, control measures	261	39
distribution and status in Europe	87	3–8
forest floor disturbance, effect on germination of	٠.	0 0
Ribes seeds	261	17-39
Ribes seeds growing in Europe, possibilities	87	46-47
growth, management, and yields in Northeasthardwood stands, southern Appalachians, description	166	56-74
hardwood stands, southern Appalachians, description		
and importance	476	8-9
infection by blister rust, conditions necessary	87	15-24
region, locationscreening for blister-rust protection	166 87	55-56 23-24
seed, transmission of blister rust	87	43-44
weevil, damage and control in Northeast	166	71
yellow-hardwood stands, southern Appalachians, descrip-	200	
tion and importance	476	7-8
yield tables, preliminary, for second-growth stands, Cali-		
fornia	354	1–23
Pineapple(s)—		_
paper mulching, discussionproduction in Union of South Africa	75	3
	466	146-147
Pinelands, southern— barren and productive, comparative salability	204	71-72
cut-over, present condition	204	6, 9-12
productivity maintenance, measures	204	17-73
protection from—	-01	1
disease	204	104
insects	204	102-104
Pinene content, gum spirits of turpentine, evaluation by optical	ا ۔۔۔	1-2,
means	276{	5, 6-7,
Pintails. See Ducks.	ι	10, 11–12
Pinus—		
caribaea. See Pine, slash.		
00/100001 200 2 1110, 2100111	ſ	10, 26–27, 31, 32, 45, 46, 47
cembra, blister-rust infection in Europe and North America.	87₹∶	31, 32, 45,
•	Į	46, 47
contorta. See Pine, lodgepole.	_	
7 131 4 6 41 1 73 137 43 4 1	ا	21-22,
excelsa, blister-rust infection in Europe and North America.	875	31, 32, 45,
flexilis—	Ĺ	46, 47
blister-rust infection in Europe and North America.	87	28, 32
•		105-108,
planting experiments in the Southwest	247	113-114
lambertiana, blister-rust infection in Europe and North	•	
America	87	29
monticola—		
blister-rust infection in Europe and North America.	87	29-30
See also Pine, western white. palustris. See Pine, longleaf.		
parasires. Des I inc, foligical.	٢	22 30
peuce, blister-rust infection in Europe and North America.	87	22, 30, 31, 32,
F,	١	45-46, 47
spp. See Pine(s).	•	,
strobus-	_	
1101 1101 110	۔ آ۔	9-17, 21,
blister-rust infection in Europe and North America.	87{2	3-24, 30-
See also Pine, northern white.	Ĺ	38, 43–47
See and I HE, HOIMEIN WILLIA.		

Pipe(s)—	icai Bulle No.	etins Page
irrigation, velocity of water flow, computation	150	96–100 8–11, 15–
metal, water flow, formulas for	150	19, 23–56, 97–99
riveted steel and— analogous, water flow in. F. C. Scobey	150	1–136
iron, carrying capacity	150	11-18, 88-94,
sheet and plate metal— friction losses, determination	150	96–100 21–63
types and description	150	2, 5–8, 64–77,
suction and discharge, design for drainage, upper Mississippi	Į	101–127,
ValleyPipette—	390	34-40
for soil analysis, description method of mechanical analysis of soils based on improved dispersion procedure. L. B. Olmstead, L. T. Alexander,	170	19–20
and H. E. MiddletonPlanks, piling for air seasoning	170 174	1-2 3 32-42
Plant(s)— anatomy, vegetative propagation from standpoint of. J. H. Priestley and C. F. Swingle	151	1-99
aquatic— food of wild ducks in North Dakota tolerance to salt concentrations	221 221	2-70 4-9
boron— as a natural constituent of	264	15–17
content, studybreeding for oil content, determination by optical test carriers of corn borer	448 71 77	9–15 12–13 10–19
cover, herbaceous, influence on surface run-off and soil ero- sion in relation to grazing on Wasatch Plateau in Utah.	••	10-19
C. L. Forsling dormant, immersion in hot water. effect.	220 274	1-72 35-38
flowering, vegetative propagation, description of process- food, absorption by soil, study by means of exponential	151	2-4
growth, effects of boron onhosts of European corn borer in New England. B. E.	348 448	41-45 4-17
Hodgson immune to Japanese beetle, repellency of extracts from. F. W. Metzger and D. H. Grant	77	1-64
F. W. Metzger and D. H. Grant maturity, effect on regeneration parts, injury by corn borer, description	299 151 77	1-22 80-83 19-36
poisonous— coyotillo (Karwinskia humboldtiana). C. D. Marsh,	"	19-90
A. B. Clawson, and G. C. Roeto livestock, alpine kalmia. A. B. Clawson	29 391	1-27 1-10
to livestock, wild tobaccos (Nicotiana trigonophylla Dunal and Nicotiana attenuata Torrey). C. D. Marsh, A. B. Clawson, and G. C. Roepotted, treatment with naphthalene against Japanese	22	1-23
range, four species not poisonous to livestock. C. D.	427	15-20
repellency to Japanese beetle, classified list	93 299	1-10 12-21
"rest period", definition of termstock-poisoning—	415	2
arrowgrass (Triglochin maritima). C. D. Marsh, A. B. Clawson, and G. C. Roe	113	1-14

Plant(s)—Continued. stock-poisoning—continued.	echnical Bulle No.	etins Page
mountain-laurel (Kalmia latifolia) and sheep la		- ug
(Kalmia angustifolia). C. D. Marsh and A.	В.	
Clawson sleepy grass (Stipa vaseyi). C. D. Marsh and A	219	1–23
sleepy grass (Slipa vaseyi). C. D. Marsh and A	. В. 114	1-20
Clawsonsucking insects, feeding punctures and their effect		1-20
cotton. W. V. King and W. S. Cook	296	1-12
tolerant to boron, list	448	8-9
toxicity of boron	448	15–17
Plantations— Arkansas Delta areas, power utilization and cost. L	Α.	
Reynoldson, W. R. Humphries, S. R. Speelman, E.	· W.	
McComas, and W. H. Youngman	497	1-47
Mississippi Delta areas, power utilization and cost. L	. A.	
Reynoldson, W. R. Humphries, S. R. Speelman, E.	W.	1 47
McComas, and W. H. Youngman Plaskett, C. A.: Principles of Box and Crate Construction	497	1-47 1-134
Plasmodiophora brassicae—	1 1/1	1-104
cause of clubroot of crucifers	181	1
spore germination, study		4-9
Platycoccus—		
new genus—	404	96
characteristicsdescription of stages		26 107-108
tylocephalus, n. sp., description of stages		108-116
Platycoelostomini Morrison, characteristics and classificati	on_ 52	88-91
Platygaster vernalis Myers, introduction into California		14-15
Pleclothrix globosa, description and distribution	258	22
Plenodomus destruens— cause of root rot of sweetpotatoes	99	27, 30
morphology and life history	99	32-33
pathogenicity on sweetpotato		30-31, 70
Pleurotropis utahensis, parasitism on western grass-stem saw	fly_ 157	19–20
Plochionus sp., parasitism on corn borer in Orient	455	25
Plodia interpunctella— synonymy	242	2
See also Indian-meal moth.	242	2
	ſ	7, 13-14,
Plovers, migrants in South America	26⟨	15–17,
	· ·	18, 24
Plowing— investigations at Ardmore, S. Dak.	17	11–14
	•	0.4 5
wheat land, comparison with disking	38{	12–13, 18
Plum(s)		•
bacterial spot disease, study	273	1–49
curculio— adult, study in Georgia, 1921–24	188	27 45 77
eggs, incubation in Georgia, 1921–24	188	37, 45–77 22–27
in peach drops, effect of direct sun rays	188	33-34
larvae, emergence and habits, study in Georgia	(27-39,
		44–45
life history and habits in Georgia Peach Belt.	100	1-91
oviposition in Georgia, 1921–24	188	7-22
parasites in Georgia	188	77-80
pupae, study in Georgia, 1921–24	188	37-45
study in Georgia Peach Belt, methods and equipme	ent. 188	3-6
	ſ	141-146, 148, 149,
industry in Union of South Africa	466	162, 163,
		164, 177,
	(184
mite, European. See Mite, European red.	010	10 1=
transit diseases, effect of carbon dioxidevarietal susceptibility to bacterial spot disease	318 273	46–47, 56 16–17
Agricial anacchimitish to naccellar abor discase """""	213	10-17

Techni	cal Bulle	
Plush, mohair, kemp fibers in	No. 35	Page 5–6
joint, use in aircraft, tests	205 171 205 484 296	12-14 68-69 42-43 22-27 3-11
concentration, relation to physiological effects on living organismsplants. See Plants, poisonous.	346	1-52
use against tobacco cutworms	88 161 403	156–171 23–24 42, 43–49
corn-borer survey wheats, production, and milling and baking qualities Polarity, of shoots and roots, theories Poles—	135 197 151	4 148–150 79–88
air-seasoning periodscedar, manufacture and prices Polhamus, L. G.:	174 251	46 47–50
Experimental Tapping of Hevea Rubber Trees at Bayeux, Haiti, 1924-25	65	1–32
J. A. ElderPolia—	457	1-23
legitima, distribution, food habits, and history meditata, distribution, food habits, and history renigera, distribution, food plants, habits, and history Pollenizers, value of package bees Polyembryony, in Hymenoptera, history Polyporus—	88 88 88 309 230	116-119 119-123 123-128 38-39 2-5
schweinitzii— damage to southern pines infection of Douglas fir, effects	204 286	104 26-27 11-14,
spp., damage to chestnut timber	257	15–16, 20–21
sulphureus, infection of Douglas fir, effects Polystictus— abietinus—	286	29
cause of decay of northern white-pine slash	132{ 286	2-5, 7, 11, 13, 15-17
infection of Douglas fir, effectsspp., damage to chestnut timber	257	
Pomerov, C. S.: Bud Selection in the Washington Navel Orange: Progeny Tests of Limb Variations. With A. D. Shamel and R. E. Caryl	123	1-72
Pondweed(s)— in lakes of North Dakota, annotated list	221	48
leafy, food of wild ducks in North Dakots	221	3, 5–8, 10, 31, 33, 39, 43, 44, 48
sago, food of wild ducks in North Dakota	221	3-11, 14-33, 37-46, 48
POORE, H. D.: Analyses and Composition of California Lemon and Orange Oils	241	1–31
parasites in Far East, further investigations. C. P. Clausen, H. A. Jaynes, and T. R. Gardner	366	1-59

Poplar(s)— Techni	ical Bulle	etins
balm-of-Gilead, nomenclature, characteristics, occurrence,	No.	Page
and longevity	42 0	14-16
halsam— names, description, growth, properties, and uses	226	17-18
nomenclature, characteristics, occurrence, and habits	420	11-14
generic characteristics, description Rocky Mountain region	420	4-48
Rocky Mountain regionvellow—	420	3–48
callus formation, relation to season of wounding and		
shellacking	246	4-27
characteristics, growth, and management. E. F.	0.70	
McCartbydistribution, occurrence, and demand	356 356	1-58 4-10
silvicultural practices, recommendations	356	34-45, 51
species, characteristics and requirements	356	13-34
specific gravity and growth rate, study	168	10-11
timber supply and demand	356	10–13 32–34.
volume and yield tables	356	52-5 4 ,
wood structure	248	4-5
Population—		= 4 0=
changes in relation to land utilization in Kentucky	289	74–85, 98–99
trends, to and from farms	357	90-99 22-24
Populus—	•••	
characteristics in Rocky Mountain region	420	3-4
fremontii, nomenclature, characteristics, occurrence, and	420	32–36
habitssargentii, nomenclature, characteristics, occurrence, and	420	3 <i>2</i> –30
habits	420	29-32
spp. See also Cottonwood.		
texana, characteristics, occurrence, and habits	420	36–38
tremuloides. See Aspen, quaking. wislizeni, nomenclature, characteristics, occurrence, and		
habits	420	39-41
Pork—		
consumption in southeastern Coastal Plain	127	43-45
export(s)— to Cubs. 1921–27	127	47-48
to Cuba, 1921–27trade of Hungary, 1926–27	160	87
fatty-acid content, effects of feeding peanuts and corn to		
firmness, palatability, and other quality factors, effects of	36 8	8–13
feeding level on	413	23-25
lean cured, value in prevention of pellagra	333	19, 25, 34
marketable, production in Southeast, cost per 100 pounds	127	52-53
production—	r	176
and foreign trade in Yugoslavia	126{	176, 177–178
exportation and consumption in Rumania	126	76-77
exports and imports, France, 1909–25	37	160-165
in Bulgaria under Federal inspection, 1919–32 products, export trade of Hungary, 1926–27	126 359	127, 128 49
products, export trade of Hungary, 1926–27	160	87
soft—	200	0.
effect of feeding peanuts and corn to hogs	368	1-13
prevention in peanut-fed pigs, study	110 88	1-12 87-89
Porosagratis vetusta, distribution, food habits, and history Porter, B. A.: The Apple Maggot	66	1-48
Porthetria dispar. See Gypsy moth.		
Portugal, wheats, production, and milling and baking qualities.	197{	161-162,
	174	164–166 48
Posts, piling for air seasoning	114	40

Potash—	al Bulle No.	tins Page
content of soil micas, variation	128	11-14, 16-23, 24, 30, 31
fertilizer— experiments, use of exponential yield curve	348	5–66 16, 24,
tests with tobacco	12	25, 33, 40–48, 57–58
fish-oil soap, use against fruit-tree mites	25	18, 26 , 30, 31, 32, 33
mixtures, effectiveness in growing cotton, experiments	426	7-43
sources in sweetpotato fertilizers, study	335{	23–25, 44–45
use in fertilizers on Norfolk loams Potassium—	225	2–21
deficiency, tobacco plant, symptoms	340	2, 4-16, 22-23, 35, 36, 37, 39, 40, 41
fluoaluminate, efficacy in control of codling moth, experi-	373	4–6, 10, 13
fluosilicate, efficacy in control of codling moth, experiments	373	3-6, 8, 9, 13-15, 17, 22
mechanical distribution to soilnitrate mixture, effect on tobacco yields	182 414	11–40, 81 16–18
acreage— and production in Switzerland, 1913-26	101	16
production, and exports of Bulgaria, statistics	126{	99–101, 110–111
production, and exports of Rumania, 1909-13, 1921-25_	ι	30–34, 43, 56–58
production, and exports of Yugoslavia, statistics	126	159–161 27–31,
carload shipments, 1920–25	7{	55-58
cold storage, temperature studiescrop, commercial, origin and distribution. J. W. Strowbridge	117	1–16 1–60
crop-yield estimates, reliability	311{	83–87,
cut seed, storage at different temperatures and humidities, effect on subsequent yields. R. C. Wright, W. M.	97-1	99–100
Peacock, and T. M. Whitemandecay in storage, relation to temperaturesdistribution—	394 117	1-20 5
areasof carlot shipments in United States	7 445	10-26 4 -29
dormancy— and rest period, influence of storage temperatures on. R. C. Wright and W. M. Peacock at different storage temperatures, study foliage, color, variation with soil moisture	424 424 118	1-22 11-12 5-6
freezing— injury. R. C. Wright and H. C. Diehl injury, description————————————————————————————————————	27 119 27 27 119	1-24 5-6 14-21 3-4, 21 4-9
germination— and yield from frozen seed effect of irrigation method hastening by chemical treatments	119 118 415	4-9 12-20 5-30

Potato(es)—Continued.	Technical Bulle No.	etins Page
growing—	ſ	15–16,
at Belle Fourche station, experiments	454	29–30, 44, 45, 47, 52
at Huntley Field Station, experiments, 1927-30_	į.	5–8, 13–15, 22, 33
extension methods and practices	100	11, 27–28, 33, 34
on Newlands project	464	21
under irrigation	36{	51, 55–56, 91–92, 100
infection by F usarium sppirrigation—	62 ⁽	1-34
in Southwest, water applied and crop yieldstime and rate, studies in Colorado. W. C. Edm	185 nund-	38, 40, 53
land, irrigating up, effect on germination and yield market(s)—	118	22 12–18
losses from fusarium rot	62	2-6
unloads and supply, 1920–25	7 7	31-54
marketing planter with fertilizer attachment, description and o	ners.	7–58
tion	182	54-60
production—		
and trade in France		89-90
commercial areaseffects of irrigation time		3-5, 11-29 8-12
rest period(s)—		0 12
and dormancy, influence of storage temperature	s on.	
R. C. Wright and W. M. Peacock		1-22
and dormant periods, definition	•	1-2 3-11,
at different storage temperatures, study	L L	13-20
shortening. William Stuart and E. H. Milstead.	415	1-32
rotting in storage, experimental studiesseed—	62	1–34
	. C.	
freezing, influence on viability and yield. R Wright, W. M. Peacock, and P. M. Lombard.	119	1-11
greened, comparison with ungreened		24-33 10-24
mature and immature, comparisonproduction on irrigated land, experiments	216	10-24
storage, comparative influence of different temp	pera-	- 0
tures on weight losses and vitality. Wi	lliam	1 10
Stuart, P. M. Lombard, and W. M. Peacock vigor and vitality, effect of irrigation water	117	1-18
W. C. Edmundson	216	1-7
seeding, experiments with frozen pieces	119	1–10
sets— character and treatment		10–35
source, character and treatment. William St W. C. Edmundson, P. M. Lombard, and G	uart, . W.	
Dewey	5 5	1-36 7-10
tubers, normal and oversized, comparison	 1	29-38, 41-
shipment by motortruck in various sections	272	44, 47, 51- 57, 60-64,
surplient by motoritides in various sections		57, 60-64, 67-76
starch	•	. 01 10
paste, physical properties, investigations		1-16
preparation and use as sizing	108{	2-3, 9-13, 27
	·	o−10, 21

Detail (A) Continued		
Potato(es)—Continued. storage—	Technical Bul No.	letins Page
rot, prevention	62	29-31
temperatures, influence on freezing points	27	3–4, 21
temperatures, influence on rest period and dorms R. C. Wright and W. M. Peacock	.ncy.	1-22
stored, fusarium rot, inception and development fac		. 22
Freeman Weiss, J. I. Lauritzen, and Philip Brierley	62	1-36
suberization, effect on fusarium rot infection		20-25 3-5, 11-
transpiration and respiration losses in storage	117	12, 16
treatment for shortening of rest period, experiments.	415	1-30
undercooling, experiments	27 160	4–11 65–67
utilization, production, and imports in Hungary varietal resistance to fusarium rot		25, 33
varieties, weight losses in storage, comparison	117	8–10, 11
vegetative reproduction, peculiarities		76-77
vitality, influence of storage temperatures on wart—	117	12–16
control studies	56	8–13
dissemination, means	56	2–3
spread and repression factors. Freeman Weiss Philip Brierley		1-14
water—		1 11
received and crop yields in Columbia River Basin	200	38, 43,
requirements, determination		44–45, 52 6–8
requirements in Columbia River Basin	200	20-22
weight losses in storage	117	2-12
wound-periderm formation, relation to fusarium rot i		17-25
tion yield(s)—	02	17-23
effect of irrigation method	118	16-20
		$\begin{bmatrix} 3-6, 12, \\ 17, 22, 24 \end{bmatrix}$
effect of manure and alfalfa on	483	17, 23–24, 27–30,
		35-37
effect of storage of cut seed pieces at different	tem-	
peratures and humidities. R. C. Wright, W Peacock, and T. M. Whiteman	. M. 394	1-20
effect of storage temperature	117	12-16
in irrigated crop rotations in Montana	144	10-11, 16,
•	'	22-24, 31
under irrigated rotation in Nebraska	2	17-18
Ports, S. F.: Attractants for the Flying Gipsy Moths a	s an	
Aid in Locating New Infestations. With C. W. Collins Poultry—	336	1-44
attack by magnies	24	12
cooperative associations, 1935	40	57–6 1
industry—		61–66, 74,
in Southeast, status and possibilities	127	77, 83, 84,
to month and Africa	400	86, 93
in southern AfricaNew York City, factors in trade	466 107	133–134 4–10
New York City, size and growth	107	3-4
investigations on Newlands project	 464	33-34
live— demand at New York City	107	17-18
distribution at New York, 1923–27	107	61-63
marketing costs	107	19-26
marketing specialization among dealers marketing wholesale in New York City. F.	107	16–17
Buechel	107	1-68
price and supply movements by classes price-making mechanism at New York City	107	33-37
price-making mechanism at New York City	107	29–33

Poultry—Continued.	Technical Bulle No.	tins Page
prices at New York City, 1923–27	107	26-29,
prices, wholesale, analysis	107	64–66 37–55
receipts at New York City, 1900-1927	107	60-61, 63-
supply for New York City, receipts and origin	·	64, 67–68 10–16
transportation costs	۲	19–21,
weight changes in shipping		57, 58 21
parasites, external, control, ineffectiveness of inte medication. D. C. Parman, W. S. Abbott, J. J. Cul	rnal ver,	1-2 1-24
and W. M. Davidson parasitic nematodes of the Spiruroidea in, developme stages. E. B. Cram prices at New York City, effect of holidays	227	1-28 46, 48-50
raising, extension methods and practices		11.
value as perquisites for farm labor	ι	35–36, 37 8–10
See also Broilers; Chickens; Fowl; Turkeys. Powder-post beetles, infestation of lumber and control Powder worm. See Cedar pole borer, western.		30-31
POWELL, C. L.: Refrigerated Transportation of Bartlett Pofrom the Pacific Northwest. With E. D. Mallison	ears 434	1-30
costs on—	004	00
Corn Belt farms, study Mississippi and Arkansas Delta plantations	384 497	28-57 25-43
drainage pumping, factors affecting choice of type	1	96–97, 99–100
equipment, drainage pumping plants, selection mechanical, use on farms in Kansas and Oklahoma requirements—	390	40-45 7-8
and costs for crop production on Corn Belt farms- for crop production in Mississippi and Arkansas		51-57 21-25
type, factors affecting choice in drainage pumping	327{	96–97, 99–100
units, number on Corn Belt farms	384`	4-7
on Corn Belt farms	384	7-18 3, 13-15,
with combines on Great Plains	70{	24–27, 29, 52
utilization and cost on— Corn Belt farms. L. A. Reynoldson, W. R. Humph. S. R. Speelman, E. W. McComas, and W. Youngman	Н.	1-60
Mississippi and Arkansas Delta plantations. L Reynoldson, W. R. Humphries, S. R. Speeln E. W. McComas, and W. H. Youngman	. A. nan,	1-47
Precipitation— Canal Zone, data, 1922		3-4
effect on sugar-beet leaf hopper	206	5-6, 22- 23, 61-62, 69-70,
Greeley, Colo., growing season, 1919-26in central Europe, effect on corn-borer infestation, 18	118 378-	83–87 5
1927	135	46-51
in North Dakota, quantity and effects on crop yields- in southern Great Plains, records for 1912–26	102 131	9–10 5–6
influence upon black grama grass range. E. W. Nelso intermountain region, records	n 409	1-32 10-16

Precipitation—Continued. Tech	nical Bull No.	etins Page
Belle Fourche station, 1908–32		3, 44–46
Jornada Experimental Range	409	10–13
relation to cotton root-rot losses		22–23 48–58,
Southwest, records for 1909-21	i	59, 61,
Wasatch Plateau, with reference to run-off and erosion		19–27, 43– 53, 54–56
Preemption acts, passage and accomplishmentsPretzels—		26
baking, requirements and tests	l	1, 3–7, 11–16
flour for. J. H. Shollenberger and W. K. Marshall manufacture, commercial	. 46 . 46	1-16 3-7
types, qualities and food value	46	2-3
Price(s). See under specific crops and other farm products. PRIESTLEY, J. H.: Vegetative Propagation from the Stand- point of Plant Anatomy. With C. F. Swingle	151	1-99
Prince Edward Island, barley yields— 1916–26, by varieties	. 96	68
1927–31 Procecidochares—		66
australis, description, hosts, and distribution	401 401	22-23 22
dolichos, distribution, food plants, and history		146-148
eridania, distribution, food habits, and history ornithogalli, distribution, food plants, habits, and history_ Propagation, vegetative, from the standpoint of plant anatomy	. 88	143-145 149-155
J. H. Priestley and C. F. Swingle Property, rural, inheritance in Switzerland	151	1-99 13-14
Prosena sibirita, parasitism upon Japanese beetle in Far East	ſ	
Prospaltella—	•	00, 01
divergens, parasitism on Aleurocanthus woglumismithi, parasitism on Aleurocanthus woglumi Protein—		31-32 3 3
content—		
alfalfa hay, effect of rain		16
alfalfa hay, relation to leafiness.		17–18, 22
Sudan-grass hay, and chemical compositionin diet, calculation by short method		6-9, 26-27 6-19
Protodiaspis lagunae, description of stages	•	
Prune(s)—		
host of Indian-meal moth, studies	242	7-11, 17-18, 22-23, 25 141, 144,
industry in Union of South Africa	466	165, 168, 169, 171, 173–174, 177, 183– 185
transit diseases, effect of carbon dioxide	273 296 258	47-49, 56 15 3-11 17-18
Psilocybe agrariella var. vaccinii, n. var., taxonomy and distribu-	0.50	10 10
tion	258 61	12-13 12
Public domain— extent and utilization————————————————————————————————————	357	26 68–69 1–52

	cal Bullet	tins .
Puccinia—	No.	Page
anomala, leaf rust, susceptibility of barley to. E. B. Mains and M. L. Martini	295	1-34
coronala avenae		
physiologic forms, gramineous host range	433	42-44
physiologic forms, identificationphysiologic specialization. H. C. Murphy	433	8-27, 44
physiologic specialization. H. C. Murphy	433	1-48
See also Oats, crown rust. graminis—		
aecial stage, development, factors affecting. R. U.		
Cotter	314	1-38
aeciospores, viability	314	30-31, 35
physiologic forms within a single aecium	314	31-33, 35
races, susceptibility of Berberis spp	300	21-22
resistance of cereals, morphologic and physiologic	000	
studies	266	1-72
susceptibility and resistance of Berberis and related genera to. M. N. Levine and R. U. Cotter	300	1 97
teliospores, germination	314	1-27 10-13, 34
See also Stem rust.	011	10 10, 04
triticina—		
physiologic specialization. C. O. Johnston and E. B.		
Mains	313	1-23
physiological forms, distribution and prevalence	313	15-19, 21
physiological forms, identification, key	313	11-13
Pucciniastrum myrtilli, description	258	19–20
Puerto Rico, soils, hydrogen-ion concentration, effect of air	291	9-15, 21,
drying on	291	24, 40
Pulpwood—	1.40	
consumption, and resources in Northeast	142	1-3
cutting methods in Northeast, resultsindustry, condition and needs in the Northeast	$\begin{array}{c} 223 \\ 223 \end{array}$	6–9 1–3
lands, reproduction on, in the Northeast. Marinus West-	220	1-0
veld	223	1-52
manufacture from western larch	285	89
suitability of white fir	408	73-74
use of quaking aspen for, study in Utah	155	3-33
yield in marginal lands of West Virginia	303	46-47
Yumping plant(s)—		
drainage—	390	51-52
construction and testsdesign and operation, upper Mississippi Valley.	030	01-02
J. G. Sutton	390	1-60
determination of static lifts	390	5-11
equipment available, upper Mississippi Valley	390	56-59
operation	390	52–53, 56
equipment, upper Mississippi Valley	327	2-7, 97
relation to general plan of drainage selection for use in upper Mississippi Valley	390	28-34
Purchasing, cooperative associations, 1925. R. H. Elsworth	390 40	1-98
Pyrausta nubilalis—	70	100
biological controlling factors in Orient	455	17-26
distribution, number of generations, and hosts in Orient	455	12-17
parasites—		
and predators in Orient, list	455	18
collection and shipment from Orient	455	26-31
See also Corn borer, European.		
Pyrethrum— commercial grades, relative insecticidal value. C. C.		
McDonnell, W. S. Abbott, W. M. Davidson, G. L.		
Keenan, and O. A. Nelson	198	1-10
Keenan, and O. A. Nelson dust, use in control of celery leaf tier	463	50-51

Pyrethrum—Continued. flowers—	nical Bull No.	etins Page
and flower parts, insecticidal value Dalmatian and Japanese, chemical analysis Dalmatian, microscopical separation	198 198	6-8 3 2-3
powder, efficacy as blowfly repellent use against codling-moth larvae, experiments	281	9, 11 26, 28 25, 28
Pyrites, selenium content, examination	482	10–11, 21, 43
Pyrrol reaction of soils, determination and significance Pythium, spp., pathenogenicity on sweetpotatoes		21-22 46-74
Quail—	,	9 5 0 19
bobwhite, infestation with Spiruroidea, study	227	3–5, 9, 13– 16, 18–23, 25
California, banding, returns, 1923–26	_	33-34
introduction and transplanting in United States	61{	18–33, 38– 3 9
Quebec, barley yields— 1906–26, by varieties——————————————————————————————————		69-73 67-69, 76
Quercus spp. See Oak(s).		01-00, 10
QUESTEL, D. D.: Subfreezing Temperatures Lethal to the European Corn Borer Infesting Green Ears of Sweet Corn. With C. H. Batchelder		1–14
With C. H. Batchelder Quicklime, use in prevention of arsenical injuries to apples QUISENBERRY, K. S.:	245	8
Breeding Hard Red Winter Wheats for Winter Hardiness and High Yield. With J. A. Clark	136	1–28
Inheritance of Winter Hardiness, Growth Habit, and Stem- Rust Reaction in Crosses between Minhardi Winter and		1 40
H-44 Spring Wheats	218	1-46
Rabbit(s)— meat, attractiveness to blowflies, tests poisoning by thallium salts, experiments		2 18–19
Radio, use in extension work, costs and effectiveness	125	3-4, 6-11, 13-14,
RAFFENSPERGER, H. B.: The Swine Sanitation System as Developed by the Bureau of Animal Industry in McLean County, Ill. With J. W. Connelly		16, 19 1–20
Railroad(s)-		
revenues and service, relation to forest exploitation in Michigan	92	33–40
ties, woods for, strength, determination	158 61	33 9
Rain—		
effect on citrus rust-mite infestation effect on protein content of alfalfa hay Rainfall—	176 235	31 16, 24
California experiment vineyards, record Canal Zone, records, 1922	146 94	17 3–4
Corn Belt, records for 1914-27	244	41 -44
effect on— bacterial wilt of corn, study	362	15–21
effectiveness of calcium-arsenate treatment of cotton_	487	23
emergence of boll weevils from hibernation	486 207{	22-23, 25 6, 7, 9,
results from seed treatment of barley spread of sugarcane moth borer	2075 41	11, 15 37–39
wind throwing of timber in Washington in South Carolina, at Florence, 1923–26	104 112	1-2 2-4
relation to yields of flax in mixed cropping, in northern States		7-9, 26, 40

	ical Bulle No.	
Raisin(s)— curing	No. 1	Page 2
grading, methods and tests	î	2–22
	•	7-11,
host of Indian-meal moth, studies	242{	16-25
	Ì	165–167,
		169–171,
industry in Union of South Africa	4 66⟨	176-179,
	l	181–183,
standardization communical tasts of mostleds. TO M	'	185
standardization, commercial, tests of methods. E. M. Chace and C. G. Church	1	1-24
RAMSER, C. E.:		1-24
Erosion and Silting of Dredged Drainage Ditches	184	1-55
Flow of Water in Drainage Channels: The Results of Ex-	101	1 00
periments to Determine the Roughness Coefficient n in		
Kutter's Formula	129	1-102
Ranch(es)—		
cattle, organization in Southwest	68	21-64
financial summary of survey, northern Great Plains	45	55-64
management, northern Great Plains	45	19-55
operation problems, northern Great Plains	45	65–73
organization—		
and methods of livestock production in the South- west. V. V. Parr, G. W. Collier, and G. S. Klem-		
medson	68	1-104
northern Great Plains region, and methods of range-	00	1 101
cattle production. M. L. Wilson, R. H. Wilcox,		
G. S. Klemmedson, and V. V. Parr	45	1-92
• •	ſ	52-62,
receipts, expenses, and income, in Southwest	68	69–72,
rotorpus, expenses, una module, in countresserrent	(۳	90-95,
A - 1 - 1	ا ا	101-103
standard organizations, operation, northern Great Plains	45	73-91
steer, operation in Southwest RAND, F. V.: Bacterial Wilt of Corn. With L. C. Cash	68 362	64–72 1–31
RANDELL, C. G.: Cooperative Marketing of Livestock in the	302	1-91
United States by Terminal Associations	57	1-11
Range(s)—	••	
black grama grass, influence of precipitation and grazing		
upon. E. W. Nelson	409	1-32
land, control and utilization in Nevada	301{	19–31,
iana, control and dimination in 110 vada	001	44-49
	ام	29–34,
management in Southwest	68{	80–82,
plants, four species not poisonous to livestock. C. D.	·	84–85
Marsh, A. B. Clawson, and G. C. Roe	93	1-10
semiarid southwestern, importance of black grama on	409	1-2
types in Southwest	68	6–11
types in Southwest use and improvement, northern Great Plains	45	48-55
Ranunculaceae, repellency to Japanese beetle, list	299	19
Rape, growing, experiments at Fort Hays Branch Station,		
Kans	410	92
Raspberry (ies)—	000	0.4
competition with spruce and fir in the Northeast	223	34 41, 43–49
hydrion concentration changes, studypreservation by frozen-pack method in Pacific Northwest	403 148	1-37
transit diseases, effect of carbon dioxide	318	45, 54, 56
Raticides, red-squill powders as. J. C. Munch, James Silver,	310	_0, 01, 00
and E. E. Horn	134	1-36
Ration(s)—	-	
beef steers, relation to production and quality, experi-		
ments	217	1-43
grain, for beef calves before and after weaning, comparison.	005	1 14
W. H. Black and E. A. Trowbridge	397	1-16 3-19

Techn	ical Bulie	tins _
Ration(s)—Continued. hogs, peanut followed by corn, effects in quantity and	No.	Page
composition of fat. N. R. Ellis	368	1-14
succulence in, effect on water consumption of cows	$\begin{array}{c} 278 \\ 192 \end{array}$	12, 13 2-13
winter, for steers on northern Great Plains See also under specific animals.	192	2-13
RATLIFFE, G. T.: Cotton Root Rot as Affected by Crop Rota-	400	1 01
tion and Tillage at San Antonio, Tex	436	1–31
red-squill powders, tests and directions	134{	1-25, 27,
use of thallium, experiments	238	31, 34 12-21
Real estate—	200	12-21
farm— assessed valuation and sales value	172	44-51
loans, differences in size	288	34-37
price level, relation to amount of loan	$\begin{array}{c} 288 \\ 172 \end{array}$	78-80 31-3 4
urban, income and taxes	112	91-94
arable lands, and irrigation requirements, Pacific slope	379	34-44
irrigation water, delivery lands in Columbia River Basin, and irrigation require-	47	1–48
ments	200	31-33
Reclamation Act, passage, provisions, and effect	357	29-30 59-61,
Reclamation, Bureau of, relations with irrigation districts	254	91-92
Red mite, European. See Mite, European red. Red spider, distinction from European red mite	89	10–11
Redcedar—	00	10 11
western—	,	1, 3–6,
injury by western cedar pole borer	48{	13-14
names, description, properties, and uses	226	10-12
seeds, germination under chemical treatmenttolerance of zinc sulphate in soil	156 156	21-22 21-22
wind-thrown, losses five years after windfall	104{	8–10,
Redwood—	(18–23
properties and uses, factors affecting	305	16-24
region, California coast, timber growing and logging practice. S. B. Show.	283	1-22
specific gravity—		
and growth rate, study	168	16-17
study	305{	3-11, 16- 20, 25-34
strength and related properties. R. F. Luxford and L. J.		
Markwardttimber—	305	1-48
crops, production measures	283	12-20
in California, status and characteristicsreproduction in California, studies	283 283	4-9 9, 14-15
virgin and second-growth, strength tests	305	12–16
REED, W. D.: Biology of the Indian-Meal Moth on Dried Fruits in California. With J. C. Hamlin and M. E. Phillips.	242	1-27
REEHER. M. M.: The Hessian Fly in the Pacific Northwest.		1 2,
With L. P. Rockwood	361	1–24
of Ticks	418	1-18
Reeves, E. L.: Arsenical and Other Fruit Injuries of Apples	245	1-12
Resulting from Washing Operations. With D. F. Fisher Reeves, J. A.: Biological and Ecological Factors in the Control	240	1-12
of the Celery Leaf Tier in Florida. With E. D. Ball, B. L.	400	
Boyden, and W. E. Stone	463	1–56
artificial, in southern pine region. P. C. Wakeley	492	1-115
need and progress in Michigan southern pinelands, recommendations	$\begin{array}{c} 92 \\ 204 \end{array}$	93-99 105-106
Total pindimido, 1000mmondanional 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	_01	

Refrigeration of—	nical Bull No.	letins P ag e
Bartlett pears in transportation from the Pacific Northwest. E. D. Mallison and C. L. Powell	434	1-30
fruits, for disease prevention by carbon dioxide	318	$\left\{egin{array}{c} 6,7,13-\ 21,26-36,\ 37-44,57 \end{array} ight.$
oysters in transitRefrigerator(s)—		59-60
	1	6, 7, 17-
cars, use in prevention of transit diseases of fruits	. 31 8	21, 31–36, 40–44, 55, 57
construction of western larch, advantages		. 6712
pony, use in prevention of transit diseases of fruits		17, 26–31, 37–40, 48 –
Refuge, alligator, location	147	52, 56, 57 19
REINBACH, LUCILLE: Yields of Barley in the United States and Canada, 1927–31. With H. V. Harlan and P. R. Cowan		1-80
REINEKE, L. H.: An Alinement-Chart Method for Preparing Forest-Tree		
Volume Tables. With Donald Bruce Correlation Alinement Charts in Forest Research: A	304	1-28
Method of Solving Problems in Curvilinear Multiple	!	
Correlation. Donald Bruce Preliminary Yield Tables for Second-Growth Stands in the	210	1–88
California Pine Region. With Duncan Dunning	354	1-24
and blowfly baits, tests during 1926. D. C. Parman, E. W. Laake, F. C. Bishopp, and R. C. Roark	80	1-15
efficacy against housefly, green-bottle flies, and black		
blowfly, study Reservoir(s)—	270	1–10
companies, mutual, for irrigation purposes	82	31
for storing water, need in Texas, surveyResin—	382	1-56
content of Cryptostegia spp., determination	457	17-18
outflow, symptom of white-pine blister rust passages, distribution in longleaf pine		38–39 16–18
Respiration—		
in hay, factor in spontaneous combustion	117	15-17, 21 3-5, 11, 16
of sorghum grains. D. A. Coleman, B. E. Rothgeb, and H. C. Fellows		1-16
Rest period—	100	1-10
plants, distinction from dormancypotato. See Potato, rest period.	415	2
REYNOLDS, D. S.: The Composition and Distribution of Phos-		
phate Rock with Special Reference to the United States. With K. D. Jacob, W. L. Hill, and H. L. Marshall	364	1-90
REYNOLDSON, L. A.:		1-90
Harvesting Small Grain, Soybeans, and Clover in the Corn Belt with Combines and Binders. With W. R. Hum-		
phries and J. H. Martin	244	1-55
Methods of Harvesting Grain Sorghums. With J. H. Martin, B. E. Rothgeb, and W. M. Hurst	121	1-35
The Combined Harvester-Thresher in the Great Plains.		
With R. S. Kifer, J. H. Martin, and W. R. Humphries. Utilization and Cost of Power on Corn Belt Farms. With		1-61
W. R. Humphries, S. R. Speelman, E. W. McComas, and		
W. H. Youngman Utilization and Cost of Power on Mississippi and Arkansas	384	1–60
Delta Plantations. With W. R. Humphries, S. R.		
Speelman, E. W. McComas, and W. H. Youngman	497 258	1-47 22

	cal Bulle	tins
Rhagoletis— description and history	No. 401	P ag e 12–13
pomonella— blueberry and apple forms, comparison and relation- ships	275	7–12
fruits infested	275 275	5-6
synonymy and related species	66	3-4, 5
See also Apple(s) maggot; Blueberry(ies) maggot. spp., description, hosts, and distribution	401	13–17
Rhamnus spp., inoculation with crown rust of oats, physiologic forms collected	433{	15–17,
Rhipicephalus sanguineus, transmission of anaplasmosis, ex-	۲.	44, 45 10–11,
periments	418{	14, 15
nigricans, infection of fruit in transit, prevention experi-	318	8–44, 49
spp., infection of sweetpotatoes	99	63-66
Rhodes grass—		
irrigation in Southwest, water applied and crop yields water requirements in Southwest	185 185	58 26–27
Rhodesia— Northern, cattle industry————————————————————————————————————	466	116-120
Southern—	700	110-120
and Northern, tobacco industry	466	239-247
cattle industry	466	98-115
citrus fruit industry	466	205-210
corn industrycotton industry	466 466	320-323 265-268
deciduous fruit industry	466	163-164
Rhododendron sp., hot-water treatment for insect pestsRibes—	274	32
chemical eradication. H. R. Offord	240	1-24
cynosbati seeds, germination, experiments	261{	11-17,
distribution and status in Europe	87	38–39 8–9
nigrum, responsibility for white-pine blister rust in Europe_	87	8-9, 13- 16, 20, 23- 24, 47, 48
rotundifolium seeds, longevity and germination under lab- oratory and natural conditions. A. E. Fivazseeds—	261	1-40
germination, field investigations longevity and germination under laboratory and na-	261	17–39
tural conditions (particularly R. rotundifolium).	001	1 40
A. E. Fivazspp., relative susceptibility to sodium chlorate	261 240	1-40 13, 22-24
RICE, T. D.: A Study of Claypan Soils. With I. C. Brown and	210	10, 22 21
H. G. Byers	399	1-43
acreage, changes as affected by farm prices	297	2-4, 38
California-Japan type, price factors	297{	11-17, 18,
crop-yield estimates, reliability	311	39 97
growing—		9, 13, 31,
in Canal Zone	94(32, 36, 38, 40, 41, 44
industry, development	297 41	1-2 7-8
price, factors— affecting. C. E. Campbell	297	1-56
statistical analysis	297	17-38
respiration in storage	100	6, 9
southern-type, demand for and price factorsstarch—	297	4-11
paste, physical properties, investigations	284	1-16
preparation and use as sizing	108{	4-5, 9-13, 27

Tech	inical Bull	etius Dom
Rice—Continued. statistics for 1900–1931 weevils—	No. 297	Page 40-55
fumigation in presence of wheat, tests	_ 162	2-48, 51-52
toxicity of aliphatic compounds to, tests	_ 162	1-48, 51-52
yields under irrigation, Pacific slope, 1916–25	_ 379{	18, 21- 22, 55
RICHEY, F. D.: Experiments on Hybrid Vigor and Convergen Improvement in Corn. With G. F. Sprague	- 267 - 238	1-22 12, 20 50-52, 70
forest, building, effect on germination of Ribes seedsrelation to regional planning, West Virginia marginal lands taxation, in Michigan, relation to forests	303	31-32 62-63 40-44
Tests of Blowfly Baits and Repellents during 1926. Wit D. C. Parman, E. W. Laake, and F. C. Bishopp Tests of Various Aliphatic Compounds as Fumigants	_ 80	1-15
The Chemotropic Responses of the House Fly, the Green Bottle Flies, and the Black Blowfly. With E. W. Laske	_ 162 - e,	1–52
D. C. Parman, and F. C. Bishopp	328	1-11 1-60
a Hymenopterous Parasite of Blowfly LarvaeRobins—	365	1-22
banding returns, 1923–26	- 32 - 61	86-88 51
introduction experiments. ROBINSON, B. B.: The Time to Harvest Fiber Flax. ROBINSON, W. O.: Chemical Studies of Infertile Soils Deriver from Rocks High in Magnesium and Generally High in Chromium and Nickel. With Glen Edgington and H. G.	di n	1-23
ByersRockwood, L. P.: The Hessian Fly in the Pacific Northwest	_ 471	1-29
With M. M. Reeher Rocky Mountain region, poplars, principal tree willows, and	. 361 d	1-24
walnuts. G. B. Sudworth	_ 420	1-112
aid in control of white-pine blister rust	- 87	40-41
control by use of thallium, experimentsdamage to timber in Southwest and Black Hills region poisoning by—	_ 480	1-2, 12-21 33-34
red-squill powders, experiments	_ 134	26-27
use of thallium, experiments		12–21
Arrow Grass (Triglochin maritima) as a Stock-Poisoning Plant. With C. D. Marsh and A. B. Clawson	113	1-15
Plant. With C. D. Marsh and A. B. Clawson	_ 29	1-27
With C. D. Marsh and A. B. Clawson Wild Tobaccos (Nicotiana trigonophylla Dunal and Nico	_ 93	1–10
tiana attenuata Torrey) as Stock-Poisoning Plants With C. D. Marsh and A. B. Clawson	- 22	1-23
Rogas laphygmae, parasitism on fall army worm	_ 138	16, 17, 20, 33–35, 57–60
Rogue River Valley, pear orchards, irrigation studies	- 432 ·	1-33
Roguing, cotton, requirements	- 302 271	51-52 1-96

Root(s)— Tech	mical Bulle	etins
adventive—	No.	Page
development, relation to plant anatomy	_ 151	59-77
formation in Crambe maritima	_ 151	22-27
production on shoots, effect of air and moistureapex, in plants, structural organization	_ 151	65-67
apex, in plants, structural organization	_ 151	7-9
branching, effect on formation of adventive budscrops, growing, experiments at Fort Hays Branch Station	. 151	46-54
Kans	_ 410	92
Kans fleshy, formation of adventive buds growing as feed crops, experiments. H. L. Westover and	151	55-59
growing as feed crops, experiments. H. L. Westover and	1	
n. a. schoun	- 410	1-15
injury, by corn borer, description.	_ 77	24-28
rot— black, of tobacco. See Thielavia root rot.		
See also under specific host.		
Rose, D. H.:		
Bruising and Freezing of Apples in Storage and Transit	. 270	
With J. M. Lutz	_ 370	1-15
Effect of Various Temperatures on the Storage and Ripen	-	
Effect of Various Temperatures on the Storage and Ripening of Tomatoes. With R. C. Wright, W. T. Pentzer and T. M. Whiteman	, 000	1 25
and I. M. whiteman	- 268	1-35
Rosin, production, improvement by low chipping of trees	262	14
Ross, H. A.: Some Factors Affecting the Demand for Milk and		1 60
Cream in the Metropolitan Area of New York		1–68
Ross, W. H.: Effects of Particle Size on the Properties and	1	
Efficiency of Fertilizers. With A. L. Mehring, L. M. White and J. E. Adams	, 485	1 97
	. 400	1–27
Rotation(s)— crops—		
•	r	45 46 47
dry-land, experiments at Belle Fourche station	. 454(45, 46, 47, 51–52
effect on cotton root rot at San Antonio, Tex. G. T		01-02
Ratliffe		1-31
		7-19.
experiments at Huntley Field Station, 1927-30		26-30
in Egypt, study	. 4 51`	16-22
irrigated, experiments at Belle Fourche station	. 454	8–18
irrigated, in southern Montana. S. H. Hastings and	i	
Dan Hansen irrigated in western Nebraska. C. S. Scofield and	. 144	1-32
irrigated in western Nebraska. C. S. Scofield and	i	
J. A. Holden	. 2	1-26
value in control of hessian fly	- 81	20
with stable manure and alfalfa, effects in Great Plains.	. 483	1-39
experiments, Lawton (Okla.), Field Station, 1917–30. W		
M. Osborn	330	1–35
irrigated, Pima Egyptian cotton in, at the Yuma Field		
Station, Bard, Calif. S. H. Hastings and E. G. Nobel.	. 369	1-31
study at Ardmore, S. Dak	. 17{	17-18,
	υ. Γ	20–21
ROTHGEB, B. E.:	c	1 00
Heat-Damaged Wheat. With D. A. Coleman Methods of Harvesting Grain Sorghums. With J. H. Mar-	. 6	1–32
Methods of narvesting Grain Sorghums. With J. H. Mar-	. 101	1 05
tin, L. A. Reynoldson, and W. M. Hurst- Respiration of Sorghum Grains. With D. A. Coleman and	121	1–35
H C Follows	. 100	1-16
H. C. Fellows Rotterdam, cotton market, facilities and operation	. 100 . 78	47-50
Roughage(s)—	. 10	41-00
	43	1-24
kinds used in rations for fattening calves in Southwest ration for dairy cows, effect on milk production		15-22
Roundworms—	. 110	10-22
in hogs, control by sanitation	44	1-18
intestinal of hose control by sanitation experiments	374	5-14
intestinal, of hogs, control by sanitation, experiments Rowe, W. H.: Agricultural Credit Corporations Affiliated with	. 01%	0 −14
Cotton Commenting Marketing Associations	เ วกก	1 64

Rubber—	cal Bulle No.	tins Page
content of Asclepias subulata, factors affecting	472{	5-6, 8- 11, 15-17
content, two species of <i>Cryptostegia</i> and of an interspecific hybrid in Florida. L. G. Polhamus, H. H. Hill, and J. A. Elder	457	1-23
dry, yield measurements	65	23-27
possibilities of desert milkweed (Asclepias subulata) as source of. R. E. Beckett and R. S. Stittproduction, control	472 65	1-20 16-17
yield, intermonthly correlations at Bayeux, Haiti	65{	9–11, 17–18
Rubbertrees— elimination, effect on yield	65	12-16
growing in Canal Zone	94(10-11, 25, 28, 31, 32, 37, 42, 45
Hevea, tapping, experimental, at Bayeux, Haiti, 1924-25.	·	37, 42, 43
L. G. PolhamusRubbervine, from Madagascar, growing in Florida, studyRumania—	65 4 57	1-32 1-21
agricultural situation	126	6-81
corn-borer infestation land reform, program and effects	135 1 26	4-5, 38 21-34
population, agricultural and nonagricultural	126	15-20
topography, land utilization and tenure Run-off—	126	11-21
data from erosion experiment stations surface, and soil erosion, influence of herbaceous plant cover on, relation to grazing on Wasatch Plateau in	316	43–47
Utah. C. L. Forsling	220	1-72
Runners and runner plants, development in strawberry. G. M. Darrow.	122	1-28
Rushes, species found in North Dakota, annotated list	221	52
Graves	17	1-68
Russia— soils, air-drying, results wheats, production, and milling and baking qualities	291 197	35–37 151–15 7
Rust—		
leaf, Puccinia anomala, susceptibility of barley to. E. B. Mains and M. L. Martini resistance of oat varieties, field studies. M. N. Levine,	29 5	1-34
E. C. Stakman, and T. R. Stanton	143	1-36
Ruston loamy sand, description and analyses	484 r	14-16 3-10.
Rutabagas, growing as feed crop, experiments	416{	13-14
Rutland, H. E.: An Economic Study of the Pecan Industry. With S. A. Jones, V. C. Childs, R. S. Washburn, B. H.	176	3-5
Thibodeaux, and J. W. Park Rye— acreage—	324	1–91
production, and exports of Bulgaria, statistics	126	99-102, 105-106
production, and exports of Rumania, statistics	126{	24-34, 43, 48-50
production, and exports of Yugoslavia, statisticsproduction, and trade, in Hungary, 1877-1928	126 160	147, 153 43-57
crop-yield estimates, reliability	311	60–63, 99–100
growing on Newlands projectirrigation in the Southwest, water applied and crop yields_	464 185	20 38, 52

Techn	ical Bulle	
Rye—Continued.	No.	Page
production and imports in France————————————————————————————————————	37 14	70–77 52
Kans	410	54
Saccharomyces spp., pathogenicity to honeybees, study	149{	6, 37, 39, 40
Saccharum officinarum. See Sugarcane.		•
Sagaritis dubitatus, parasitism on fall army worm	138	16, 17, 20, 21, 36–39, 57–60
Sainfroin, value and growth at Fort Hays Branch Station, Kans	410	89–90
St. Croix Island— agriculture, survey	315	5-8, 29
climatological data	315	3-5, 27
crop production	315	8–11, 27
precipitation records	315	4-5, 19
ST Grorge R A ·	315	1–28
Forest-Insect Damage The Meal Worms. With R. T. Cotton	250	47-49
The Meal Worms. With R. T. Cotton	95	1–38
St. Johnswort—	202	7-8
description and range	202	8-21
poisoning of—		V
cattle and sheep, duration of sickness	202	18-19
cattle and sheep, symptoms	$\begin{array}{c} 202 \\ 202 \end{array}$	15-16 1-5
livestock, historical reviewtoxic and lethal dosage	202	17-18
(Hypericum perforatum), toxic effect on cattle and sheep.	202	11 10
C. D. Marsh and A. B. Clawson	202	1-24
Salicaceae, characteristics in Rocky Mountain region	420	3-4
Salix— characteristics in Rocky Mountain region——————	420	3–4
exigua, history, characteristics, occurrence, and habits	420	78-80
interior, nomenclature, characteristics, occurrence, and	400	77 70
habits See also Willow.	420	75–78
See that which.	(32-51, 53,
Salsola pestifer, host of sugar-beet leaf hopper	206	61–63, 82,
baseosa postsjor, nost or sagar beet rear nopperinning		103-104, 111
Salt(s)—	(111
concentrations of, tolerance of aquatic plants microbiological studies of, in relation to reddening of	221	4-9
salted hides. L. S. Stuart, R. W. Frey, and L. H. James	383	1-24
		8-12,
source of reddening microorganisms in hides, study	383{	20, 21
use as aid to refrigeration, experiments	434{	9-11, 25-26, 27
San Francisco Mountains— climatological stations, description————————————————————————————————————	247	137-140
	r	99–100,
forest trees, growth periods, records	247{	134-137
soil temperature, study	247{	43-48, 85, 134
San Joaquin Valley—		00, 101
California, boron in soils and irrigation waters and its		
effect on plants. F. M. Eaton	448	1-132
irrigation waters, analyses	448 448	34–95 23–27
water supplySan Jose scale on peach trees in South, petroleum oils and oil	440	20-21
emulsions as insecticides. H. S. Swingle and O. I. Snapp Sand. See under specific name.	253	1-48

Techn	ical Bull No.	etins P ag e
Sanderling, migrant in South America	26	11, 24
Sandpipers, migrants in South America	26	7, 8–11, 12–13, 14, 18, 24
Sanitation— rural, extension methods and practices	106	11, 15, 32
swine— in South, effectiveness of system. E. M. Nighbert	374	1. 15
and J. W. Connelly system as developed by Bureau of Animal Industry in McLean County, Ill. H. B. Raffensberger and	914	1–15
J. W. Connelly	44	1-20 3, 4, 5,
Sapwood, deterioration in wind-thrown timber	104	7-10, 13-19, 23,
Sarcobatus vermiculatus, host of sugar-beet leaf hopper, study Sarcophaga spp., hosts of Brachymeria fonscolombei, experi-	206	24, 27 35–36
ments	365{	3, 4, 8, 13, 14–20
SARLE, C. F.: Adequacy and Reliability of Crop-Yield Esti- mates	311	1–138
grass, Slender Wheatgrass, and Other Hay and Pasture Crops for the Northern Great Plains. With H. L. Westover, Leroy Moomaw, G. W. Morgan, J. C. Thysell, and M. A.		
Bell	307	1–36
1916–26, by varieties	96 446	73–76 69–73, 76
Sassafras oil, production and use	16	24
D. L. Parker	477	1-18
parasites in New England	86{	1-18 48, 57, 66, 67, 108
SATO, KAKU: Biology of Some Japanese and Chosenese Grub Parasites (Scoliidae). With C. P. Clausen and T. R. Gard- ner	308	1-27
Savenac Forest Nursery— investigations in weed control by zinc sulphate and other		
chemicals. W. G. Wahlenberg	156 156	1-36 2
soil analysisSawfly, western grass-stem— control, natural and artificial	157	19–22
food plants and distribution	157	7-8
historylife history, and habits	157 157	1-7 8-18
life history, and habits pest of small grains. C. N. Ainslie Sawmill(s)—	157	1-24
operation in hardwood forests of Lake Statesportable band, and selective logging in the loblolly pine	164	19
forests of North Carolina. R. D. Garver and J. B. Cuno.	337	1-30
Cunotypes and output in West VirginiaScale—	303	37–39
insects, injury to citrus fruits in Japanparlatoria. See Parlatoria date scale.	15	3–9, 12
Baumé and A. P. I., comparison for testing oils	109	5
dietary, use in measuring a family's nutritive needs. Edith Hawley SCANLAN, J. T.: The Visual Spectrophotometry of Dyes.	8	1-32
SCANLAN, J. T.: The Visual Spectrophotometry of Dyes. With W. C. Holmes and A. R. Peterson	310	1-42

Schedius kuvanae—	ical Bull No.	etins Page
colonization and observation	86	34-38
foreign distribution and abundance	86	31
life history and habits	86	31-33
life history and habitsparasitism on gypsy moth	86	31, 38
Scheffer, T. H.:		
Habits and Economic Status of the Pocket Gophers	224	1-37
The Crested Myna, or Chinese Starling in the Pacific Northwest. With Clarence Cottam	467	1-27
Schoening, H. W.:	407	1-27
Efficacy of Anthrax Biologies in Producing Immunity in		
Efficacy of Anthrax Biologics in Producing Immunity in Previously Unexposed Animals. With W. S. Goche-		
nour, C. D. Stein, and W. M. Mohler	468	1-16
Report of the Foot-and-Mouth Disease Commission of the		
United States Department of Agriculture. With P. K.		
Olitsky and Jacob Traum	76	1-172
School(s)—	•	3-4, 6-8,
extension, costs and effectiveness	125	10, 12–14
orthogon, tooks und theory oness and a second	•••	16, 26
extension, efficacy	106`	11, 15, 21
extension, efficacy public, place in regional program, marginal lands of West		•
Virginia	303	61-62
Schoth, H. A.: Experiments in Growing Roots as Feed Crops.	410	
With H. L. Westover Schwartz, Benjamin: Life History of Lungworms Parasitic in Swine With I. F. Alicete	416	1-15
Swine. With J. E. Alicata	456	1-42
Sclerolinia—	100	1-42
fructicola—		
biology and hosts	328{	16-25,
blology and nosts		51-52
infection of fruit in transit, prevention experiments	318	22-40, 46- 49-56
, • · · · ·	}	49, 56 26–42.
seasonal life history and pathogenicity	328{	52-53
taxonomic position and morphology	328	6-16
oxycocci, description and distribution	258	9–10
spp., infection of sweetpotatoes	99	61, 76
Sclerotium—		
bataticola, growth, morphology, and infection of sweet-	99	70-71
potatoesrolfsii—	99	10-11
cause of sweetpotato blight	99	48, 49
morphology, and life history	99	49-50
SCOBEY, F. C.:		
The Flow of Water in Flumes	393	1-99
The Flow of Water in Riveted Steel and Analogous Pipes.	150	1-136
Scorield, C. S.: Boron in Irrigation Waters With I. V Wilcox	264	166
Boron in Irrigation Waters. With L. V. WilcoxIrrigated Crop Rotations in Western Nebraska. With J.	201	1 00
A. Holden	2	1-26
Scolia japonica, biology	308	1-25
Scoliidae—		
Japanese and Chosenese grub parasites, biology. C. P. Clausen, T. R. Gardner, and Kaku Sato	200	1 0*
oregoni, n. sp., technical description	308 431	1-27 18-19
rearing and shipping for colonization	366	47-50
reflexus, n. sp., technical description and collections.	431	13
Scolothrips sexmaculatus, destruction of European red mite	89	58
Scolytus—		
abietis, n. sp., technical description and collections	431	21-22
californicus, technical description and collections	431	22-23
description, and key to specieseconomic importance and nomenclature	431 431	6-10 2-4
fiskei. n. sp., technical description and collections	431	25

(1) A (1) 1	. b 1 1 11 11	-41
Scolytus—Continued. Geoffroy, revisional study in North America. M. V	chnical Bull W No.	Page
Blackman	431	1-31
laricis, n. sp., technical description and collections		24-25
multistriatus, description, introduction, and range		27
opacus, n. sp., technical description and collections		20-21
robustus, 1. sp., technical description and collections		19
rugulosus, description and range in United States		10
sobrinus, n. sp., technical description and collections		23-24 10-27
spp., descriptions and rangespp., North American, history		4-6
subscaber, technical description and collections	431	17-18
sulcatus, technical description and collections.	431	12-13
vertralis, description and range in North America	431	22
wickhami, n. sp., technical description and collections	431	13-14
Scotland, wheats, production, and milling and baking qualitie		158–161
Screw-holding power of wood, study	171	52–55
Screw worm fly— host of Brachymeria fonscolombei, experiments	365	17-18, 20
primary, Cochliomyia americana, biology and comparise	309 an	17-10, 20
of its stages with those of C. macellaria. E. W. Laak	.e.	
E. C. Cushing, and H. E. Parish	500	1-24
Scrophulariaceae, repellency to Japanese beetle, list	299	20
Scutellums, colored, inheritance in maize. G. F. Sprague	292	1-44
Scymnus smithianus, control of citrus blackfly, life history, as		
habits	320	40-41
Seakale. See Crambe maritima.		
SEAMANS, A. E.: Agricultural Investigations at the Huntl	ey	
(Mont.) Field Station, 1927-1930. With Dan Hansen as D. V. Kopland.	353	1-50
Seats, bleacher and stadium, construction of western large	h.	1-00
advantages		85-86
Seed(s)—		
dormancy, causes, discussion	261	7-8
oil content determination, a simple method. D. A. Co	le-	
man and H. C. Fellows	71	1-14
potatoes. See Potatoes, seed.		
Seedlings—	1 5 6	7-30
forest, tolerance of chemicals used in weed control spruce and fir, development, period determination		46-47
Seius sp., destruction of European red-mite eggs		57
Selenide, aliphatic, efficacy as grain fumigant.		43
Selenium—		
content of—		
eggs, milk, and vegetables from selenized areas	482	41
	ſ	3-6, 11-
forage plants, studies	482	19, 21–34,
0 1 ,		36-39, 42-46
occurrence in certain soils in United States, with discussion	on do	32-30
of related topics. H. G. Byers		1-48
SELKREGG, E. R.: Life History of the Codling Moth in Del	a-	
ware. With E. H. Siegler	42	1-61
Semple, A. T.:		
Beef Production and Quality as Influenced by Crossi		
Brahman with Hereford and Shorthorn Cattle. Wi		1 24
W. H. Black and J. L. Lush Beef Production from Purebred, Grade, and Nati	*1 1/	1-54
Calves. With H. E. Dvorachek		1-16
SENNER, A. H.:		- 10
A Study of the Oil Burner as Applied to Domestic Heatin	g. 109	1-84
Application of Steam in the Sterilization of Soils	443	1-20
Septoria—	••	
bataticola, cause of leaf spot of sweetpotatoes		57-58
sheareana, description and distribution Sequoia sempervirens. See Redwood.	258	22–23
Serum, foot-and-mouth disease, immunity tests	76	86-99
Settlers, financing, State policies	357	55-60
,		30 30
1080483713		

Techni	cal Bulle	
Scurocyrnea colini, hosts and developmentShake, of Douglas fir, damage in Pacific NorthwestShallu—	No. 227 286	Page 21-24 13-14, 15
grains, respiration in storage	100{	5, 7-8, 14-15
See also Sorghums, grain. SHAMEL, A. D.: Bud Selection in the Washington Navel Orange: Progeny Tests of Limb Variations. With C. S. Pomeroy and R. E. Carvl	123	1-72
and R. E. Caryl		
Yellows. With F. S. Beecher Shark skin, of citrus fruits, cause and description SHEAR, C. L.: Fungous Diseases of the Cultivated Cranberry.	189 176	1-24 7-9
With N. E. Stevens and H. F. Bain	258	1-58
age, relation to other factors in wool production	85{	11, 14- 15, 47
body weight, relation to other factors in wool production.	85{	13, 35- 37, 48
breeding—	ا ،	21-22,
in Australia and New Zealand	124{	48-50
numbers, and uses in Yugoslavianumbers, and utilization in Francebreeds and—	126 37	179-181 140-151
flock management in New Zealand types in Australia	124 124	47-50 11-19
face covering, relation to other factors in wool production	85{ ¹	12-13, 33- 34, 48
feeding— alpine kalmia to, experiments experiments with nontoxic range plants	391 93 124	4-8 1-9 23
in Australia, practices with St. Johnswort, experiments	202{	8-11, 14-21
flock management— and wool types in England in Australia	124 124	69 19–23
immunity to anthrax, production by anthrax biologics,	468	2-15
efficacy testsindustry, history and development in—		
Australia France	124 124 124	4–6 75–76 61–63
South Africainvestigations on Newlands projectlaurel. See Laurel, sheep.	464	32
Merino, development and value in Australia	124	11–16, 17–19
mutton type, relation to other factors in wool production.	85{	13-14, 37-42, 48
numbers— changes in Union of South Africa, analysis uses, and value in Bulgaria	466 126	2, 39-42 124-127
pasturing on— alfalfa, corn, and beet tops, experiments	454	21-23
irrigated crops, experiments	353{	22–23, 24–25
sweetclover, experiments at Belle Fourche station poisoning by—	454	23
arrowgrass, experimental study	113 [5-6, 8-13 5-7,
coyotillo	29{	11–13, 15–25
mountain-laurel and sheep laurel	219	5-8, 10-13, 14-21

Sheep—Continued. Techn poisoning by—continued.	ical Bulle No.	etins Page
	,	0 10 11
sleepy grass, experimental study	114	16, 17, 18
wild tobaccosproduction—	22	7, 8–21
in Southeast, possibilities and limitations	127{	58-61, 71, 77, 88-94
in southern Africa	466	43-46
in Southwest	68	72-95 64, 65,
utilization, and trade in Rumania	126	72–75, 76, 79
raising in Hungary, and international trade, 1870-1928,	160	04.05
Rambouillet, range, wool production, factors influencing. D. A. Spencer, J. I. Hardy, and M. J. Brandon	85	94-95 1-48
shearing, in Australia, practices	124	23-25, 28
skin folds, relation to other factors in wool production	85{	13, 34–35, 48
supply and price data, 1921-31	359	55
toxic effect of St. Johnswort (Hypericum perforatum) on. C. D. Marsh and A. B. Clawson	202	1-24
Sheeting(s)— cotton—	-0-	
manufacture and properties, laboratory experiments.	406	7-24
serviceability, wearing and laboratory tests	406	24-48
deterioration, measuring methods and apparatus	40 6	52-57
ironing temperatures, effect upon fabric, study	406	48-64
Sheets, cotton, serviceability, wearing and laboratory tests	406	24-48
Shellac, use in healing tree wounds, recommendationsShelterbelt—	246	26–27
deciduous trees, growth and survival in, experiments at	400	
Mandan, N. Dak., 1915-34. E. J. George	496	1-48
investigations at Ardmore, S. Dak.	17	32–33
plantings— height and stand, effect of spacing distance	496	30-38
insects and other enemy pests	496	30-38 9
species—	100	
suitability and arrangement	496	42-47
survival, tests	496	38-42
SHEPHERD, J. B.: Work of the United States Dry-Land Field		
Station, Aromore, could Dakota, 1912 to 1920. With J. C.		
Cole, F. L. Kelso, E. Z. Russell, Duncan Stuart, and R. R.		
Graves	17	1-68
Shingles, cedar, specifications, grades, and prices	251	45-46
Shipments, carlot, of fruits and vegetables, market distribution in United States. J. W. Park	445	1 20
Shipping—	440	1-30
commodity relation to container design	171	5-6
containers, construction, principles and design	171	1-133
shock absorption by boxes and crates	171	40-44
SHOEMAKER, D. N.: The Jerusalem Artichoke as a Crop Plant_	33	1-32
shock absorption by boxes and cratesSHOEMAKER, D. N.: The Jerusalem Artichoke as a Crop Plant_SHOLLENBERGER, J. H.:		
Flour for Pretzels With W. K. Marshall	46	1-16
Milling and Baking Qualities of World Wheats. With		
Milling and Baking Qualities of World Wheats. With D. A. Coleman, O. L. Dawson, Alfred Christie, H. B.		
Dixon, H. C. Fellows, J. F. Hayes, Elwood Hoffecker, and W. K. Marshall	10=	1 004
and W. K. Marshall	197	1-224
Shoot(s)—		
adventive—	151	27-59
development, relation to plant anatomy formation in Crambe maritima	151	9-22
anay in plants structural organization	151	9- 22

	cal Bulle	tins _
Shorebirds— migrant, abundance————————————————————————————————————	No. 26	Page 7-8
North American, outlook	26 26	23-24
species, list	26	8-17
Shorey, E. C.: Some Methods for Detecting Differences in	011	1-28
Soil Organic MatterShot-hole borer, description and range in United States	211 431	10
Shotwell, R. L.: A Study of the Lesser Migratory Grass-		
hopper	190	1-35
Show, S. B.: The Determination of Hour Control for Adequate Fire		
Protection in the Major Cover Types of the California		
Pine Region. With E. I. Kotok Timber Growing and Logging Practice in the Coast	209	1-47
Redwood Region of California	283	1-22
Shrikes, banding returns, 1923–26	32	76
Shrubs—		
damage by Pacific flathead borer	83{	3–12, 32, 34
ornamental, growing at Huntley Field Station	353	47-49
Sidemia devastator, distribution, food habits, and history	88	99-103
SIEGLER, E. H.: Life History of the Codling Moth in Delaware.	42	1-61
With E. R. SelkreggSieglinger, J. B.:	42	1-01
Broomcorn Experiments at the United States Dry-Land		
Field Station, Woodward, Okla	51	1–32
Spacing and Date-of-Seeding Experiments with Grain Sorghums. With J. H. Martin, A. F. Swanson, D. R.		
Burnham, H. J. Clemmer, E. H. Coles, F. E. Keating,		
and W. M. Osborn	131	1-47
Sievers, A. F.: Commercial Possibilities of Japanese Mint in the United		
States as a Source of Natural Menthol. With M. S.		
Lowman	378	1-35
Experiments on the Processing and Storing of Deglet Noor Dates in California. With W. R. Barger	193	1-24
Methods of Extracting Volatile Oils from Plant Material	100	
and the Production of Such Oils in the United States	16	1-36
Silage— alfalfa-molasses, feeding to dairy cows, experiments	353	46-47
corn, value for wintering steers on northern Great Plains.	192	2-13
crops—		00.00
experiments at Ardmore, S. Dakgrown under rrigation, yield and dry-matter content_	17 454	28-30 30
feeding to-	101	30
beef cattle, results	23	29-35
dairy cows, effect on milk production	116	22-23 2-3, 6-7,
grass, feeding value for milk production, experiments	381	17-27,
	ما	30 -4 6
rations for steers, resultssorgo, use in ration for fattening calves	30 43	1-14 1-24
Sudan-grass, value for milk production, comparison with		15-21,
hay	J-0-	27-28
Silica, content of soil colloids from erosion experiment stations.	461	6–11
Silos— construction of western larch, advantages	285	81-82
cost of building and filling	23	30–31
Silt— Colorado River—		
	67{	8–10,
and its tributaries, character	916	13-31
relation to irrigation. Samuel Fortier and H. F.	67	1-95
load of Texas streams. O. A. Faris	382	1-71
sampling equipment	67	11-13
transportation, Colorado River Basin	67	42–53

Techn	ical Bulle	
Silting—	No.	Page 1-55
and erosion of dredged drainage ditches. C. E. Ramser in drainage channels, conditions affecting	184 184	1-33 5-10
relation to velocity of stream	184	2-4
relation to velocity of stream	-0-	
or Elder Borer	345	1-20
Silver, James:		
Red-Squill Powders as Raticides. With J. C. Munch and	104	1 00
E. E. Horn	134	1-36
Control. With J. C. Munch	238	1-28
Silviculture—	200	1-20
application in controlling specific gravity of wood. B. H.		
Paul	168	1-20
conditions affecting in Southwest and Black Hills region	480	7-36
in loblolly pine forests, North Carolina	337	23-29
SIMMONS, PEREZ: Life History of the Angoumois Grain Moth in	251	1 0
Maryland. With G. W. Ellington Sires, purebred, use in experiments at Ardmore, S. Dak	351 17	1-35
Sires, purebreu, use in experiments at Aramore, 5. Dak	11	55–67 32–35, 39
Sisymbrium allissimum, host of sugar-beet leaf hopper	206	41-52
2004 a		108-110
Sitotroga cerealella in Maryland, life history studies	351	1-35
Sizing, for fabrics, preparation, experiments	108	7-8
SKINNER, J. J.:		
Experiments with Nitrogen Fertilizers on Cotton Soils.		
With R. A. Lineberry, J. E. Adams, C. B. Williams, and H. B. Mann	452	1-28
Fertilizers for Sweetpotatoes Based on Investigations in	402	1-20
North Carolina. With C. B. Williams and H. B. Mann.	33 5	1-47
Results of Fertilizer Experiments on Norfolk Fine Sandy	-	
Loam and on Norfolk Sandy Loam	225	1-23
The Relation of Fertilizers to the Control of Cotton Root		
Rot in Texas. With H. V. Jordan, P. R. Dawson, and		
J. H. Hunter	426	1-76
Skylark, European, introduction into United States	61	49–51
areas, southern, fire protection	204	38-39
disposal—		
effect on forest reproduction	166	38-40, 67-
_	, l	00, 101
for fire prevention	166	17–19 40–42,
measures necessary	480{	63-64
methods in forests of Pacific Northwest	259	20-42
methods in southern pine region	204	80
methods, recommendations	259	42–57
output data, analysis	355	56-61
pine forests, economic considerations	259	18-20
pine forests, physical considerations	259 283	4-18 11, 17-18
problems in redwood forests. western yellow pine forests, Oregon and Washington.	200	11, 17-10
T. T. Munger and R. H. Westveld	259	1-58
effects upon forest vegetation	480	20-22
highway, relation to infestations by the western pine		
beetle in standing timber. J. E. Patterson	3	1- 10
in northeastern spruce forests, types and conditions	223	43-48
northern white pine, decay in southern New England.	120	1 00
Perley Spaulding SLATER, C. S.:	132	1–20
A Laboratory Study of the Field Percolation Rates of		
Soils. With H. G. Byers	232	1-24
Soils. With H. G. Byers Base Exchange and Related Properties of the Colloids of	_	
Soils from the Erosion Experiment Stations. With		
H. G. Byers Physical and Chemical Characteristics of the Soils from	461	1-20
the Erosion Experiment Stations. With H. E. Middle-		
ton and H. G. Byers	316	1-51
	0.0	

The Physical and Chemical Characteristics of the Soils	ical Bulle No.	etins Page
from the Erosion Experiment Stations—Second Report. With H. E. Middleton and H. G. Byers————————————————————————————————————	430	1-63
(Stipa vaseyi) as a stock-poisoning plant. C. D. Marsh and A. B. Clawson	114 114 99 221	1-20 4-6 41, 43, 62 35-40
Smartweed, water, food of wild ducks in North Dakota	221	3, 29, 39, 44, 54
SMITH, B. B.: Factors Affecting the Price of Cotton SMITH, F. F.: Biology and Control of the Black Vine Weevil_ SMITH, G. S.: Inheritance of Stem-Rust Reaction and Correla- tion of Characters in Pentad, Nodak, and Akrona Durum-	50 325	1- 75 1- 4 6
Wheat Crosses. With J. A. Clark	38 5	1-28
SMITH, H. D.: Phaeogenes nigridens Wesmael, an Important Ichneumonid Parasite of the Pupa of the European Corn Borer	331	1–46
Smoke machine, use in air drying of woodSmut(s)—	174	23-24
and loose, of oats, resistance of hybrid selections to, field studies. T. B. Stanton, F. A. Coffman, and V. F. Tapke	422 207 293 266	1-10 1-23 12, 14, 17 62
and covered, of oats, resistance of hybrid selections to, field studies. T. B. Stanton, F. A. Coffman, and V. F. Tapke	422	1–10
of barley, development, factors affecting and control		
by dust fungicides. R. W. Leukelof barley, development, relation to environment See also under specific host.	293 293	1–20 10–17, 18
Snake River Valley, irrigation water, rainfall, and crop yields. SNAPP, O. I.:	200	34-43
Life History and Habits of the Plum Curculio in the Georgia Peach BeltLife History of the Oriental Peach Moth in Georgia.	188	1-91
With H. S. Swingle	152	1-16
Paradichlorobenzene Experiments in the South for Peach- Borer Control. With C. H. Alden————————————————————————————————————	5 8	1-40
Use against the San Jose Scale on Peach Trees in the South. With H. S. Swingle	253	1-48
Snout beetles. See Chestnut curculio; Curculios. Snowberry, toxicity to sheep, experiments	93	8-9
Soap(s)— emulsifiers, efficacy against San Jose scale	253	14–15 3, 10, 12,
use against fruit-tree mites	- 1	16-18, 20, 27, 30-33
use as adhesive in lead-arsenate sprays	111{	3, 6, 7, 8, 9, 12, 13
Sod webworm. See Webworm, sod. Sodium—		
arsenite, use against Mormon cricketbisulphate, use against codling moth, experimentschlorate, toxicity to <i>Ribes</i> spp., experimentsfluoaluminate, efficacy in control of codling moth, experi-		25-26 21-23 5,19,22-24
ments.	373	4-15, 22 5-9, 11,
fluoride, toxicity to Ribes spp., experiments	240{	22-24
fluosilicate, efficacy in control of codling moth, experi-	373	3, 5–8, 13

Techn	ical Bullet	ins
Sodium—Continued.	No.	Page 5-11,
hydroxide, toxicity to Ribes spp., experiments	240{	22-24
sulphate, action upon concrete, comparison with magne- sium sulphate	358	11-12
thiocyanate treatment of potatoes, experiments	415{	5–18, 29–30
Softwood(s)—	0.40	
brashness, causesconsumption in manufacture of boxes and crates	342 171	15–17 129–131
cuttings, production of adventive rootslumber, specific gravity and related properties. E. C.	151	73–76
Peck	343 174	1-24
shrinkage during air seasoning structure, description	248	14–15 3–4
Soil(s)— absorption of oxygen, study	211	3-6
acid(s)—		
combined water, colloids of, comparative data hydrolysis, study	484 211	30–31 12–13
acidity, effect on decay of white-pine slash	132	13-14
alcohol extraction, methods and results alfalfa, of Mississippi Delta, description	211 495	13-14 2
analysis—	100	
by combustion method	317{	14–17, 21–23
by hydrogen peroxide method	317{	1, 2–13, 21–23
by modified Rather method	317	18-23
in erosion studies, methodsmechanical, pipette method based on improved disper-	178	2–3
sion procedure. L. B. Olmstead, L. T. Alexander,		
and H. E. Middleton	170	1-23
at Fort Have Branch Station, description	36 410	6–8 4
azophenine formation, discussion	211	20
boron in, study in southern California California experimental vineyards, description	448 146	17-22 10-15
Canal Zone and contiguous territory, description	94	13-43
carbonates in, determination methods, critical laboratory review. L. T. Alexander and H. G. Byers	317	1–26
chemical—	017	1-20
and physical characteristics, studies	430 156	1-61 15-17
treatment, effect on field peasclaypan—	150	10-17
analysis, methods and results	399	9-32, 35
descriptionhygroscopic relations	399 399	3–9 32–35
hygroscopic relationsstudy. I. C. Brown, T. D. Rice, and H. G. Byers	399	1-43
fractionation methods and results	319	3-5, 7-9
material, effect on efficiency of superphosphate. P. L. Gile	371	1-50
material, separation, methods	229	2-4
colloids. See Colloids, soil. Columbia River Basin, description	200	4-6
composition, mechanical and chemical	228	5-7
conditions—	4770	20 20
absorptive, promotion measureseffect on stripe disease of barley, studies	476 341	36-39 7-14, 36
relation to control of phylloxera on grapevines	146	6, 26–27
Conowingo, chemical study in Maryland core(s)—	471	1-27
and laboratory-packed samples, percolation data,	055	4
studyaugur, construction and use	232 232	14-21 3-6
percolation test, experimental data	232 232	8-12
preparation for percolation test	232	6-7

Soil(s)—Continued.	rechnical Bul	letins
cotton—	No.	Page
fertilizer requirements, experiments nitrogen fertilizers on, experiments. J. J. Skin R. A. Lineberry, J. E. Adams, C. B. Williams,	225 nner, and	1-21
H. B. Mann development, alteration of muscovite and biotite.	452	1-28
Dennison, W. H. Fry, and P. L. Giledispersion—	128	1-32
methods and agents	170	3-12
ratio, determination	178	2-3
ratio, relation to erosion	178	5, 6, 13-14
dryness, effect on development of tomato yellows	189	13
English, air-drying, effect on hydrogen-ion concentration-		38
settling volume and related properties	430	25-30
volume weight and related properties		20-24
erosive and nonerosive, properties and composition		4-15
factor in spread of potato wart		3, 4
fertilizers, mechanical application, factors affecting.	A. L.	-, -
Mehring and G. A. Cumings	182	1-96
fluorescein test, discussion		24
forest, effect of slash	259	16
from erosion experiment stations, physical and chem		
characteristics. H. F. Middleton, C. S. Slater, and	d H. f 316	1-51
G. Byers	430	1-63
fumigation with—	(- 00
carbon disulphide against Japanese beetle, exp	neri-	
ments		32-74
naphthalene vapor for control of Japanese beetle.		17-20
group(s)—		
colloids of composition and constitution. H.	. G.	
colloids of, composition and constitution. H. Byers, L. T. Alexander, and R. S. Holmes distinctions	484 484	1-39 36-37
great, colloids derived from, fractionation, comp	101	00-01
tion, and hypothetical constitution. I. C. Br and H. G. Byers	rown	1–44
major, profiles of, character of colloidal material	s in.	
M. S. Anderson and H. G. Byers	228	1-24
Hawaiian, effects of air drying	291	38-39
heating by immersion in hot water	274	21-23
hydrogen-ion concentration— effect of air drying on, United States and Can	ada.	• • • •
E. H. Bailey	291	1-44
effect on pupation of Anastrepha		1-3
influence on superphosphate efficiency		23-25
study, apparatus, and method		10-15
hydrolysis, and production of colloids, discussion	319	33–40, 41
ignition loss, indication in soil analysis	317	18-23
impervious, relation to stress effects on cotton	392	2–4
improvement, extension methods and practices	106	11, 26
infertile, derived from rocks high in magnesium, chrom	num,	
and nickel, chemical studies. W. O. Robinson, C Edgington, and H. G. Byers	471	1-29
intermountain brush lands, study	256	18-34, 36- 37, 38, 40, 44-49
irrigated— areas of Southwest, description	185	3-5
		3-5, 9-13,
for cotton, types and adaptation	72	20-24
laboratories, petrographic methods. W. H. Fry	344	1-96
liming for control of clubroot of crucifers	181	17-27, 28
magnesium-		
chemical composition	471	10-14,
colloids, chemical composition		18-20 14-18
mechanical composition	471	8-10
moonemen combantana	411	0 10

Techni	cal Bulle	
Soil(s)—Continued.	No.	Page
management for control of tomato yellows	189	10–15
Mandan, N. Dak., description and chemical analysis	496	10-11
mineral content, identification	344	64-71
Missouri River Basinmoisture—	36	6–8
content, effect of steam pressure	443	12
eastern apple orchards, investigations. J. R. Mag-		
ness, E. S. Degman, and J. R. Furr	491	1-36
effect on action of dust fungicides on barley seed	207	15, 17
effect on brush leaf characters	256	68-77, 79
effect on clubroot of crucifers	181	9–11
effect on loose smut of barley	293	12-16
intermountain region, records	256	16-18
requirements of yellow poplar	356	15–16
southwestern forests, study	247	63-72, 85, 136
studies, Medford district, Oregon	432	6-7, 8-11
nitrates, effect of paper mulchingnitrogen—	7 5	17
distribution, study	211	6–8
forms, study	211	8-12
of Kentucky, Laurel County, description	289	11-12
of Pacific close basing description	379	3-6
of Pacific slope basins, description	319	3-0
of United States and Canads, air drying, effect on hydro-		
gen-ion concentration. E. H. Bailey	291	1-44
organic matter—		
amphoteric character	377	19-29, 30
content. determination methods, critical laboratory		•
review. L. T. Alexander and H. G. Byers	317	1-26
differences, detection methods. E. C. Shorey	211	1-28
oxidation with hydrogen peroxide	211	17–18
paper mulahing offeets	75	1-19
paper mulching, effects	10	1-19
percolation rates, nelo, laboratory study. C. S. Slater	000	
and H. G. Byers	232	1-24
permeability, relation to erosion	232	21-22
phosphates, mechanical analysis	212	1-23
physical and chemical characteristics—		
study at erosion experiment stations. H. E. Middle-		
ton, C. S. Slater, and H. G. Byers	316	1-51
study at erosion experiment stations—second report.	010	1 01
	490	1 69
H. E. Middleton, C. S. Slater, and H. G. Byers.	430	1-63
potted, treatment with naphthalene crystals against Japa-	40=	
nese beetle	427	7–15
prairie limestone belt of Alabama and Mississippi, descrip-		
tion	419	2
preparation for crop-rotation experiments in Montana	144	5-7
profiles—		
development, mica alteration	128	24-30, 31
muscovite and biotite, proportions, in different hori-		,
zons	128	28-30
properties	120	20 00
· ·	430	1 10
studies{		1-18
•	461	1-17
which influence soil erosion. H. E. Middleton	178	16
pulpwood lands in the Northeast, profile and types	223	27-29
reaction in relation to clubroot of crucifers	181	11-17
reconnaissance, Panama Canal Zone and contiguous terri-		
tory. H. H. Bennett	94	1-47
relation to forest types in Southwest	247	1-140
requirements for—		
eastern apple orchards	491	3 0-31
forest experies in Southwest		
forest species in Southwest	247	125
southern pine nurseries	492	40-42,
•	, t	47-49
run-off and erosion data from erosion experiment stations	430	38-59

	cal Bulle	tins
Soil(s)—Continued. Russian, air drying, resultssaline, effects on cotton-leaf temperatures	No. 291 91	Page 35–37 28
sample, separation into size classes	170{	12-14, 16-18
sandy— and silt, effect on development of corn husks and ears_	120 20	5
effect on phylloxeraselenium occurrence in, United States, with discussion of related topics. H. G. Byers	482	13–17 1–48
solution, boron content, critical concentration	264	3, 9–11
physical characteristicssteam sterilization— common methods and physical principles	247 443	72–80 2–3
tests, method and results	443	4-16
tests, method and resultssterilization by application of steam. A. H. Sennersurvey—	443	1-20
data, use for land classificationreconnaissance of St. Croix Island, Virgin Islands.	469	27-28
James Thorptemperature(s)—	315	1–28
and moisture, effects of paper mulchingeffect on action of dust fungicides on barley seed	75 207	3, 16 15, 18
effect on loose smut of barley	293	13-16, 18
effect on tobacco resistance to root rot	175	2-3, 4
response of sweet corn to, experiments	312(13–15, 19– 21, 37–38
treatment— for apple magget control	66	44
with carbon disulphide for insect control, effectstubes, laboratory-packed, preparation and percolation	478	44 27–31
rates	232	12-13
types— California, relation to phylloxera infestation, study.		
R. L. Nougaret and M. H. Lapham	20	1-39
erosion ratio, summaryrelation to corn-borer infestation in central Europe	178 1 35	14 43–45
relation to farm economy on marginal lands	303{	13–17, 20, 35
used for sweetpotato production, experiments in	335	•
North Carolinavolatile constituents, isolation	911	4-17 18-20
western yellow pine type, study	256{	18-28, 36- 37, 77-79
zinc-sulphate treatment, danger fromzones—	156	23–26
Southwest, description	247	82-85
Southwest, relation to climate See also under name of series. Solanaceae—	247	80–82
hosts of pepper weevil	447 299	5 20–21
Solanum triflorum, host of sugar-beet leaf hopper	206	32-33, 35,
Solar-	·	37, 111
heat, use in control of mountain pine beetle in lodgepole	105	1 00
pine. J. E. Pattersonradiation, records at Twin Falls, Idaho	195 20 6	1-20 22-23
Soles, leather, for shoes, wearing quality, tests	169	1-17
•	أممو	32-34,
filipes, host of sugar-beet leaf hopper	206	47-48, 52, 110, 111
	Ì	32-34,
sophia, host of sugar-beet leaf hopper	206	38–49, 52, 108
	l	110, 111

Sorghum(s) — Techni	cal Bulle No.	tins Page
date-of-seeding tests at Fort Hays Branch Station, Kans- field experiments at West Point, Miss	410 419	21-25 15-16
seeding date, effect on yield, experiments	131{	32, 33, 34, 40
spacing, experiments and resultsgrain(s)—	131	13, 19, 45
characteristics, effect of storagechemical composition and physical characteristicsclassification by varieties, acreage, and size of farm_cracked, respiration	100 100 121 100	13-14 3-4, 13 3-4, 6 11-12
experiments at Hays, Kans., 1912–23	14{	39-49, 5 4 -55
harvesting and threshing equipment, costs	121{	8-14, 19, 22, 25-30
harvesting and uses, effects on corn borer in Orient harvesting methods. J. H. Martin, L. A. Reynoldson,	455	32–34
B. E. Rothgeb, and W. M. Hurst	121 121 100 100 131	1-35 21-23 10-11 4-6, 14-15 21, 43-44
moisture content, relation to respiration rate production areas respiration. D. A. Coleman, B. E. Rothgeb, and	100 121	6-9 2-3
H. C. Fellows	100	1-16
respiration rate, influence of temperatureseeding date, effect on yield, experiments	100 131{	9–10 26–44,
spacing and date-of-seeding experiments. J. H. Martin, J. B. Sieglinger, A. F. Swanson, D. R. Burnham, H. J. Clemmer, E. H. Coles, F. E. Keat-		45-46
ing, and W. M. Osbornspacing experiments	131 131{	1-47 7-26,
grass, growing experiments at Fort Hays Branch Station,		44-45
Kans growing, dry-land experiments harvested, quality and condition of grain infestation by corn borer in—	410 17 121	41-53 25-26 32-34
central Europe	135	29-30 7, 9, 19,
New England	77	21, 24, 38, 39, 44, 52,
irrigation in Southwest, water applied and crop yields		53, 54 42, 45, 55, 59-61, 66
nursery experiments at Fort Hays Branch Station, Kans-spacing experiments at Fort Hays Branch Station, Kans-	410 410	31-41 26-27
value in rotation with cotton, experiments	426{	50-51, 57, 58-59
variety tests at Fort Hays Branch Station, Kans	410{	13-21, 28-31
water requirements in Southwest	185	22-25, 29
fodder, sorgo silage, and cotton-seed hulls, as roughage in rations for fattening calves in the Southwest. W. H. Black, J. M. Jones, and F. E. Keating	43	1–2 4 5, 7–8,
grains, respiration in storage	100	11-12, 13, 14-15
growing, dry-land experiments nursery experiments at Fort Hays Branch Station, Kans- rate-of-seeding for hay production, experiments	17 410 410	26-27, 29 31-35 28

	cal Bull	etins
Sorgo—Continued.	No.	l'age 6-7, 15-
rotation and tillage experiments in Oklahoma	330	17, 19–20, 34
silage, sorgo fodder, and cotton-seed hulls, as roughage in rations for fattening calves in the Southwest. W. H. Black, J. M. Jones, and F. E. Keating	43	1–24
agricultural changes, 1879–1924	127	1–8
and R. P. Teele	194 127	1–48 9–18
and J. W. Connelly South Africa, Union of. See Union of South Africa. South America—	374	1–15
colonization, effect on shorebirdssouthern, shorebirds migrant in. Alexander Wetmorewheats, production, and milling and baking qualitiesSouth Carolina—	26 26 197	17–18 1–24 78–99
barley yields— 1922–26, by varieties 1927–31	96 446	41 42–43, 75
cotton soils, experiments with nitrogen	452{	6–10, 17–18 1–4.
drainage districts, economic status in 1926	- 1	6, 8-9, 22-23, 28, 31-32, 33-34, 36, 37, 41, 44
farm families, 73, food supply and pellagra incidence. H. K. Stiebeling and H. E. Munsell	333	1–36
Florence, cotton boll weevil at, biology. F. A. Fenton and E. W. Dunnam livestock possibilities, economic study	112 127	1-76 1-94
Pee Dee district— boll-weevil studies climate, records, 1923-26	112 112	2–75 2–5
South Dakota— Ardmore, work of United States Dry-Land Field Station, 1912-25. J. S. Cole, F. L. Kelso, E. Z. Russell, J. B.		
Shepherd, Duncan Stuart, and R. R. Gravesbarley yields—	17	1-68
1922-26, by varieties	96 446	42–43 43–46, 75
brug	454 480 172 133 254 357	1-53 1-79 25-26 40-41 86 41-42
soils, selenium content, study	482	4-7,9-10, 12-18, 20, 21, 28-30, 35-43
Southeastern Coastal Plain— agricultural divisions	127	67-71
crops, acreage and production	127 127	1-8 71-94
and M. A. Crosby	127	1-96

	cal Bulle No.	tins Page
Southeastern States, winter legumes in, use. A. D. McNair and Roland McKee.	367	1-36
Southwest— agricultural resources, irrigation practices and crops	185	15-20
climate— description	185	5-11
study	247	15-72, 80-86,
climatic conditions, descriptionforest types, determination by climate and soil. G. A.	185	134–140 5 –11
Pearson irrigation requirements of arid and semiarid lands. Samuel	247	1-144
Fortier and A. A. Youngranch organization and livestock production methods. V.	185	1-68
V. Parr, G. W. Collier, and G. S. Klemmedson	68	1-104
soils of larger irrigated areas, description timber growing and logging practice. G. A. Pearson and	185	3-5
R. E. March	480	1-80
water—	105	00.00
application, relation to crop yieldduty as affected by regulations	185 185	20-22 31-33
requirements of crops	185	22-29
resources and discharge of streams	185	11-15
resources and discharge of streams	306	1-22
Sowbugs, hosts, intermediate, of spirurids	227	2, 14, 19- 20, 22, 25
	350	20, 22, 25
Sows, farrowing statistics, 1926–27Soybeans—	359	55
field experiments at West Point, Missharvesting in Corn Belt with combines and binders.	419	12-14
L. A. Reynoldson, W. R. Humphries, and J. H. Martin- irrigation in Southwest, water applied and crop yields	244 185	1-55 53
losses in harvesting and threshing, Illinois and Indiana,	244	21-24
oil content, determination by optical method		1-24 1-9, 11-12
varietal tests at Fort Hays Branch Station, Kans	410	83–85
corn-borer infestation, areas and control work cotton marketing, study	59 78	11, 53-54 90-94
wheats, production, and milling and baking qualities	197{	161-164,
Sparaison pilosum, parasitism on Mormon cricket eggs	161	166 22–23
SPARHAWK, W. N.: The Economic Aspects of Forest Destruction in Northern Michigan. With W. D. Brush	92	1-120
Sparrows—	,	56-65,
banding returns, 1923-26	32{	68-7 3
introduction into United StatesSPAULDING, PERLEY:	61	58-59
Decay of Slash of Northern White Pine in Southern New	132	1-20
England White-Pine Blister Rust: A Comparison of European with	102	1 20
North American Conditions	87	1-59
Spearmint oil, production	16	28
Specific gravity, of— fertilizers, relation to mechanical application	182	33–35
wood— control by application of silviculture. B. H. Paul	168	1-20
effect on strength	171	64, 99
Spectrophotometer, use and construction	310	1-2, 4-8
Spectrophotometer, use and construction Spectrophotometry, visual, of dyes. W. C. Holmes, J. T. Scanlan, and A. R. Peterson	310	1-42

Techni	cal Bulle No.	etins Page
Speculators in wheat futures, market position	79	7–30, 34–35, 37–49
Speelman, S. R.: Utilization and Cost of Power on Corn Belt Farms. With L. A. Reynoldson, W. R. Humphries, E. W. McComas, and W. H. Youngman. Utilization and Cost of Power on Mississippi and Arkansas Delta Plantations. With L. A. Reynoldson, W. R.	384	1-60
Humphries, E. W. McComas, and W. H. Youngman	497	1–47
characteristics and key to varietiesleaves, structure, relation to growth of rustvarieties, descriptions, histories, and distributionSpencer, D. A.: Factors That Influence Wool Production with Range Rambouillet Sheep. With J. I. Hardy and M. J.	459 266 459	135 20-21 135-136
Brandon Spermatozoa, viability in bees Spermatozoa, C. C.: Life History and Habits of Grasshopper Mice,	85 326	1-48 42-43
Genus Onychomys. With Vernon Bailey	145 258	1-20 23
Spices, explosibility, studies	490{	11, 14–15, 18–22
SPILLMAN, W. J.: Use of the Exponential Yield Curve in Fertilizer Experiments Spilochalcis—	34 8	1-67
pallens, parasitism on fall army wormtorvina, parasitism on Meteorus laphygmae	138 138	
Spinach— ircigation in Texas, water applied and crop yields		64 31, 38, 41,
shipment by motortruck in various sections	272	42, 47, 51, 59-64, 67-68
Spindle worm— biology and morphology. J. C. Silver————————————————————————————————————	345 345	1-20
SPINDLER, L. A.: Field and Laboratory Studies on the Behavior of the Larvae of the Swine Kidney Worm, Stephan-		
urus dentatus	405 274 489	1-18 32 5-32
intermediate hosts	227	1-2, 3-4, 8-9, 14- 15, 19-20, 22-23, 24-25
nematodes of parasitic in poultry and game birds, developmental stages. E. B. Cram	227	
Spontaneous combustion— of hay. C. A. Browne	141	1–39
See also Heating. Sporonema oxycocci, description and distribution	258	8
Experiments on Hybrid Vigor and Convergent Improve- ment in Corn. With F. D. Richey The Inheritance of Colored Scutellums in Maize	267 292	1-22 1-44
Sprague, Roderick: Cercosporella Foot Rot of Winter Cereals. With Hurley Fellows	428	1-24
adhesives— efficacy in gypsy-moth control injury to foliage, experiments	111 111	2-27 15-16

Spray(s)—Continued.	echnical Bulletins
dormant— covering power, study	No. Page 253 38-39, 42
use against fruit-tree mites	25 2-7. 32. 33
use against fruit-tree mites	25 2-7, 32, 33 281 1-28
injury to fruit trees, cause and prevention	25 24-29, 33
lead-arsenate, fish-oil as an adhesive. C. E. Hood	
accumulation and adherence mixing with fish oil, method residue(s)—	373 20–21 111 25–26
arsenical, on fruits, world minimum tolerance fluorine, removal experiments	90 94 373 21–22
summer, use against fruit-tree mites	25 8−23,
toxicity to—	··· 20\ 32-33
Ribes spp., experiments	240 5–24
San Jose scale, experiments	
use	(35–36,
against citrus rust mite effects	176 37–39, 41–49
and efficacy against corn borer	53\begin{cases} 109-112, \\ 119-121, \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
in control of Mexican bean beetle, experiments	123 376 27–40
wetting or spreading power, study	
zinc-lime, use against Bacterium pruni on peach trees	273 49
and fir, second-growth, yields in Northeast. W. H. Mey beetle, eastern, damage and control	
blue, planting experiments in Southwest	(105_109
breast-height development, period determination bud worm—	(111-110
control in Northeast	166 40-41
damage to timber in Northeast	142 38
Colorado, hot-water treatment for insect pests Engelmann—	274 32
cutting requirements	480 46, 54
west and Black Hills region	480 31–32
growth in Southwest	247 114
seeds, germination under chemical treatment	156 21-22
tolerance of zinc sulphate	$\dots 156 \begin{cases} 21-22, \\ 26-27 \end{cases}$
zone in Southwest, features	
forest(s)—	250 75-78,
management for full crops	(84, 80
southern Appalachian, range and importance	250 22 223 3-5
types in the Northeast growth in Alaska, comparison with hemlock	223 3-5 412 5-6
hardwood stands, reproduction, effect of exposure	
height growth, factors affecting	223 40-43
height growth, factors affectingin Northeast, growth, reproduction, and management_	166 29–34
lands, cut-over, competing growth	223 34–37
logging, reproduction, and utilization in the Northeast.	166 103
of southern Appalachians, area and improvement	476 3-4
growth rate, comparison with balsam fir	223 39-40
second-growth, yield in mixed stands	142 30–36
yield tables, application in Northeast	
reproduction, factors affecting	223 10-33
sample plots, permanent, statistics	142 47-50

Spruce—Continued.	nical Bulleti	ns
second-growth→	No.	Page
increment tables	. 412	18-23
stand tables	. 412	23-27
yield tables	. 412	6-18
seed-bed conditions, effect on germination	. 223	30 –33
seedlings-		
height growth, effect of competing hardwoods	. 223	37–3 8
survival, effect of slash	. 223	46-48
Sitka—		
and western hemlock stands, second-growth, yield in	1	
southeastern Alaska. R. F. Taylor	412	1-30
gluing for aircraft construction	. 205	34-35
mine timbers, tests	. 226	49–54
names, description, production, properties, and uses.		18-20
specific gravity determinations, results	. 158	34-35
		45–49,
structural timbers, tests	. 226{	60–62,
	٠,,,١	70-73
wind-thrown, deterioration rate	. 104	23-24
		12–13,
wind-thrown, losses five years after windfall	. 10 4 { 14	l, 18–23,
1.14 -	ι	27–28
white—	000	40 54
mine timbers, tests	. 226	49-54
names, description, growth, properties, and uses	. 226	20-22
yields per acre in NortheastSquill—	. 166	41-44
red—		
powders as raticides. J. C. Munch, James Silver, and	ì	
E. E. Horn	134	1-36
E. E. Home		-9, 19-
	1 20), 22–24,
powders, preparation methods and results	134{ 20	28-29,
		33–34
powders, toxicity to animals, tests	134	25-27
toxic principles, extraction experiments		32-33
toxicity to rats, investigation results		10-22
white, nontoxicity to rats		22
Squirrels, gray, destruction of chestnut curculios		13–14
Stables—		
humidity, study	187	50-53
temperature maintenance		42-44
ventilation, study	187	1-71
Stacks, hay. See Haystacks.		
STARMAN, E. C.: Field Studies on the Rust Resistance of Oat	j	
Varieties. With M. N. Levine and T. R. Stanton		1–36
Standards, dietary, use in measuring a family's nutritive needs.		
Edith Hawley	. 8	1-32
STANTON, T. R.:		
Field Studies on Resistance of Hybrid Selections of Oats to		
Covered and Loose Smuts. With F. A. Coffman and V.	400	1 10
F. TapkeField Studies on the Rust Resistance of Oat Varieties. With	422	1–10
M. N. Levine and E. C. Stakman		1-36
Starch(es)—	140	1-90
mixtures, production of stiffness in fabrics. E. C. Peterson.	108	2-13
paste(s)—	100	2-10
concentration, effect on stiffness produced	108	12-13
heating time, effect on stiffening power	108	8-9
physical properties affecting stiffening power on fab-		0.0
rics. M. S. Furry	284	1–18
preparation for use as sizing	108	2-6
production of stiffness in fabrics. E. C. Peterson.	108	2–13
stiffening powers, comparison		10-12
use in laundering, studies	284	2–16
5 ,	-	

Techn	ical Bull	
Starlings— banding returns, 1923–26	No. 32	Page 44, 46-48
Chinese— and European, food of, comparisons	467	22-24
in Pacific Northwest. T. H. Scheffer and Clarence Cottam.	467	1-27
See also Myna, crested. introduction into United States. State funds, investment in irrigation-district securities. Steam sterilization of soils. A. H. Senner. Steer(s)—	61 254 443	54–56 54–59 1–20
beef	,	7 0 00
finishing methods in Virginia	237	7-9, 29- 34, 58-59, 62-63
market gradesproduction costs on grass and grain-and-grass rations,	237	44-47
studyfattening—	217	1–13
methods in Virginia	237	7-9, 29- 34, 58-59, 62-63
on dry-land crops of the Southwest. W. H. Black, J. L. Lantow, and D. R. Burnhamfeeding—	30	1-15
for beef production and quality, experiments on northern Great Plains, winter experiments gains on various—	217 192	1-43 2-13
rations	30{	5, 7, 10,
roughages, northern Great Plains, 1923-28grade of, effect on beef production and quality, when fed grain supplement on grass. W. H. Black, K. F. Warner,	192	12-13 11
and C. V. Wilson	217 68 237	1-44 64-72 54-57, 65
Black and O. R. Mathews	192	1-14
STEIN, C. D.: Efficacy of Anthrax Biologics in Producing Immunity in Previously Unexposed Animals. With W. S. Gochenour, H. W. Schoening, and W. M. Mohler Steingeliinae Morrison, characteristics and keys to tribes, genera,	468	1–16
and speciesSteingeliini Morrison, characteristics and keys to generaStem—	52 52	53-61 54-61
end rot of citrus fruits, control by use of borax, study injury, by corn borer, description rot. of sweet potato—	488 77	1-32 21-24
disseminationhistory, distribution, and importancesymptoms and causal organisms	99 99 99	17-18 5-8 8-10
rust— resistance in cereals, morphologic and physiologic studies. Helen Hart————————————————————————————————————	266	1–76
related genera	300	1-25
Stephanurus dentatus— swine kidney worm, behavior of larvae, field and laboratory studies. L. A. Spindler	405	1–18
synonyms, distribution, description of stages, and develop-	489	73–79
STEPHENS, D. E.: Experiments in Wheat Production on the Dry Lands of Oregon, Washington, and Utah. With H. M.		
Wanser and A. F. Bracken Stereum spp., damage to chestnut timber	329 25 7	1–68 14, 15
108048—37——14		

Sterilization— cold, of corn ears, experiments in borer control. 305 1-13	Techn	ical Bulle	etins
plante	Sterilization—		
against Japanese beetle and other root pests	cold, of corn ears, experiments in borer control	395	1–13
Steam Stea		274	1-40
Stethorus picipes description destruction of European red mite. 89 60-65	use of hot-water treating tank and its construction		
description		443	1-20
destruction of European red mite Strevens, N. E.: Fungous Diseases of the Cultivated Cranberry. With C. L. Shear and H. F. Bain 258 1-58	Sleinorus picipes— description	80	85.87
Definition C. L. Shear and H. F. Bain 258 1-58 STICKNEY, F. S.: The External Anatomy of the Parlatoria Date Scale, Parlatoria blanchardi Targioni Tozzetti, with Studies of the Head Skeleton and Associated Parts. 421 1-68 The External Anatomy of the Red Date Scale, Phoenicococcus marlatic Cockerell, and Its Allies 404 1-163 Stictococcus marlatic Cockerell, and Its Allies 404 1-163 Stictococcus multisprinous, description 402 4-19, 32 Stictococcus multisprinous, description 402 4-19, 32 Stictococcus multisprinous, description 404 151 STIEBBLING, H. K.: Food Supply and Pellagra Incidence in 73 404 151 STIEBBLING, H. K.: Food Supply and Pellagra Incidence in 73 404 151 Stiftness, in fabrics 405 419, 32 419, 33 1-36 Stiftness, in fabrics 406 419, 33 1-36 Stiftness, in fabrics 407 419, 33 1-36 Stiftness, in fabrics 408 419, 33 1-36 Stiftness, in fabrics 419, 33 1-36 Stiftness, in fabrics 419, 33 1-36 Stiftness, in fabrics 419, 33 1-36 Stiftne	destruction of European red mite		2 2 7 7 7
Definition C. L. Shear and H. F. Bain 258 1-58 STICKNEY, F. S.: The External Anatomy of the Parlatoria Date Scale, Parlatoria blanchardi Targioni Tozzetti, with Studies of the Head Skeleton and Associated Parts. 421 1-68 The External Anatomy of the Red Date Scale, Phoenicococcus marlatic Cockerell, and Its Allies 404 1-163 Stictococcus marlatic Cockerell, and Its Allies 404 1-163 Stictococcus multisprinous, description 402 4-19, 32 Stictococcus multisprinous, description 402 4-19, 32 Stictococcus multisprinous, description 404 151 STIEBBLING, H. K.: Food Supply and Pellagra Incidence in 73 404 151 STIEBBLING, H. K.: Food Supply and Pellagra Incidence in 73 404 151 Stiftness, in fabrics 405 419, 32 419, 33 1-36 Stiftness, in fabrics 406 419, 33 1-36 Stiftness, in fabrics 407 419, 33 1-36 Stiftness, in fabrics 408 419, 33 1-36 Stiftness, in fabrics 419, 33 1-36 Stiftness, in fabrics 419, 33 1-36 Stiftness, in fabrics 419, 33 1-36 Stiftne	STEVENS, N. E.: Fungous Diseases of the Cultivated Cran-	-	00 00
The External Anatomy of the Parlatoria Date Scale, Parlatoria blanchardi Targioni Tozzetti, with Studies of the Head Skeleton and Associated Parts.	berry. With C. L. Shear and H. F. Bain	258	1-58
Latoria blanchardi Targioni Tozzetti, with Studies of the Head Skeleton and Associated Parts			
Head Skeleton and Associated Parts			
Coccus marlatic Cockerell, and Its Allies	Head Skeleton and Associated Parts	421	1-68
Stictocophalo—			
festina, feeding on cotton, study		404	1-163
distribution, synonymy, food plants, and injury		206	5_11
Sticiococcus multispinosus, description		200	0-11
Stick Stic	distribution, synonymy, food plants, and injury	757	
STIEBELING, H. K.: Food Supply and Pellagra Incidence in 73 South Carolina Farm Families. With H. E. Munsell	stages, life history, and habits		
South Carolina Farm Families. With H. E. Munsell 333 1-36	Surpressive H K · Food Supply and Pollagra Incidence in 73	404	151
Stiffness, in fabrics— measurement, quantitative method. E. C. Peterson and Tobias Dantzig	South Carolina Farm Families. With H. E. Munsell.	333	1-36
Tobias Dantzig	Stiffness, in fabrics—	-	- 55
Physical properties of starch pastes affecting. M. S. Furry			
production by different starches and starch mixtures, and quantitative method for evaluation. E. C. Peterson and Tobias Dantzig	Tobias Dantzig	108	14-26
production by different starches and starch mixtures, and quantitative method for evaluation. E. C. Peterson and Tobias Dantzig	Furry	284	1-15
Quantitative method for evaluation. E. C. Peterson and Tobias Dantzig	production by different starches and starch mixtures, and	201	1-10
Stigmacoccini Morrison, characteristics	quantitative method for evaluation. E. C. Peterson		
Stills, volatile-oil— design and construction	and Tobias Dantzig		
design and construction 16 7-16, 34 operation 16 16-23 Stilpnotia salicis. See Satin moth. Stipa— spp., toxicity to livestock 114 1-4 vaseyi (sleepy grass) as a stock-poisoning plant. C. D. Marsh and A. B. Clawson 114 1-20 Stift, R. S.: The Desert Milkweed (Asclepias subulata) as a Possible Source of Rubber. With R. E. Beckett 172 1-20 Stoa, T. E.: Experiments in North Dakota: Flax Cropping with Wheat, Oats, and Barley 183 24-36 Stock in mutual irrigation companies, study 182 12-22 Stock-poisoning plant—alpine kalmia (Kalmia microphylla). A. B. Clawson 182 12-22 Stock-poisoning plant—alpine kalmia (Kalmia microphylla). A. B. Clawson 184 113 1-14 sleepy grass (Triglochin maritima). C. D. Marsh, A. B. Clawson 184 114 1-20 Stomata, in wheat, behavior, relation to stem-rust resistance 186 49-58, 69, 71 Stomatitis, vesicular, comparison with foot-and-mouth disease 196 11, 117-137 Stone, W. E.: Biological and Ecological Factors in the Control of the Celery Leaf Tier in Florida. With E. D. Ball, J. A. Reeves, and B. L. Boyden 196 196 196 196 196 196 196 196 196 196		52	37-40
Stilpnotia salicis. See Satin moth. Stipa— spp., toxicity to livestock	design and construction	16	7-16, 34
spp., toxicity to livestock spp., toxicity spp.,	operation	16	
spp., toxicity to livestock vaseyi (sleepy grass) as a stock-poisoning plant. C. D. Marsh and A. B. Clawson Stitt, R. S.: The Desert Milkweed (Asclepias subulata) as a Possible Source of Rubber. With R. E. Beckett Stoa, T. E.: Experiments in North Dakota: Flax Cropping with Wheat, Oats, and Barley with Wheat, Oats, and Barley alpine kalmia (Kalmia microphylla). A. B. Clawson arrow grass (Triglochia maritima). C. D. Marsh, A. B. Clawson, and G. C. Roe Sleepy grass (Stipa vaseyi). C. D. Marsh and A. B. Clawson Stomata, in wheat, behavior, relation to stem-rust resistance. Stomatitis, vesicular, comparison with foot-and-mouth disease. Stone, W. E.: Biological and Ecological Factors in the Control of the Celery Leaf Tier in Florida. With E. D. Ball, J. A. Reeves, and B. L. Boyden Stoneberg, H. F.: The Productiveness of Corn as Influenced by the Mosaic Disease 10 114 1-20 113 24-36 82 12-22 133 24-36 82 12-22 133 24-36 82 12-22 133 24-36 82 12-22 133 24-36 82 12-22 133 24-36 82 12-22 133 24-36 82 12-22 133 24-36 82 12-22 133 24-36 82 12-22 133 24-36 82 12-22 133 24-36 82 12-22 133 24-36 82 12-22 133 24-36 82 12-22 133 24-36 82 12-22 133 1-10 114 1-20 133 24-36 82 12-22 133 24-36 114 1-20 133 24-36 114 1-20 24-36 153 1-10 24-37 39, 41, 43, 24-37 39, 41, 43,			
**vaseyi* (sleepy grass) as a stock-poisoning plant. C. D. Marsh and A. B. Clawson		114	1. 4
Marsh and A. B. Clawson 114 1-20 Stirt, R. S.: The Desert Milkweed (Asclepias subulata) as a Possible Source of Rubber. With R. E. Beckett 120 Stoa, T. E.: Experiments in North Dakota: Flax Cropping with Wheat, Oats, and Barley 133 24-36 Stock in mutual irrigation companies, study 134 24-36 Stock-poisoning plant— alpine kalmia (Kalmia microphylla). A. B. Clawson 1391 1-10 arrow grass (Triglochia maritima). C. D. Marsh, A. B. Clawson, and G. C. Roe 133 1-14 sleepy grass (Slipa vaseyt). C. D. Marsh and A. B. Clawson 144 1-20 Stomata, in wheat, behavior, relation to stem-rust resistance 156 Stone, W. E.: Biological and Ecological Factors in the Control of the Celery Leaf Tier in Florida. With E. D. Ball, J. A. Reeves, and B. L. Boyden 1-18 Stoneberg, H. F.: The Productiveness of Corn as Influenced by the Mosaic Disease 10 1-18 Stonewort, food of wild ducks in North Dakota 221 Stoneberg, H. F.: The Productiveness of Corn as Influenced by 10 1-18 3, 6-10, 24-27, 39, 41, 43,	vasevi (sleepy grass) as a stock-poisoning plant. C. D.	***	1-4
Possible Source of Rubber. With R. E. Beckett	Marsh and A. B. Clawson	114	1-20
STOA, T. E.: Experiments in North Dakota: Flax Cropping with Wheat, Oats, and Barley. Stock in mutual irrigation companies, study. Stock-poisoning plant— alpine kalmia (Kalmia microphylla). A. B. Clawson. alpine kalmia (Kalmia microphylla). A. B. Clawson, and G. C. Roe. Clawson, and G. C. Roe. Stomata, in wheat, behavior, relation to stem-rust resistance. Stomata, in wheat, behavior, relation to stem-rust resistance. Stomatitis, vesicular, comparison with foot-and-mouth disease. Stone, W. E.: Biological and Ecological Factors in the Control of the Celery Leaf Tier in Florida. With E. D. Ball, J. A. Reeves, and B. L. Boyden. Stoneberg, H. F.: The Productiveness of Corn as Influenced by the Mosaic Disease. Stonewort, food of wild ducks in North Dakota. Stonewort, food of wild ducks in North Dakota. Stoneberg, M. F.: The Productiveness of Corn as Influenced by 10 1-18 3, 6-10, 24-27, 39, 41, 43,	STITT, R. S.: The Desert Milkweed (Asclepias subulata) as a	450	
with Wheat, Oats, and Barley	Possible Source of Rubber. With R. E. Beckett.	472	1-20
Stock in mutual irrigation companies, study	with Wheat. Oats, and Barley	133	24-36
Stock-poisoning plant— alpine kalmia (Kalmia microphylla). A. B. Clawson	Stock in mutual irrigation companies, study		
Clawson, and G. C. Roe	Stock-poisoning plant—		
Clawson, and G. C. Roe	alpine kalmia (Kalmia microphylla). A. B. Clawson	391	1-10
Stomata, in wheat, behavior, relation to stem-rust resistance. 266 \ 49-58, 69, 71 Stomatitis, vesicular, comparison with foot-and-mouth disease. 76 \ 11,7-137 STONE, W. E.: Biological and Ecological Factors in the Control of the Celery Leaf Tier in Florida. With E. D. Ball, J. A. Reeves, and B. L. Boyden. 463 1-56 STONEBERG, H. F.: The Productiveness of Corn as Influenced by the Mosaic Disease 10 1-18 Stonewort, food of wild ducks in North Dakota 221 \ 3, 6-10, 24-27, 39, 41, 43,	Clawson, and G. C. Roe.	113	1-14
Stomata, in wheat, behavior, relation to stem-rust resistance. 266 \ 49-58, 69, 71 Stomatitis, vesicular, comparison with foot-and-mouth disease. 76 \ 11,7-137 STONE, W. E.: Biological and Ecological Factors in the Control of the Celery Leaf Tier in Florida. With E. D. Ball, J. A. Reeves, and B. L. Boyden. 463 1-56 STONEBERG, H. F.: The Productiveness of Corn as Influenced by the Mosaic Disease 10 1-18 Stonewort, food of wild ducks in North Dakota 221 \ 3, 6-10, 24-27, 39, 41, 43,	sleepy grass (Stipa vaseyi). C. D. Marsh and A. B.		
Stomata, in wheat, behavior, relation to stem-rust resistance. Stomatitis, vesicular, comparison with foot-and-mouth disease. Stone, W. E.: Biological and Ecological Factors in the Control of the Celery Leaf Tier in Florida. With E. D. Ball, J. A. Reeves, and B. L. Boyden	Clawson	114	
Stomatitis, vesicular, comparison with foot-and-mouth disease. Stone, W. E.: Biological and Ecological Factors in the Control of the Celery Leaf Tier in Florida. With E. D. Ball, J. A. Reeves, and B. L. Boyden	Stomata, in wheat, behavior, relation to stem-rust resistance.	266{	
117-137 Stone, W. E.: Biological and Ecological Factors in the Control of the Celery Leaf Tier in Florida. With E. D. Ball, J. A. Reeves, and B. L. Boyden		70	
of the Celery Leaf Tier in Florida. With E. D. Ball, J. A. Reeves, and B. L. Boyden		76{	
Reeves, and B. L. Boyden 463 1-56 STONEBERG, H. F.: The Productiveness of Corn as Influenced by the Mosaic Disease 10 1-18 Stonewort, food of wild ducks in North Dakota 221 3, 6-10, 24-27, 39, 41, 43,			
StoneBerg, H. F.: The Productiveness of Corn as Influenced by the Mosaic Disease 10 1-18 Stonewort, food of wild ducks in North Dakota 221		483	1_56
the Mosaic Disease	STONEBERG, H. F.: The Productiveness of Corn as Influenced by	100	100
Stonewort, food of wild ducks in North Dakota 221 $\begin{cases} 24-27, \\ 39, 41, 43, \end{cases}$		10	1-18
39, 41, 43,		ſ	
00, 11, 10,	Stonewort, food of wild ducks in North Dakota	221	
		{	

	cal Bull	
Storage— apples, arsenical injury and prevention————	No. 245	Page 3–8
Bartlett pears from Pacific coast districts, tests and recom-	240	10–19,
mendations		21–23, 26
dates, experiments	193	15-19
dates in California, behavior of fruit, experiments diseases of Bartlett pears from Pacific coast districts	193 140	1-2, 4-23 14, 16-25
dry lumber, practices	174	55
houses, types, effect on potatoes	117	8-12
mill cane. J. I. Lauritzen and R. T. Balch	449	1–30
before canning, effect on quality	196	33-34
effect on chemical and physical changes	196	15-25
effects on prices and supply	115	9–13, 33
potatoes— fusarium rot, inception and development factors.		
Freeman Weiss, J. I. Lauritzen, and Philip Brierlev	62	1-36
methods for rot control	62	31-34
use of fiber boxesquality of pears, relation to shipping conditions		8, 9, 10, 11
seed potatoes, comparative influence of different tempera-	140	22–23, 26
tures on weight losses and vitality. William Stuart,		• .
P. M. Lombard, and W. M. Peacock	117	1–18
Strasseria oxycocci, n. comb., technical description and dis- tribution	258	23-24
Straw—	200	25-24
flax, yield, relation to time of harvesting	236	15, 18–21
oat, value for wintering steers on northern Great Plains	192	2-13
saving in harvesting by combineuse as strawberry mulch	244 75	24 2
Strawberry (ies)—		_
acreage, commercial, by States, 1920-26	180	2-3, 6, 9- 14, 32-53
carload—	-551	14, 32–53
	1	3, 9, 14-
shipments, by States, 1920–26	180	22, 26–32,
unloads at 69 markets by State of origin, 1920-26	180	53-99 63-101
clon development	122	14-17
commercial varieties, distribution	180	22-24
crop—		
commercial, origin and distribution. J. W. Strow- bridge	180	1-104
commercial position, 1923–26	180	4-5
distribution of carlot shipments in United States	445	1-29
everbearing, runner and fruit production, investigations. G. F. Waldo	470	1-16
	403	00.00
hydrion concentration changes, study		40-40
photoperiodism, relation to rest periodplants, removal of runners, effect	453 122	28-29 24-26
preservation by frozen-pack method in Pacific Northwest	148	1-37
prices, market, April-May, 1931	445	7
production, 1920-26	180	3, 5-9,
Progressive, runner and fruit production, investigations	470	11, 14–15 2–14
runner(s)—		
and runner plants, development. G. M. Darrow	122	1-28
appearance, time ofplant, age, relation to runner production	122 122	7–8 17–24
removal, effects	122	24-26
seedlings, growth habits	122	
		29-33, 39- 42, 45-64,
shipment by motortruck in various sections	272	67-68,
		71-75

Strawberry (les)—Continued.	Technic	cal Bullet	ins
species, responses to duration of daily light period. Darrow and G. F. Waldo	G. M.	No. 453	Pag 1-32
transit diseases, effect of carbon dioxide		318{	2 , 8–21
transportation costs per quart to 10 markets		180	54-57 101-103
varieties— production of runners and runner-plants responses to duration of daily light period.	3 M	122	10-14
Darrow and G. F. Waldo		453	1-3
yearly average market production vield(s)—		180	12
in various sections		180	9-11
relation to age of runner plant Stream(s)—		122	20-24
bridge-construction survey channel(s)—		55	14-28
		55	17-22
movements, determinationobstructions by means of pile trestles		429	1-25
obstructions due to bridge piers		442	1-51
current velocity, determination		55	22-25
gradients, relation to erosion, study		55	26-29
velocity, relation to erosion and silting		184	2-4
velocity, relation to erosion and silting	xperi-	473	2-3
ments		207	11-12
Strongylidae, early stages, morphological data Strongyloides ransomi—		489	68-79
		437	27-28
control, suggestions description of stages, development, and characteristic	8	489	79-85
development in normal and other hosts		437	16-2 0
eggs, viability, effects of coldinfective larvae—		437	20–21
effect of environment		437	21-24
entry into hostpathogenicity to pigs, experiments		437	11-16
pathogenicity to pigs, experiments		437	27
preparasitic development		437{	2-11,
swine nematode, development, and behavior of its info		10.1	19–20
larvae. J. T. Lucker	300116	437	1-31
Strongyloididae, early stages, morphological data STROWBRIDGE, J. W.:		489	79-85
Origin and Distribution of the Commercial Potato C	rop	7	1-60
Origin and Distribution of the Commercial Straw	berry	180	1-104
CropOrigin, Distribution, and Market Price of the Comm			
Watermelon CropSTUART, DUNCAN:		398	1-60
Dairy Work at the Huntley Field Station, Huntley, M. 1918–1927. With T. W. Moseley and R. R. Grave	Iont., s	116	1-48
Work of the United States Dry-Land Field Station.	Ard-		
more, South Dakota, 1912 to 1925. With J. S. F. L. Kelso, E. Z. Russell, J. B. Shepherd, and	R. R.		
Graves STUART, L. S.: Microbiological Studies of Salt in Relati	on to	17	1–68
the Reddening of Salted Hides. With R. W. Frey and	L. H.		
James		383	1-24
STUART, R. Y.: Foreword to Selective Logging in the Northern Hards	vooda		
Foreword to Selective Logging in the Northern Hardy of the Lake States	10008	164	1-2
Introduction to Timber Growing and Logging and Tu	rper-	104	1-2
tining Practices in the Southern Pine Region		204	1-15
Introduction to Timber Growing and Logging Pract the Coast Redwood Region of California	ice in		0
the Coast Redwood Region of California		283	1-4

	ical Bulle No.	tins Page
STUART, William: Comparative Influence of Different Storage Temperatures	.10.	1 age
on Weight Losses and Vitality of Seed Potatoes. With P. M. Lombard and W. M. Peacock.	117	1–18
Shortening the Rest Period of the Potato. With E. R. Milstead	415	1-32
Source, Character, and Treatment of Potato Sets. With W. C. Edmundson, P. M. Lombard, and S. W. Dewey	5	1-36
plowing under for control of western grass-stem sawfly spraying for control of hessian-fly puparia	157 81	21-22 19-20
treatment for control of hessian fly Stumpage leases, value, trend in southern pine region	81 204	17-20 68-69
Sturmia— inconspicua, parasitism on gypsy moth	86	113-114
nidicola— ' introduction and colonization	86	132–133
parasitism on brown-tail moth	86{	131,
scutellata—	જી	133–134
colonization and observation foreign distribution and abundance	86 86	70–76 67–68
life history and habits	86	68-69
parasitism on gypsy moth	86{	63–65, 67, 75–76
Suberization, wound surfaces in Crambe maritima	151	11-14
Subsoiling, effect on cotton root rot, experiments————————————————————————————————————	43 6	16–17
as hay, silage, and pasture for dairy cattle. J. R. Dawson, R. R. Graves, and A. G. Van Horn	352	1-28
field experiments at West Point, Miss	419	17
field experiments at West Point, Miss growing experiments at Fort Hays Branch Station, Kans	410	41-52
irrigation in Southwest, water applied and crop yields	185	45–46, 67
SUDWORTH, G. B.: Poplars, Principal Tree Willows, and Walnuts of the Rocky Mountain Region	420	1-112
Sugar(s)—	120	1 112
beet, production—		
and consumption in Rumania	126	58-61
and exports in Bulgariaand foreign trade in Yugoslavia	126 126	111-112 161-164
in Hungary, 1909–28, survey	160	67-72
content of—		
Deglet Noor dates, determination	193{	5–7, 17–18
Jerusalem-artichoke	33`	23-24
industry— Government aid in Union of South Africa	466	302-304
in southern Africa	466	2, 291–312
kinds and sources	33	2-3
reducing, in hay, factor in spontaneous combustion Sugar beet(s)—	141	26–27
acreage, production, and—	•	00 101
exports in Bulgaria, statistics	126	99-101, 111-112
utilization in Rumania, statistics	126	31, 32, 33, 34,
avingation in learnants, evaluation		43, 58-59
utilization in Yugoslavia	126	161-164
curly top—causal organism, ecological study	206	1-113
resistance and tests of resistant variety U. S. No. 1. Eubanks Carsner	360	1-68

Sugar beet(s)—Continued.	Technical Bull	etins
growing— as feed crop, experiments	No. 416	Page 4-13
	1	5, 6, 10-
at Belle Fourche station, experiments	404)	11. 42 -4 3
at Huntley Field Station, experiments, 1927-30.		5, 8–13, 21–22
industry in Hungary, 1909–28, survey	160	67-72
irrigation in Southwest, water applied and crop yields leaf hopper—	185	40, 56
control on tomato plants	189	3-19
control studies		3-5
desert environment		5-66
distribution and limits of economic spread		87-105
ecological studies. Walter Carterenvironmental complex, study		1-115 100-110
host-plants	206	37-38
outbreaks, predictionpreoviposition period, factors affecting	206	66-87
preoviposition period, factors affecting	206	23-32
relation to host plants	206	32-52
winter environment and hibernation production and trade in France		58–66 91–94
variety U. S. No. 1—	01	91-94
commercial possibilities	360	64-67
development, strains and hybrids		5-10
resistance to curly top, experiments	360	10-59
yield, quality, and imperfectionsyields—	360	59–64
effect of manure and alfalfa on	483	3–12, 23–27, 35–37
in irrigated crop rotations in Montana	144	9-10, 15-16, 20-22, 31
influence of pasturing crops in rotations	4 83	33–35
irrigated rotation in Nebraska	2{	8, 13,
under irrigation, Pacific slope		18-19 46, 48, 52
Sugarcane—		
borer, parasites in Argentina and Peru, and their in duction into the United States. H. A. Jaynes.	itro-	1.07
deterioration in storage study	363 449	1-27 20-26
deterioration in storage, study growing and handling in Argentina and Peru	363	24
injury by moth borer irrigation in Southwest, water applied and crop yields	41	2-7
irrigation in Southwest, water applied and crop yields	185	42, 59, 65
losses from moth-borer infestation	41	2-4
control	41	37-73
description and history		12-37
description and history in the United States. T. E. Holloway, W. E. Ha	aley,	
U. C. Loftin, and Carl Heinrich	41	1-77
introduction, distribution, and food plants	41	8-10, 11-12
parasites	'	40-44
seed treatment for moth-borer control	41	67-71
storage, experiments	449	1-28
stored, chemical analysis, methods	449	5–7
Sulphate(s)— in irrigation water, bacterial reduction———— waters, action on concrete, laboratory and field t	448	122–125
D. G. Miller and P. W. Manson	358	1-80
Sulphides, aliphatic, efficacy as grain fumigants		43

Sulphur— compounds—	Technical Bul No.	letins Page
aliphatic, efficacy as grain fumigants	162	43-44
effectiveness against citrus rust mite		42-49 19, 48-50
content of phosphate rock, study	304	2, 4 0–30
deficiency, tobacco plant, symptoms	340	29–31, 35, 36, 37, 39,
dust, efficacy against insects, tests	4	40, 41 11-12
effects on citrus rust mites, experiments	176	1 49-04
use against fruit-tree mites	25	3-10, 15- 23, 26-27, 32-33
Sulphuric acid, effect on— germination of Ribes seeds	261	15–16
_	201	5, 7-8, 12-
waterleaf all-rag bond paper, tests	334	5, 7-8, 12- 13, 14, 15
Sun rays, effect on plum-curculio larvae in peach drops	188	33-34
Sunburn, of trees, cause of attack by Pacific flathead bore	ers 83	29-30
Sunflower(s)— growing—		•
dry-land experiments	17	29-30
dry-land experiments experiments at Fort Hays Branch Station, Kans.	410	90-92
for control of tomato yellows	189	4-5
silage, feeding to dairy cows, effect on milk productio Sunlight—	n 116	22–23
effect on—	070	
Bacterium pruni, experiments development of tomato yellows, tests	273 189	33 3–9
infective larvae of Stronguloides ransomi	437	22–23
larvae of swine kidney worm	405	9-10
reproduction of oriental peach motheffectiveness in control of mountain pine beetle, exp	183	5, 25
ments	195	1-19
Superphosphate, efficiency— effect of different colloidal soil materials on. P. L. Gile	371	1-50
factors affecting		23-28
SUTTON, J. G.:	•	
Cost of Pumping for Drainage in the Upper Mississ Valley	327	1-100
Design and Operation of Drainage Pumping Plants in Upper Mississippi Valley	the 390	1–60
Swallows, banding returns, 1923–26		75-76
Swan, mute, introduction into United States	61	9
Cereal Experiments at the Fort Hays Branch Stat		1 70
Hays, Kans., 1912 to 1923 Spacing and Date-of-Seeding Experiments with G	rain	1-56
Sorghums. With J. H. Martin, J. B. Sieglinger, D. Burnham, H. J. Clemmer, E. H. Coles, F. E. Keat). R.	
and W. M. Osborn	ung,	1-47
Swaziland, cattle industry		96–97
foot-and-mouth disease, outbreaks and control	76{	21-23, 156-157
wheats, production, and milling and baking qualities. Sweetclover—	197`	166–170
farming on Great Plains. M. A. Crosby	380	1-54
field experiments at West Point, Miss		17-18
growing experiments at Fort Hays Branch Station, Ka	ans. 410	68–79
Great Plains, disadvantages	380	50-51
San Luis Valley, Colorado inoculation cost and labor required, Great Plains	380 380	49–50 7

Sweetclover—Continued.	nical Bulle No.	etins Page
pasture and hay, Great Plains region	r	15-29,
pasturing with—	·	51-52
dairy cows at Belle Fourche station	454	19
sheep, experiments at Belle Fourche station		23
poisoning of cattle, study in Great Plainsrotation and tillage experiments in Oklahoma		28–29, 52 33
seed production and use for soil improvement		29-39, 52
seeding methods and cost, Great Plains	. 380	8-13, 51
stand, factors affecting on Great Plains use in Great Plains cropping systems	. 380 . 380	13-15 39-49, 52
Sweetpotato(es)—	. 300	00-40, 02
acreage in United States		2
alternaria rot, occurrenceblack rot—	. 99	73–74
description and causal organism	. 99	67-68
dissemination	. 99	27, 66
history, distribution, and importance		19–21 70–71
charcoal rot, causal organism and lesions crop-yield estimates, reliability		87-88
diseases and their control, monographic study. L. L.		
Harter and J. L. Weimer	. 99 . 44 5	1-118 4-29
distribution of carlot shipments in United Statesdry rot, description and causal organism		68-69
fasciation, types and cause	99	83-84
fertilizers for, investigations in North Carolina. J. J. Skinner, C. B. Williams, and H. B. Mann.	335	1-47
field diseases—	. 000	1 4.
cause and control	. 99	87-104
symptoms, causal organisms, and control	. 99{	5-62, 80- 85, 87-104
foot rot—	,	07 20
causal organism	. 99{	27, 30, 61, 70
history, distribution, and importance	. 99{	27–30, 61, 70
fumigation in storage		106–107
growing, farm practicesgrowth cracking, cause and varietal susceptibility	. 99 . 99	2-4 82-83
internal breakdown, pathology and cause	. 99	86-87
intumescence, causes and histology	. 99	84-85
irrigation, Texas, water applied and crop yieldsleaf—	185	56
blight, distribution, symptoms, and causal organism	. 99	56-57
description, causal organism, and control	. 99	6061
distribution and causal organism	. 99	57-58
mosaic, symptoms and cause mottle necrosis, history, symptoms, and causal organism	. 99 . 99	80-82 45-47
origin, theories	99	2
paper-mulched, vields	75	5 –6, 14
rhizoctonia rot, occurrence, symptoms, and causal organ- ism	. 99	50-53
ring rot, causes, symptoms, and infection		63-66
root rot— cause, control, and host varieties	99	7020 27
	•	79–80, 87 33–35, 87,
history, symptoms, and causal organism	້ຳ	100, 104
rootlet rot, cause and varietal susceptibility rust, distribution, stages, and parasite fungus		47-48
sclerotial blight—		59
geographical distribution and importance	. 99	48-49
symptoms and causal organismsclerotinia rot, causes		49–50 76
scurf, history, symptoms, and causal organism	99	36-38, 71

	hnical Bull No.	etius Page
seed— bed, preparation and management for disease contro		92-94
treatment for disease control		90-92
	070	29–33, 38, 47–53, 57,
shipment by motortruck in various sections	272	60-68
slip seeding, use in disease control	99	72, 75 94–95
soft rot, causes, symptoms, and infection	99	63-66
soil rot—		
history, distribution, and importancesymptoms, causal organism, and dissemination	99 99	40-42 42-44
stem rot. See Stem rot of sweetpotatoes.	00	72 77
storage—		(60 77
diseases, description, causes, and control	99	62-77, 86-87,
• • •		104-107
house, management and fumigationsun scald, occurrence and effects		105–107 85
surface rot, occurrence and causal organism	99	72
transportation and marketing diseases, causes and contro	1_ 99	78-79
varietal resistance to disease white rust, distribution, symptoms, and causal organism	99 99	97–103 53–56
Swifts, chimney, banding returns, 1923-26	32	40-41
Swine		
kidney worms— control, recommendations	405	15-16
eggs and larvae of, desiccation effects	- 405	10-11
infective larvae, longevity	405	4-8
infective larvae, migrations through and on soil as	405	12-14
Stephanurus dentatus, behavior of larvae, field as	ad	
laboratory studies. L. A. Spindlerlungworm(s)—	405	1–18
infestations, symptoms and lesions	456	35–38
parasitic in, life history. Benjamin Schwartz ar	ıd	
J. E. Alicátanematode(s)—	456	1-42
eggs, morphology, comparison with third-stage larva-	e_ 489	85-86
in, early developmental stages. J. E. Alicata	489	1-96
Strongyloides ransomi, development, and behavior its infective larvae. J. T. Lucker	oi 437	1-31
third-stage larvae, morphology, comparison with egg	s. 489	85-86
sanitation system— as developed by the Bureau of Animal Industry	: ~	
McLean County, Ill. H. B. Raffensperger and		
W. Connelly	. 44	1-20
in the South, effectiveness. E. M. Nighbert and W. Connelly	J. 374	1–15
W. Connelly Swingle, C. F.: Vegetative Propagation from the Standpoi	nt	1 10
of Plant Anatomy. With J. H. Priestley	. 151	1-99
Life History of the Oriental Peach Moth in Georgia. With	th	
O. I. Snapp	152	1-16
Petroleum Oils and Oil Emulsions as Insecticides, and The Use against the San Jose Scale on Peach Trees in t		
South. With O. I. Snapp.	253	1-48
Swinson, C. R.:		
Factors Influencing the Yield of Apples in the Cumbe land-Shenandoah Region of Pennsylvania, Virginia, and	r- nd	
West Virginia. With F. P. Weaver, A. J. Dadisma	n,	
J. J. Vernon, H. P. Gould, and J. B. Kincer	. 54	1–26
Region of Pennsylvania, Virginia, and West Virgini With J. J. Vernon, F. F. Lininger, F. P. Weaver, as	a.i.	
With J. J. Vernon, F. F. Lininger, F. P. Weaver, and J. Dedigman	nd	
A I Hadisman	994	1_51

Techn	ical Bulle No.	tins Page
Swiss Peasants' Union, growth, activities, and organization Switzerland—	101	45-56
agricultural— publications issued by cooperatives survey. Asher Hobson	101 101	60 1–64
agriculture, cost of production and net returns per acre cooperatives, kinds, organization, and activities	101	20_60
dairy industry, data	$101\{^{2}$	21-29, 38- 47, 58-62
federations, numbers and membership	101	56-57
foot-and-mouth disease, outbreaks and control	76{	24-26, 157-161
population, agricultural, classification	101	3-4
trade, foreign, 1906-26	101{	20-21, 27-29, 61
wheats, production, and milling and baking qualities Symphoricarpos vaccinioides, toxicity to sheep, experiments Synchytrium— endobioticum—	197 93	170–173 8–9
cause of potato wart	56	1
control experiments	56	8-12
infection of tomatoviability in dormant state	56 56	6–8 4–5
vaccinii, description, hosts, and distribution	258	12
Tachina larvarum—		
foreign distribution and abundance	86	111
introduction and colonization	86	112
life history and habits parasitism on brown-tail moth and gypsy moth	86 86	112 111, 112
Tachinids, parasites of gypsy moth, handling at laboratory	86	18-21
Taiwan, corn-borer districts and larvae shipments Tanbark oak, growing and value in California	455 1 283	l–6, 11, 3 <u>1</u>
Tanganyika—	200	•
cotton industry	466	278-282
livestock industrytobacco industry	466 466	120-121 254-255
Tangerine(s)—		
industry in southern Africa	466	186–187, 189, 211–213
stem-end rot, control by use of borax, study	488	1-32
Tank(s)— bulk-grain, types and costs———————————————————————————————————	287 285	11-14 80-81
transporting and handling. R. P. Hotis	243	1-24
washing and treatment to kill bacteria	243{	11-13, 20-22
railroad milk, description, use, and advantages	243	20-22 16-24
water, size and shape, effect on evaporation	271{	43-80,
Tankage, hardening effect on peanut-fed pigs, experiments Tanning—	110	93–94 3–12
extracts, repellency to Japanese beetle, experiments	299	9–10
sole leather, effect on wearing quality and other prop- erties. R. W. Frey and I. D. Clarke	169	1-17
TAPKE, V. F.: Field Studies on Resistance of Hybrid Selections of Oats to Covered and Loose Smuts. With T. R.		
Stanton and F. A. Coffman	422	1-10
TAPP, J. W.: Types of Farming in North Dakota. With F. F. Elliott and R. E. Willard	102	1-55
Tardus migratorius. See Myna, crested.		
Tare, cotton, determination in European markets	78{	26, 61, 83_84

Tech	nical Bulle No.	etins l'age
Tarnished bug, description, habits and control	_ 4	1-14 16-19, 23
agricultural, trends	172	4-7
property. Whitney Coombs readjustment, possibilities	172 172	1-75 67-73
Federal and State, of mutual irrigation companies	82	44-55
in Michigan, relation to forests		62-66 70-71
land, classification for assessmentssouthern pinelands, discussion		69-71
Taxes— agricultural, kinds paid————————————————————————————————————	172 172	1-3 7-12
1927, estimate by Statesindex numbers, 1880, 1890, 1900, and 1910–27land, relation to rent, by States	172 172	3-4
land relation to rent by States	$\frac{172}{172}$	12–31
relation to value of land	172	51-60
relation to value of landshifting of burden, discussion	172	61-65
on owner-operated farms, relation to income.	172	34-43
on owner-operated tarms, relation to income	172	67-74
Tier on C. C. Agriculture in Southern Africa	466	1-342
TAYLOR, C. C.: Agriculture in Southern Africa. TAYLOR, J. W.: Rate and Date of Seeding and Seed-Bed Preparation for Winter Wheat at Arlington Experiment Farm		
With C. E. Leighty TAYLOR, R. F.: Yield of Second-Growth Western Hemlock	- 38 -	1-20
Sitka Spruce Stands in Southeastern Alaska	412	1–30
Tedera, growing, experiments at Fort Hays Branch Station	410	90
TEELE, R. P.: Economic Status of Drainage Districts in the South in 1926. With R. D. Marsden TEESDALE, L. V.: The Kiln Drying of Southern Yellow Pine	194	1-48
Lumber	. 165	1-67
Telenomus alecto, parasitism on sugarcane borer, and range Temperature(s)—		19–20
bark of lodgepole pine, fatal to mountain pine beetle		4-19
California experimental vineyards, recordcotton leaf—	. 146	16
measurement, methods and apparatusrelation to transpiration, varietal differences, and	91 I	3 –8
yields. F. M. Eaton and G. O. Belden effect on—	. 91	1-40
Anastrepha ludens, experiments	. 400	1-17
bacterial wilt of corn, study		12-21
Bacterium pruni, study		34, 46
brashness of wood		33-34
citrus fruit in borax bath	•	12-13,
citrus oils, study		26-31 11-12
cranberry rot fungi	258	25-26
decay of white-pine slash	132	7-13, 14
decay of white-pine slashdevelopment and dispersal of boll weevil	112	41. 53
development of Angoumois grain moth	351	41, 53 28–30
development of sugar-beet leaf hopper	r	5, 6–31,
development of Trichogramma minutum	·	63–66 12–16
drillability of fertilizers		21-22, 88
effectiveness of calcium-arsenate treatment of cotton		21-22
eggs of Strongyloides ransomi	437	20-21
emergence of boll weevils from hibernation	486	21-22. 25

Temperature(s)—Continued. effect on—continued.	Technical Buli No.	etins Page
evaporation equipment	271	11-14, 27-28
fusarium rot of potatoes	62	9-10, 26-29
germination of Ribes, experiments		12–15, 30, 38–39
growth of grain sorghumsgrowth of yellow poplar		36 14–15
incidence of duck sicknessinfective larvae of Strongyloides ransomi	437	21–22, 25
natural phosphatesspore germination in <i>Plasmodiophora brassicae</i>	212 181	12-14 7-8
viscosity of cream	249	6-7, 9, 10-11,
effective for development of oriental peach moth in Jersey		14–15, 18 27–35, 36
factor in—	100	•
cold-pack preservation of fruit	148<	9, 11-17, 19, 20-29, 30, 31-34, 36-37
germination of lodgepole pine seed, study for extracting pine seed, effect on quality of seed		61–68 39–42, 50
in central Europe, effect on corn-borer infestation, 1	1878–	46-51
1927in lumber-drying kilns, control devices	165	50-52
in stables, maintenanceinfluence on—		42-44
absorption spectra of dyes		12-13
respiration rate of grains in storageintermountain region, records	256	9-10 6-8
ironing effects upon fabrics made from American up cotton. K. M. Downey and R. E. Elmquist		48-64
milk— comparison with temperature of foam————— measurement during pasteurization————————————————————————————————————		1-7, 11 2-4
New York City, effect on prices of fowl		4 4 40
of Madison, Wisconsin, summer months, 1853–1928 out-of-door, effect on barn ventilation	175` 187	48-50
pasteurizing, effect on viscosity of cream	249	6-7, 18
Florence, South Carolina, 1923–26for Twin Falls, Idaho, 1925–28	112 206	4–5 10–19
refrigerator cars, experiments with Bartlett pearsrelation to—		13–26
infection of barberries by Puccinia graminis, exments		13-15, 24-25, 34, 35
keeping of fruit in transit, experiments	318	1-57
ripening of tomatoes, experiments	268{	8-11, 33-34
yields of Acala cottonrequirements, forest species in the Southwest	247	30-35 123-124
response of sweet corn from planting time to car	nning	1 40
maturity. C. A. Magoon and C. W. Culpepper ripening-room, effect on canning quality of Bartlett p	ears_ 450	1-40 20-22 21-43,
Southwest, study	247<	116-120, 122-124, 134

	chnical Bulle	tins
storage— comparative influence on weight losses and vitality		Page
seed potatoes. William Stuart, P. M. Lombar and W. M. Peacock	a, 117	1-18
effect on Deglet Noor dates	193	15–19
effect on subsequent yields of cut seed potatoes. C. Wright, W. M. Peacock, and T. M. Whitema influence on keeping qualities of onions and oni	n. 394 on	1–20
sets. R. C. Wright, J. I. Lauritzen, and T. I. Whiteman	- - 4 75	1-38
influence on rest period and dormancy of potato R. C. Wright and W. M. Peacock influence on yield of potatoes	424	1-22 12-16
subfreezing, lethal to European corn borer infesting gre	en	
ears of sweet corn. C. H. Batchelder and D. D. Quest transit and storage, effect on ripening of pears	290	1-14 13-27
various, effect on storage and ripening of tomatoes. C. Wright, W. T. Pentzer, T. M. Whiteman, and D.	R. H.	1 05
Rose	268 101	1–35 8
Tenebrio— molitor, mature larva, technical description		25-33
obscurus, mature larva, technical description Tennessee	95	33–35
barley yields— 1922–26, by varieties	96	43-44
1927-31	446	46-47, 76
drainage channels, erosion and silting, study	184	29-41 2-16, 18,
strawberry industry, 1920-26	180	20, 31, 50-51,
Tents, muslin, construction and use in control of toms	uto (69–103
_ yellows	189	6-7
Tephritoides, new subgenus, type, description, and species Terminal associations, cooperative marketing of livestock	in	58-59
the United States. C. G. Randell	57 494	1-111 29, 30
Terns, banding returns, 1923-26	32	11-12
Tetrameres americana, description and development Tetranychus bimaculatus. See Mite, two-spotted.	 227	3-7
Tetrastichus sp., parasitism on pandora-moth eggs	137	17
barley vields—		
1922–26, by varieties 1927–31	96 446	44-46 47-48, 76
Cisco Reservoir, silt deposits, surveycotton—		39–40
ginning, legislation	13	10, 55-59
root-rot control, relation of fertilizers to. H. Jordan, P. R. Dawson, J. J. Skinner, and J.	V. Н.	
HunterGulf coast district, fall army worm in, studies. R.	A. 426	1–76
Vickery	138	1-64 2, 5, 69,
irrigation-district development	254	74, 75– 76, 86–87
Lake Kemp, silt deposits, survey		37 –39
Lake Worth, silt deposits, surveylogging in shortleaf and loblolly pine forests, study	382 375	30-37 1-52
Medina Reservoir, silt deposits, survey		20-30, 47-48
north-central, cotton-gin operation, practices and cos		
1924-25. J. S. Hathcock	13 439	1–60 15–16
San Antonio, cotton root rot as affected by crop rotat	ion	
and tillage. G. T. Ratliffe	436	1-31

Techn	cal Bul	letins
Texas—Continued.	No.	Page
San Antonio Field Station, soil and climatesoil types, response to fertilizer treatments	436 426	4-5 13-51
streams, silt load. O. A. Faris	382	13-31
Textiles. See Fabrics. Thallium—	002	
determination, qualitative and quantitative methods	238	3-4
medicinal uses and antidotes	238	10–12
occurrence and propertiespharmacology and use in rodent control. J. C. Munch and	238	2-3
James Silver	238	1-28
toxicity to bacteria, animals, and man	238	1 —10,
toniony to suctome, animally and animalling		[18-21
use in control of rodents, experiments	2 38	$ \begin{cases} 1-2, \\ 12-21 \end{cases} $
Thelyotoky, occurrence and importance among hymenop-	000	00.04
terous parasites Thermal death points of Anastrepha ludens, observations.	233	22-24
H. H. Darby and E. M. Kapp	400	1-19
Thermocouple, use in study of pasteurization of milk	18	2-4
THIBODEAUX, B. H.: An Economic Study of the Pecan Industry. With S. A. Jones, C. V. Childs, R. S. Washburn,		
try. With S. A. Jones, C. V. Childs, R. S. Washburn,	324	1 01
J. W. Park, and H. E. Rutland	324	1-91
basicola, cause of tobacco root rot	175	1-2
root rot— breeding tobacco for resistance to. James Johnson	175	1-20
infection of tobacco	175	2-3
Thladiantha dubia, roots, branching and adventive buds	151	49
Thomomus spp., list and geographic range	224	4-5
THOMPSON, W. R.: The European Corn Borer and Its Con-	59	1 49
trolling Factors in Europe. With H. L. Parker THORP, JAMES: Soil Survey (Reconnaissance) of St. Croix	99	1-63
Island, Virgin Islands	315	1-28
Thrasher(s)—		
banding returns, 1923–26	32 32	79-80
brown, banding returns, 1923-26	32	79-80 3 14-16
		3, 14–16, 18–20, 22–
Three-square, food of wild ducks in North Dakota	221	24, 26, 29,
	1	39-40, 43,
Threshing—	,	46, 51
costs in the Corn Belt, study	244	24-40
methods in the Corn Belt, comparison	244	12–24
Throscoryssa citri— infestations, comparison with that of Phyllochistis citrella.	252	11
occurrence, life history, and parasites	252	5-10
Thrushes—		
banding returns, 1923–26	32	85-86
European, introduction into United States	61	52
minutum	215	20
Thysanococcus—		
calami, n. sp., description of stages	404	139-143
chinensis, n. sp., description of stages new genus, description of stages and key to species	404 404	120-127 116-120
nandani n an description	404	127-135
spp characteristics	404	26
squamulatus, n. sp., description of stages	404	135–139
THYSELL, J. C.: Crested Wheatgrass as Compared with Brome-		
grass, Slender Wheatgrass, and Other Hay and Pasture Crops for the Northern Great Plains. With H. L. Westover, J. T.		
Sarvis, Leroy Moomaw, G. W. Morgan, and M. A. Bell	307	1–36

Ticks—	iical Bull No.	etins Page
cattle, carriers of foot-and-mouth disease	76	10
poultry, control, tests, by internal medication	60	4-9, 11, 12-13, 17-18
rearing, improved methodsvarious species, transmission of anaplasmosis. C. W. Rees_	418 418	1-18
'file— drainage—		
costs, comparison with open-ditch drainage installation and maintenance, costs large, economical use for land drainage. R. D. Marsden.	269 269 269	9–17, 24 2–9 1–24
Tillage—		
effect on cotton root rot at San Antonio, Tex. G. T. Ratliffe. experiments, Lawton (Okla.) Field Station, 1917-30.	436	1-31
W. M. Osborn	330	1-35
factors influencing yields and quality of dry-land wheat	329{	42–44 67–68
Timber(s)— air seasoning	174	47
air seasoning Alaska, production, export, and yield	226	5
columns, large, tests, and presentation of the Forest Prod- ucts Laboratory column formula. J. A. Newlin and	142	46-47
J. M. Gahagan	167	1-44 23-26
consumption in Michigan, 1910-20	92{	23-20 107-120
costs and returns to owners in Southwest and Black Hills region	480	75–78
full, production, necessary measuresproduction on southern pinelands, measures necessary_	480 204	49-78 73-111
cutting—	202	25–26, 28 29–30
effect on forest cover		
limits, computation	164	42–43 -35–38,46 49, 53–54
methods in the Northeast	166	58-62, 78- 79, 84-88
policies in West Virginia marginal lands	303	96-97 58-59
Douglas fir— decay indications	286	52
growth and yield tables	201	10-41
production in Oregon and Washington	201	1-8
yield tables, preparation technic	201	60-64
growing— and logging practice in Northeast. S. T. Dana and logging practice in southern Appalachian region.	166	1-112
E. H. Frothingham	250 250	1-93
for industrial needs, southern Appalachian forestsin coast redwood region of California. S. B. Showin Southwest and Black Hills region. G. A. Pearson	283	7-17 1-22
and R. E. Marsh	480	1-80
logging, and turpentining practices in southern pine region. R. D. Forbes	204	1-115
growth— in stands cut selectively, prediction——————	164	44
rates and volume, marginal lands of West Virginia	303	41-43
by selective logging	164	34-39
measures for southern Annalachians	47R	1_46

Timber(s)—Continued.	cal Bulle No.	tins Page
injury by western cedar pole borer	48{	1, 3-6,
joints, bolted, strength tests	332	13-14 1-32
loblolly pine, cutting, returns from different diameter	337{	11-14,
limits	ι	21-23
mine, from Alaska, tests	226	49-54 13-45, 49- 51-52
pine, cutting limits in the Gulf States	375{ }	51, 52
ponderosa pine, selectively cut, volume tablesproduction—	407	51-64
continuous, factors affectingin Northeast, problems involved	250 166	20-57 26-55
redwood, production requirements in California	283	12-20
removal in Michigan, quantity and value, prior to 1926	92	9-11
saw, yields, West Virginia marginal landssawing output data, analysis	303 355	43–47 7–21
second-growth, yield, stand, and volume tables	323	1-66
species, southern Appalachians—	0.50	
list relative value	$\frac{250}{250}$	87–89 25–30
stand(s)-	200	20-00
and volume tables, computation	142	41-44
characteristics, statistical analysis	142	44–46 40–46,
establishment and development	250{	86-87
standing— decay following fire in Mississippi Delta	494	1-31
pine-beetle infestation, relation to highway slash.	•	
J. E. Patterson strength—	3	1–10
and related properties, studies	479	1-99
variation, study	226	41–45
structural— classification according to grade	226	64-73
from Alaska, tests	226{	45-49,
use of white fir	408	54-63
		66-67 21-29,
supplies and needs in Michigan	92{	105-106
tests, glossary of terms	226	73 –75
in the Southwest, determination by climate and soil.	247	1-140
use in naval stores industry	298	1-57
utilization in North Carolina	337	23-28
volume-table preparation by alinement-chart method western—	304	1–28
hemlock, cut, supply, and value	139	46
larch, grades and values	285{	57-58, 71, 78
wind-thrown—		
decay, causes deterioration on Olympic Peninsula, Wash. J. S.		3-7, 24-27
Boyce fungi causing decay	104 104	1-28 24-27
losses, sources, and amount	104	6-23
working stresses—		
for structural material	158	23-28
in pounds per square inch vield tables—	226	75–77
application to spruce and fir	142	4-38
construction method and limitations	142	38-44
preliminary, for second-growth stands, California See also Pulpwood.	354	1–23

	cal Bulle	
Timberland(s)— handling by selective logging, recommendations——— holding costs in West Virginia marginal lands———— ownership in West Virginia, Nicholas and Webster	No. 375 303	Page 42-52 51-53
Counties southern Appalachians, distribution and condition Tinamous, introduction into United States Tiphia—	303 250 61	36–37, 40 6–7 7
agilis, importation for use as parasite	366 366 366 366 366 366 366 366	43, 44-45 43, 45-46 2, 43 43-44 5, 38-39 5, 41 2, 43 2, 42 5, 43
importation for use as parasite parasitism in China and Chosen matura, parasitism upon Popillia in India	366 366 366{	43, 46–47 43, 46–47 2, 34–
notopolita— alleni, importation for use as parasite———— parasitism upon Popillia in Far East———— ovidorsalis, importation for use as parasite—————	366 366 366	43, 46 2, 41–42 43, 45
popilliavora, parasitism upon Japanese beetle in Far East.	366{	2, 31– 33, 56
pullivora, parasitism upon Japanese beetle in India	366 308 366 366{	5, 39-41 1-25 43, 44 2, 33-
vernalis, parasitism upon Popillia in Far East	32	34, 56
Titmice, banding returns, 1923–26. Tits— banding returns, 1923–26. European, introduction into United States. Titus, H. W.: Comparison of Scabbed Barley, Normal Barley, and Yellow Corn in Diets for Laying Chickens. With A. B.	32 61	82 85 53
Godfrey Tobacco(s)—	435	1–10
breeding for resistance to Thielavia root rot. James Johnson cooperative associations, 1925	175 40	1-20 61-62
crop-yield estimates, reliability	311	80–83, 99–100,
cross-breeding, for resistance to Thielavia root rot	175	126-128 7-14, 16-20
cured, composition, effect of nitrogen supply on	414{	56–61, 71–72
cutworms— S. E. Crumb breeding methods	88 88	1–180 33–37
descriptive keys	88{2	26-29, 30- 31, 32- 33
distribution eggs and first-instar larvae larvae, anatomy larvae, coloration list of species and groups natural control parasites, classified list predators, classification and effectiveness environmental conditions, effect on resistance to root rot	88 88 88 88 88 88 88 175	3-6 29-31 7-26 6-7 2-3 38-52 40-41 46-50 2-6, 19

108048--87----15

Tobacco(s)—Continued.	ical Bull	
flue-cured, fertilizer tests. E. G. Moss, J. E. McMurtrey, Jr., W. M. Lunn, and J. M. Carr	No. 12	Page 1-59
growth, rate and type, relation of nitrogen supply to	414{	24–33, 65–66
industry in southern Africa	466	2, 215–258
leaf— catalase activity, study color and burning qualities, effect of nitrogen supply	414	51-53
on	414	32-33
market value, effect of nitrogen supply on	414{	22–24, 61–64
nitrogen— nutrition. W. W. Garner, C. W. Bacon, J. D. Bowling, and D. E. Brown	414	1–78
recovery and distribution	414	37-39
plant(s)— deficiency of certain essential elements, effects growth in solution cultures, distinctive effect of deficiency of certain essential elements on. J. E.	340	1-41
McMurtrey, Jr	340	1-43 33-56,
nutrition and metabolism, effect of nitrogen supply on_	414{	66-71
topping, high and low, effects on growth and meta- bolism	414	53-56
water and nitrogen relations	414	40-43
production—		95–96.
and exports of Bulgaria	126{	112–117
and trade in France and trade in Hungary, 1909–27, survey	37 160	96–99 72–75
consumption, and exports of Rumania	126	61-64
in east and south African countries	466	215-258
manufacture, and trade in Yugoslaviaroot-rot-resistant character, genetic behavior	126 175	164–167 7–14
seasonal resistance to Thielavia root rot	175	5-7
sprays, effectiveness against citrus rust mite	176	35-36
toxicity to corn borerTurkish, production in Union of South Africa	77 466	45-48 227-231
varietal resistance to Thielavia root rotwild—	175	3–6
(Nicotiana trigonophylla Dunal and Nicotiana at-		
tenuata Torrey) as stock-poisoning plants. C. D. Marsh, A. B. Clawson, and G. C. Roe	22	1-23
description and distribution	22	3–6
poisoning of livestock	22	1–22
canned, value in prevention of pellagra, experiments	333{	19–20, 25, 34
distribution of carlot shipments in United States	445	4-29
fertilization for control of yellows	189{	12–13, 14–15
growing on Newlands project	464	25
hydrion concentration changes, study	403	42-49
irrigation for control of yellowsirrigation in Southwest, water applied and crop yields	189 185	11–12, 13 46, 56, 59
planting time, effect on yellows infectionplants—	189	16–17
shading for control of yellows, experimentsspraying, for control of yellows	189 189	3–9 9–10
ripe, storage at various temperatures, effects	268{	15, 21– 22, 34
ripening—		<i>22</i> , 04
and storage, effect of various temperatures. R. C. Wright, W. T. Pentzer, T. M. Whiteman, and D. H. Rose	268	1–35
in storage, rates at various temperatures	; 268 {	13–15, 20, 28–24, 34

Techni	cal Bull	
Tomato(es)—Continued. seedlings, handling for control of yellows	No. 189	Page 17-19 (30-31,
shipment by motortruck in various sections	272	38–44, 47–53, 59–68,
shipped, ripening at various temperaturessoils, pre-irrigation, effect on development of yellowsstorage—	268 189	71–75 29–32, 34 13
and ripening, effect of various temperatures. R. C. Wright, W. T. Pentzer, T. M. Whiteman, and D. H. Rose	268	1–35
temperatures, effects on subsequent ripening	268	15–18, 24–27, 33–34
susceptibility to Synchytrium endobioticumwater received and crop yields in Columbia River Basin_vellows—	56 200	6-8 52
control experiments. Michael Shapovalov and F. S. Beecher resistant varieties, development	189 189	1-24 19-20
Tomoplagia— description and history————————————————————————————————————	401 401 226	32–33 33–34 2–4
Topography, relation to farm economy on marginal lands	303	17-20
Towhees, banding returns, 1923–26 Toxins, production by fungi, and effect on bees	32 149	73–74 23–27
Toxolrypana— curvicauda, description, host, and distribution——— description and history————————————————————————————————————	401 401	11-12 10-11
accomplishment on different operations, Corn Belt farms numbers in Union of South Africa, 1918-32use—	384 466	18–22 79
in harvesting grain sorghums	121	8, 18, 19, 20-21, 23, 24, 26, 28, 35 3-15,
on Mississippi and Arkansas Delta plantations	497	17–25, 26–29,
with combines and binders in Corn Belt	244	34–43 7–8,29–31
with combines on Great Plains	70	3, 13–15, 18, 21–29, 30, 52 7–30,
Traders, speculative, in grain futures, market position	79{	34-35, 37-49
Traffic, highway bridges, survey	55 286	66-67 23-26
cotton leaves, effect on temperature	91{	11–30, 34– 35, 36
leaf, factor in drought resistance of potatoes, losses in storage Transportation—	256	74, 79 3–5, 11–12
conditions, effect on shipping containers factor in livestock marketing fruits and vegetables, by motortruck, study motortruck—	171 237 272	4-5 17-19 1-88
motortruck— classification————————————————————————————————————	272 272 272 272 272	2-3 3-6, 28 28-58 84-86
<u>~</u> •		

Techni	cal Bulle No.	tins Poge
Trapping, beavers, for fur and propagation	21	Page 15–16, 23–28
Fraps—	•	
beaver, construction and use	21{	15–16,
light, use to collect moths of celery leaf tier	463	23-28
TRAUM, JACOB: Report of the Foot-and-Mouth-Disease Commission of the United States Department of Agriculture. With P. K. Olitsky and H. W. Schoening	-76 332	50 1–172 1–40
damage by Pacific flathead borer	83{	3-12, 28, 29, 33, 34
deciduous, growth and survival in shelterbelt experiments	ι	29, 33, 34
at Mandan, N. Dak., 1915–34. E. J. Georgeforest—	496	1-48
diseases, Southwest and Black Hills region	480{	35–36, 69–70
habits and requirements in Southwest and Black Hills		09-70
region	480	11-36
native to southern Appalachians, lists	476	41-43, 44
growth in North Dakota, factors affecting	496	4
hoppers— dissemination	402	35
eggs and nymphs, spraying experiments	402	38-42
injurious to fruit trees in Pacific Northwest, biology		
and control. M. A. Yothers	402	1-46
parasites and other enemies	402 402	36-37
preventive and control measuresornamental, growing at Huntley Field Station	353	38-42 47-49
rubber. See Rubbertrees.	000	1, 10
shade, pruning, time for, experiments	246	3-27
volume tables, preparation by alinement-chart method	304	1-28
water requirements in Columbia River Basin	200	23-25
wood formation, strength relations	479	40-47
and shellacking R P Marshall	246	1-29
wounds, callus formation, relation to season of wounding and shellacking. R. P. Marshall Trestles, pile, as channel obstructions. D. L. Yarnell	429	1-26
Triaspis curculionis, emergence from plum-curculio larvae in		
Georgia	188	77-80
Tribolium—	400	40.4
as a predatorbeetles, enemies	498 498	46-47 44-46
casianeum—	100	33-30
life history, comparison with T. confusum	498	23-43
synonymy and technical description	498	4–8
confusum—	400	00.46
life history, comparison with T. castaneum	498	23-43
synonymy and technical description	498 498	8-10 11-12
genus, flour beetles of. N. E. Good	498	1-58
history and economic importance	498	12-23
interrelation with other animals	498	44-47
madens, synonymy and technical description	498	10-11
materials infested by	498	20-23
spp.—	400	
synonymies and technical descriptions	498 498	2-12
synonymy and technical description	498	2-12
Trichoderma köningi, infection of sweetpotatoes	99	75-76

Trichogramma— Technic	al Bulle No.	tins Page
evanescens, parasitism on corn-borer egg	59{	17-18, 43, 47, 49, 55
minutum—	(47, 49, 55
life history in an open insectarylife-history study, method and apparatus	$\frac{215}{215}$	4-12, 20 2-4
parasite on sugarcane moth borer	41	41-43, 44
parasitism on celery leaf-tier eggs	463	40-41, 54
parasitism on pandora-moth eggsparasitism on southwestern corn borer	137	17 44–45
parasitism on sugarcane borer	388 363	21
Riley as an egg parasite of the oriental fruit moth, biological study. Alvah Peterson	215	1-22
two strains, comparison	215	1-22
Tricholyga segregata, parasitism on brown-tail moth	86	114
Trichomma cnaphalocrocis, parasitism on corn borer in Orient.	45 5	25
Trichostrongylidae, early stages, morphological data	489	51-67
Trichuridae, early stages, morphological data	489	47–51
ment- Triglochin maritima (arrowgrass) as a stock-poisoning plant.	489	47–51
C. D. Marsh, A. B. Clawson, and G. C. Roe.	113	1-15
TRIMBLE, C. S.: Keeping Quality of Butter Made from Cream	110	1-15
of Various Acidities. With William White and H. L.	159	1-8
Wilson Triphleps insidiosus, destruction of European red mite, and	100	1-0
description	89	58–60
classification	459	37-147
dicoccum. See Emmer.	-00	
durum. See Wheat, durum.		
monococcum. See Einkorn.	450	
species and subspecies, key	459	38
spp. See Wheat(s). spelta. See Spelt.		
vulgare. See Wheat, common.		
	200	2, 11–13, 56
Trophops clauseni, parasitism upon Japanese beetle in Japan	3007	56
TROWBRIDGE, E. A.:		
Beef from Calves Fed Grain before and after Weaning.	208	1-24
With W. H. BlackComparison of Grain Rations for Beef Calves before and	200	1 21
after Weaning. With W. H. Black.	397	1-16
TRUAX, T. R.: Gluing Wood in Aircraft Manufacture	205	1-58
Truck crops, adaptability to motortruck transportation	272	26-28
Truckmen—	272	1-14
carriers, practices and problemstrade and operating practices	272	8–18, 87
Trucks—	2.2	0 10, 01
for hauling bulk grain, costs and construction milk-tank—	287	14-15
kinds, capacity, and cost	243	2-3
use, advantages, and costs	243{	3–16, 23–24
,	ļ	26, 27,
use in milk delivery, efficiency	153	28–29,
See also Motortrucks.	Ĺ	34–35
Trupanea—		
(Euarestoides) abstersa, history, description, host, and dis-		
tribution	401	58
description and history (Trupanea) spp., history, description, hosts, and distribu-	401	52–53
tion	401	54-57
subgenera of, description, hosts, and distribution	401	53-59
(Tephritoides) subpura, description, host, and distribution.	401	59

Techni	cal Bulle	tins
Trypetid flies— economic importance	No. 401	Page 7
native, description and habits. F. H. Benjamin	401	1-96
Trypetidae, genera and subgenera found in Florida, key	401	8–10
Tsuga spp. See Hemlock. Tuberculina maxima, parasitism upon blister-rust fungi	87	39-40, 41
Tunis, wheats, production, and milling and baking qualities	197	179–182
Turkeys—		
infestation by— nematodes	49	1-2, 3
-	227{	3, 8, 9, 18, 21
Spiruroidea, study	ι	18, 21
investigations on Newlands projectwild, introduction into United States	464 61	33-34 10-11
Turnips, growing as feed crop, experiments	416	3–10, 13–14
Turpentine—	•	
American gum spirits of, fractionation, and evaluation of its pinene content by optical means. S. Palkinborer—	276	1-14
damage, control by low chipping	262	20
damage to southern pines, and control	204	104
habits and damagegum spirits—	298	45–46, 50
fractionation equipment, procedure and results	276	2-11
pinene content, evaluation by optical means	276	1-2, 5, 6- 7, 10, 11- 12
leases, value, trend in southern pine region	204	68-69
production, improvement through lower chipping woods, fire(s)—	262	2–23
causes and damage	204	26
protection, recommendations	204	35 –38
Turpentining—	298{	9–11,
dry facing, nature and results	ι	50, 51
low method, advantages, studypractice(s)—	262	2–23
effect on southern pinelands	204	58-64
experiments	298	1-57
improved, descriptionlogging, and timber growing in southern pine region.	204	96–100
R. D. Forbes	204	1-115
work, relation to stand and tree conditions	298{	32-45, 49-50
	}	
Typhlocyba pomaria, pest of apple in the Ozarks, study	263	3, 4, 6, 15–17, 24-
Typhiocyca pomaria, pest of apple in the Charles, study	200)	27, 29, 33- 34, 36
Typhlodromus oleivorus. See Citrus rust mite.	1	13–14,
Typhoid fever, infection from oysters, and control	64	16–17,
Udder troubles, dairy cows, relation to heavy cottonseed meal	,	35, 43, 68
feeding. R. P. Hotis and T. E. Woodward.	473	1-16
Uganda— cattle industry	466	122
cotton industry	466	284-291
sugar industry	466 344	311-312 84-85
Ultramicroscopes, description and use	344	o 4- 80

Te	chnical Bull	
Union of South Africa— agricultural characteristics	No. 466	Page 72-73
agricultural characteristics	400	$\begin{pmatrix} 12-18 \\ 2-12 \end{pmatrix}$
		21-95.
		122-129,
		132-205,
agriculture, studies	466	215–239,
	100	258-265,
·		291-304,
		312–320, 329–333,
		336–338
citrus fruit industry	466	186-205
corn industry	466	314-320
cotton industry	466	258–265,
deciduous fruit industry	1	(201-00#
tobacco production	466	135–163 219–239
tobacco productiontopography and climate, effect on wool production	124	56-58
wheat(s)—		
industry	466	330-333
production, and milling and baking qualities	197	182-187
wool production	124	55–68 26–37
United States—	(400	20-07
	1	9-16, 19,
soils, hydrogen-ion concentration, effect of air drying or	1 29 1{	26, 28,
wheat variation description and share staristics	197	40-41
wheat varieties, description and characteristics United States Dry-Land Field Station, Ardmore, South Dako	197 .ta	49-51
work, 1912 to 1925. J. S. Cole, F. L. Kelso, E. Z. Russe	ell.	
work, 1912 to 1925. J. S. Cole, F. L. Kelso, E. Z. Russ, J. B. Shepherd, Duncan Stuart, and R. R. Graves	17	1-68
•		11-25, 31,
Urea, mechanical distribution to soil	182	34-40,
Urosigalphus armatus, parasitism on chestnut curculios	130	72–73 15
Uruguay, wheats, production, and milling and baking qualitie		97-99
Ustilago—		
hordei. See Smut(s), covered, of barley.		
nuda. See Smut(s), loose, of barley.		
spp., effect on ripening of cereals, experiments zeae. See Smut(s).	266	62
Utah—		
barley yields—		
1922-26, by varieties	96	46
1927-31	446	48–49, 76
dry lands, wheat production, experiments. D. E. S phens, H. M. Wanser, and A. F. Bracken	te- 329	1-68
irrigation—	029	1-00
companies, mutual, discussion	82	33-34
	1	5, 54, 69,
district development	254{	70, 74,
Provo River, irrigation water, return flow	439	87-88 11-12
quaking aspen, pathology, study		4-33
soils, selenium content, study		21, 34-35
southern, timber growing and logging practices		1-79
Wasatch Plateau, herbaceous plant cover, influence	on	
surface run-off and soil erosion in relation to grazin C. L. Forsling	ng.	1-72
O. M. A CIOHER		. 12
Vaccination, of livestock, with anthrax serums, experiments.		1-15
Valsa delicatula, taxonomy and distribution	258	18–19

VANCE, A. M.:	ical Bull No.	etins Page
Apanteles thompsoni Lyle, a Braconid Parasite of the Euro-		_
The Biology and Morphology of the Braconid Chelonus annulipes Wesm., a Parasite of the European Corn Borer	233 294	1–28 1–48
The Corn Borer in Central Europe: A Review of Investi-		1-55
yan Horn, A. G.: Sudan Grass as Hay, Silage, and Pasture for Dairy Cattle. With J. R. Dawson and R. R. Graves	135 352	1-55
VAN LEEUWEN, E. R.:	90	1 05
Life History of the Codling Moth in Northern GeorgiaLife History of the Codling Moth in the Rogue River Valley of Oregon. With M. A. Yothers	255	1-95 1-35
Veal, kosher, prices, effect on prices of fowl Vegetable(s)—	107	44, 67–68
carlot— distribution, variations from year to year—————	445	21-25
shipments, by States, 1930	445	3 (10–11,
unloads, by markets, specified years	445<	16–17, 22–23, 26–27
cooperative associations, 1925growing—	40	40-44
on Newlands projectunder irrigation, experiments	464 454	24-28 37-38 (3-8, 10,
hosts of corn borer in New England	77 〈	19, 24, 29, 31, 32, 36, 38, 39, 44– 45, 47, 53,
inspection for corn-borer controlirigation—	53	22-26
in Southwest, water applied and crop yields	185	38, 40, 46, 52, 53, 56, 58, 59,
tank experiments, Sacramento-San Joaquin Delta market—	379	62–64 23–25, 58
distribution of carlot shipments in United States.	445	1 20
J. W. Parksupplies, fluctuations as measured by price	445	1-30 6-9
supplies, variations in composition	445	25-28
unloads per 100,000 population marketing and distribution by motortruck. Brice Ed-	445 272	14-20
wards and J. W. Parkoils. See Oils, vegetable.	212	1–88
paper mulching, experiments production, effect of motortruck transportation	75 272	5-7, 10-15 20-21
tolerance of boron	264	15
transit diseases, effect of solid and gaseous carbon dioxide upon. Charles Brooks, E. V. Miller, C. O. Bratley,	910	1 00
J. S. Cooley, P. V. Mook, and H. B. Johnson transportation by motortruck, study	318 272	1-60 1-88
water requirements in the Southwest	185	28, 29
Vegetation— herbaceous, restoration on watersheds, methods	220	67-68
on watersheds, influence on run-off and erosion Vegetative propagation from the standpoint of plant anatomy.	220	53–67
J. H. Priestley and C. F. Swingle VEITCH, F. P.: The Effect of Inorganic Acids on the Physical	151	1-99
Properties of Waterleaf Rag Bond Paper. With T. D. Jarrell and J. M. Hankins Velvetbeans—	334	1–16
field experiments at West Point, Miss growing in Canal Zone	419 94	17 10, 1 3, 3 0

	c a l Bulle	
Veneer	No.	Page
piling for air seasoning use in aircraft, preparation for gluing	174 205	48-49 20-22
Ventilation—		
barns, representative test	187 187	32–42 1–75
system, for barns—	107	F0 60
efficiency, factors affecting	187 187	53–63 42–53
operation, factors affecting Ventilators, grain, construction	6	29, 30
VERNON, J. J.: Factors Influencing the Yield of Apples in the Cumber-	Ū	20,00
land-Shenandoah Region of Pennsylvania, Virginia, and West Virginia. With C. R. Swinson, F. P. Weaver, A. J. Dadisman, H. P. Gould, and J. B. Kincer	54	1-26
Marketing Apples Grown in the Cumberland-Shenandoah Region of Pennsylvania, Virginia, and West Virginia. With C. R. Swinson, F. F. Lininger, F. P. Weaver, and		
A. J. Dadisman	234	1-51
Vesicular stomatitis, comparison with foot-and-mouth disease.	76{	11, 117–137
Vetch, hairy—	410	87-88
growing experiments at Fort Hays Branch Station, Kansturning methods in Southeastern States	367	22-26, 35
use in the Southeastern States	367	1-36
Veterans, disabled, settlements, establishment and records Vickery, R. A.: Studies on the Fall Army Worm in the Gulf	357	45-48
Coast District of Texas	138	1-64
Vine weevii, black, blology and control. F. F. Smith	325	1-46
California, phylloxera infestation as related to soil types cooperative-experiment—	20	1-38
in California, location, soils, and climatological data	146	2, 10-17
phylloxera-resistance work	146	17-25
reconstruction in California, early attempts	146	3–5
James ThorpVirginia—	315	1–28
barley yields—		
1922–26, by varieties	96	47-48
1927-31	446	50, 76
beef-cattle industry, economic factors affecting. C. A. Burmeister, H. M. Conway, and A. P. Brodell	237	1-66
Cumberland-Shenandoah region, apples grown in, market- ing. C. R. Swinson, J. J. Vernon, F. F. Lininger, F. P.	00.4	
Weaver, and A. J. Dadisman	234 172	1-51 26-27
farm taxation and rent, 1926	112	2-16, 18,
		21, 23-24,
strawberry industry, 1920–26	180₹	29, 51-55,
	l	69-81, 86-94
Virus. See under specific kinds.	`	00-01
Viscosity of cream, factors affecting. C. J. Babcock	249	1–20
Volume tables—		
forest-tree, preparation by alinement-chart method. L. H. Reineke and Donald Bruce	304	1-28 9-11, 19,
		21, 23, 24,
western white pine	323	30–53,
Wa ras-		(63–66
Wages— and perquisites of hired farm laborers. J. C. Folsom farm—	213	1-58
laborers, average by States, 1925	213 213	32 3–6
MUNICIS, ATTIMES DY DUBUCS, 1740	2.0	- 0

Techni	ical Bullet	ins Dogo
WAHLENBERG, W. G.: Investigations in Weed Control by Zinc Sulphate and Other Chemicals at the Savenac Forest Nursery WAKELEY, P. C.: Artificial Reforestation in the Southern Pine	No. 156	Page 1–36
RegionWaldo, G. F.:	492	1–115
Investigations on Runner and Fruit Production of Everbearing Strawberries Responses of Strawberry Varieties and Species to Duration	470	1–16
of the Daily Light Period. With G. M. Darrow WALKER, J. F.: Some Factors Affecting the Marketing of Wool in Australia, New Zealand, the Union of South Africa, Eng-	453	1–32
land, and France	124	1-94
black, gluing for aircraft construction, experimentsdichogamy, study	205 387	35-37 24-41
boron injury, symptoms	264	5–6
family relationships and generic characteristics	420	97–105 27–28,
irrigation in California, data	379{	65–69
leaves, boron content, determination	264 400	17-19
little, history, characteristics, occurrence, and longevity_of Rocky Mountain regionPersian—	420 420	98–102 97–105
abnormal, occurrence in California	387	49-50
blooming habits in California	387	2-5
boron injury, symptoms	264 387	5-6 5-24
pollination and blooming habits in California. M. N. Wood	387	1-56
setting, miscellaneous pollination, factors affecting	387	42-50
varieties grown in California, annotated list	387	50-53
varieties, interplanting for pollination purposes See also Walnut, English.	387	38-41
Rocky Mountain, key	420 270	98
yields under irrigation, southern California, 1927-31 WALTER, E. V.: Biology and Control of the Corn Leaf Aphid with Special	379	65–69
Reference to the Southwestern States. With V. L.	204	1 00
Wildermuth The Southwestern Corn Borer. With E. G. Davis, J. R. Horton, C. H. Gable, R. A. Blanchard, and Carl Hein-	306	1-22
rich WANSER, H. M.: Experiments in Wheat Production on the Dry	388	1-62
Lands of Oregon, Washington, and Utah. With D. E. Stephens and A. F. Bracken	329	1–68
beephens and A. F. Diacken	ິ້າໃສ	. 29 –32.
Wapato, western, food of wild ducks in North Dakota	į	3, 29–32, 4, 42, 45, 49
Warblers, banding returns, 1923–26	32	77
Warehouses, grain, effect on bulk handling	287	32–36
With W. H. Black and C. V. Wilson	217	1-44
With W. H. Black and C. V. Wilson————————————————————————————————————		
surface run-off and soil erosion in relation to grazing. C. L.	220	1 70
Forsling	220	1-72
An Economic Study of Broomcorn Production. With		
J. H. Martin An Economic Study of the Pecan Industry. With S. A.	347	1-42
Jones, V. C. Childs, B. H. Thibodeaux, J. W. Park, and	_	
H. E. Rutland Organization and Management of Apiaries Producing Ex-	324	1–91
tracted Honey in the White Clover Region. With G. E. Marvin	481	1-44

Washington—	ehnical Bul	letins
barley yields—	No.	Page
1922–26, by varieties	96	49-50
1927-31 Douglas fir forests, location and yield	446 201	50-51, 76 1-6 3
dry lands, wheat production, experiments. D. E. S	201 to_	1-00
phens, H. M. Wanser, and A. F. Bracken	329	1-68
farm taxation and rent, 1924–26	172	27-29
forests, western yellow pine, slash disposal. T. T. Mung	ger	
and R. H. Westveld	259	1-58
		(5, 55–56,
	054	63-64, 66-
irrigation-district development	254	67, 69, 72,
		74, 88–89, 91, 92
land-settlement, the White Bluffs-Hanford project	357	
• •	100	2-16, 19,
strawberry industry, 1920–26	1809	$ \begin{array}{c} 39-41 \\ 2-16, 19, \\ 24, 52 \end{array} $
timber, wind-thrown, deterioration on Olympic Peninsu	118.	
J. S. Boyce	104	1-28
western, Douglas fir decay and other losses. J. S. Boyo		1-60
Yakima River, irrigation water, return flow	439	4–5
Water— Brazos River, chemical composition, tests	382	52, 53
companies, domestic, interlocking, operation		32
delivery for irrigation—	0_	
costs	47	46-48
methods	47	7-24
organization	47	24-33
rules and regulations		
development, cost on ranges in Southwest	68	{ 27–29, 76, 97
duty as affected by regulations in Southwest		31-33
flow—	160	01 00
in drainage channels: Roughness coefficient n in K	ut-	
ter's formula, determination, results of experimen		
C. E. Ramser	129	
in flumes. F. C. Scobey	393	
in metal pipe, formulas for	150	8-11, 15- 19, 23-56,
in metal pipe, formulas for	100	97-99
in riveted steel and analogous pipes. F. C. Scobey.	150	
obstruction of pile trestles to, study		
obstructive effect of bridge piers, study		1–51
hot-		
insecticidal value for Japanese beetle and its effect	on F	
roots of nursery plants. W. E. Fleming and F.	. Е. 274	1-42
Bakeruse in sterilizing nursery plants, recommendations_		
irrigation. See Irrigation, water.		00 10
navigable, bridge-construction law	55	74-75
relation to crop yield in the Southwest	185	20-22
requirements—		
for irrigating cotton	72	26-37
in irrigation, conditions influencing	200 36	25–31 21–30
of crops in arid and semiarid landsof crops in Southwest	185	22-29
resources of Southwest	185	11-15
return from irrigation, ownership, policies governi	ng.	
W. A. Hutchins	 43 9	1-48
rights—		610 1 2 10
in commercial irrigation companies, regulations	1774	16-17, 18-
mutual irrigation companies, adjudication effects		\ 22, 30-31 21-22
valuation in commercial irrigation companies.		30-31
selenium content, examination		9-10
·		8-10, 17,
stress, effects on cotton plants, study in Arizona	392	₹ 22-23.
		25-30, 32

	rechnical Bull No.	ctins Page
supply— Arkansas and Missouri River Basins		14-15
influence of herbacous vegetation	200	
influence of herbaceous vegetation	220	65-67
San Joaquin Valley, study	448	23-27
surfaces, free, evaporation from. Carl Rohwer tolls, mutual irrigation companies, payment and value Waterfowl—		1-96 26-27
	411	07 40
species affected by western duck sickness, list	411	35-42
treatment for western duck sickness	411	68–73
See also Shorebirds.		
Watermelon(s)—	000	
acreage, yield, and production, 1922-31	398	1, 2-5
consumption, 1926-30 crop, commercial, origin, distribution, and market properties of the commercial commercial crops.		41-42
crop, commercial, origin, distribution, and market pr	rice.	
J. W. Strowbridge	398	1-60
distribution of—		
carlot shipments in United States	445	4-29
30,106 cars, 1931 market distribution, by months, 1926-30	398	29-34
market distribution, by months, 1926-30		8-28
shipment(s)—		
1922–31	398	5-8
	ſ	29-33, 38,
by motortruck in various sections	272⟨	47-53, 60-
	į	64, 67-72
supply—	•	•
and price, 1926-31	398	42-58
of seven markets, analysis	398	34-41
Waterways, bridge-construction survey	55	14-25
• • • • • • • • • • • • • • • • • • • •	ſ	12, 15,
Waxes, powdered, explosibility, studies	490∤	17-18, 21,
, , , , , , , , , , , , , , , , , , , ,	į	22, 23
Weather—		, , ,
conditions, effect on blowflies	80	13
data for Belle Fourche, S. Dak., 1908-32	454	2-5
effect on—		
activity of European red mite	89	14-15
activity of tobacco cutworms		50-52
citrus fruit in borax bath		26-31
drillability of fertilizers		17-22
growth of Acala cotton		46-48
gum yields in naval stores, experiments		8-9
reforestation of southern pines		76–77
resistance of Japanese beetle to hot water		16-18
survival and emergence of boll weevils from hibe		10 10
tion	486	20-21, 25
tobacco growing	12	6-10
growing season, relation to keeping quality of cranbers		38-40
in southern Great Plains, records for 1912–26		4-6
Weathering, effect on chemical composition of muscovite	101	4-0
		1-31
Weaver, F. P:	120	1-91
Factors Influencing the Yield of Apples in the Cumberla	and .	
Shapendach Pagion of Dannaylyania Virginia and V	Voot	
Shenandoah Region of Pennsylvania, Virginia, and V	V ESU	
Virginia. With C. R. Swinson, A. J. Dadisman, J.	. J. 54	1-26
Vernon, H. P. Gould, and J. B. Kincer Marketing Apples Grown in the Cumberland-Shenand	look	1-20
Design of Departments Vincinia and West Vincinia	ioan	
Region of Pennsylvania, Virginia, and West Virgi With C. R. Swinson, J. J. Vernon, F. F. Lininger,	ma.	
with C. R. Swinson, J. J. vernon, F. F. Lininger,	and	1 -1
A. J. Dadisman	234	1-51
Webb, R. W.:	7	
Introduction to A Study of the Raw Cotton and the Y		
and Sheeting Manufactured from Three Grades	10	
American Upland CottonThe Manufacturing Procedure and Some Properties of	406	1-2
The Manufacturing Procedure and Some Properties of	the	
Raw Cotton, Intermediate Products, Yarns, and I		
rics. With H. H. Willis	406	2-24

Webworm— bluegrass. See Bluegrass webworm.	nical Bul No.	letius Page
sod—	210.	
food plants and damage to crops	. 31	3-5, 8
larger. G. G. Ainslie	_ 31	1-18
larger, enemies and control	. 31	14-16
larger, life historylarger, systematic history and relationships	. 31	5-13 1-3, 13-14
Weed(s)—	. 01	1-0, 10-11
control—		
by paper mulch	. 75	2, 3, 14, 19
by zinc sulphate and other chemicals at the Savenac	C	
Forest Nursery, investigations. W. G. Wahlenberg.	- 156 - 156	1-36
in forest nursery, investigations eradication by growing Jerusalem-artichoke	_ 33	1-33 9
oracion of Browning relations in Monore		f 2, 18, 23,
growth, effects of mixed cropping	. 133	26-27, 30-
		l 33, 36, 46,
		4, 17–19
hosts of European corn borer in New England	. 774	24, 37–39, 42, 44, 47–
		54, 57-61
infestation by corn borer in central Europe	. 135	31-32
killing and treating, for corn-borer control	. 53	38-50
Weeding, forest seed beds, by chemicals, cost reduction	156	28-31
Weevils, resembling pepper weevil, list	. 447 . 274	16 33 –34
Weimer, J. L.: A Monographic Study of Sweet-Potato Dis	. 214 -	99-04
eases and Their Control. With L. L. Harter	. 99	1-118
Weiss, Freeman:		
Factors in the Inception and Development of Fusarium	1	
Rot in Stored Potatoes. With J. I. Lauritzen and	1 60	1 04
Philip Brierley Factors of Spread and Repression in Potato Wart. With	62	1-36
Philip Brierley	56	1-14
Philip Brierley WELLMAN, F. L.: Clubroot of Crucifers	181	1-32
Wells, O. V.: Farmers' Response to Price in Hog Production	ı	
and Marketing	_ 359	1-56
West Virginia— barley yields—		
1922–26, by varieties	. 96	50-51
1927–31	446	52, 76
Cumberland-Shenandoah region, apples grown in, market	-	•
ing. C. R. Swinson, J. J. Vernon, F. F. Lininger, F. P.		
Weaver, and A. J. Dadisman	. 234	1–51
Nicholas and Webster Counties— geographical characteristics and economic develop-	_	
ment	303	4-7
marginal lands, economic utilization. Millard Peck.		
Bernard Frank, and P. A. Eke	. 303	1-64
WESTOVER, H. L.: Alfalfa Experiments at Stoneville, Miss. With P. R.		
Henson	495	1-14
Crested Wheatgrass as Compared with Bromegrass, Slender	•	
Wheatgrass, and Other Hay and Pasture Crops for the	,	
Northern Great Plains. With J. T. Sarvis, Leroy Moomaw, G. W. Morgan, J. C. Thysell, and M. A. Bell		1 00
Moomaw, G. W. Morgan, J. C. Thysell, and M. A. Bell.	. 307	1-36
Experiments in Growing Roots as Feed Crops. With H. A. Schoth		1-15
Forage-Crop Field Experiments at West Point, Miss.	. 410	1 10
With T. F. Akers	419	1-20
WESTVELD, MARINUS: Reproduction on Pulpwood Lands in		
the Northeast	. 223	1-52
WESTVELD, R. H.: Slash Disposal in the Western Yellow Pine Forests of Oregon and Washington. With T. T. Munger	259	1-58
WETMORE, ALEXANDER: Our Migrant Shorebirds in Southern	, ພ ິງ ຢື ເ	1-08
South America	26	1-24

	ical Bulk	
Wheat(s)— absorptive factor in tests of fumigants————————————————————————————————————	No. 162	Page
acreage	102	2, 47–48
production, and exports of Bulgaria, statistics	126	99-105
production, and exports of Rumania, statistics	126{	24-34, 43-46, 48
production, and exports of Yugoslavia, statisticsproduction and trade, in Hungary, 1904–29yield, and production in specified countries, 1909–13,	126 160 197	147–152 24–43
1921–28 African, milling and baking qualities Asiatic, milling and baking qualities Australian, production, and milling and baking qualities	197 197 197	3–5 174–187 187–203 203–213
awnedness, inheritance study{	39 218	1-38 39-41, 43
bin-burned, studybreeding—	-10	3-9, 20-21
experiments at Davis, Californiafor resistance to hessian fly	39 81	1-38 22-24
for stem-rust reaction, experimentsfor winter hardiness and high yields. K. S. Quisen-	385	1–26
berry and J. A. Clark	136	1–28 1–37,
for winter hardiness and rust resistance, experiments.	218{	41-43
Canadian, milling and baking qualitiesclassification nurseries, location and workclub—	197 459	23-43 9-11
description and key to varietiesvarieties, description, history, distribution, and	459	128-129
synonymy coleoptile, color inheritance, study	459 218	129-134 37-38, 43 8-19,
collenchyma strands, relation to rust resistance, study	266	26-27, 30-43, 45-48,
combine-harvested, quality and condition	70	64-72 52-56
description and key to varieties varieties, description, history, distribution, and	459	39-44
synonymy cooperative marketing in western Canada crop-yield—	459 63	45–128 1–114
estimates, reliability	311	43–44, 46–60, 99–100, 117–120
under irrigation, Pacific slope, 1912–14cross-breeding, Minhardi winter and H-44 spring for	379	19, 49, 53
winter hardiness and stem-rust resistance	218	6–7 4–16.
crosses, awnedness, inheritance study	39{	21-22, 29-30, 37
durum— characteristics and key to varieties crosses—	459	137–138
correlation of characters. Pentad, Nodak, and Akrona, inheritance of stem-rust reaction and correlation of characters. G. S. Smith and J. A. Clark.	385 385	20-26 1-28
segregation of characters	385{	6-20,
infestation by western grass-stem sawfly	157	25-26 22
varieties, descriptions, histories, distribution, and synonymy	459	139-144
epidermis, structure and resistance to rupture by rust European, milling and baking qualitiesexports from United States, by classes, 1920–28	266 197 197	35–42, 65 99–173 57

	cal Bulle No.	
feeding to hogs— comparison of gains and feed consumption—————	413	Page 16–18
effects on physical and chemical composition of carcasses	413	22
freezing, studies with Minhardi $ imes$ H-44 hybrids	218	8-21, 25-27, 41, 42
futures— 1926 December, major transactions. J. W. T. Duvel		•
and G. W. Hoffman	79	1-52 4-17.
price movements, comparison with transactions trading—	79{	50-52
comparison with price, 1925–26extent, 1923–28germ, value in prevention of pellagra, experimentsgermination, effects of aliphatic fumigants, tests	199 199 333 162	37 2-5 19, 24, 33 47-48, 52
growing—	384{	53-54,
and harvesting, labor and power, use and cost	}	56-57 6, 16, 24-
at Belle Fourche station, experiments	454	25, 45–52 5–9, 16–
at Huntley Field Station, experiments, 1927-30	353	17, 26–27, 30–31
dry-land experiments	17{	9–20, 22–25
of numerous varieties, effect on bulk-handling prob-	287{	30-31, 32, 40
on soybean land	38	3–19
under irrigation	36	52-53, 77-78, 92-95, 98, 101, 106
growth habit, inheritance in crosses between Minhardi winter and H-44 spring	218	1–43
hard red winter, breeding for winter hardiness and high yield. K. S. Quisenberry and J. A. Clark	136	1–28
harvesting with combines— and binders in the Corn Belt	244	1-54
on Great Plainsheading time, experiments	70 218	1-60 35-37, 43
heat damage, preventionheat-damaged. D. A. Coleman and B. E. Rothgebhybrids—	6 6	25-31 1-32
inheritance studies	218	6–43 27–35,
reaction to black-stem rust, study	218{	42–43
winter survival in northern Great Plains, experiments.	136	8–28 19–20, 21–
yield and winter survival, correlation	l	22, 24–26, 27–28
importance as crop in far Westindustry in southern Africainfestation by—	329 466	1-7, 66 329-336
Angoumois grain moth, study in Maryland	351	2-12, 20- 23, 26-27, 32-33
hessian fly in Pacific Northwest inheritance of awnedness, yield, and quality in crosses between Bobs, Hard Federation, and Propo at Davis,	361	12–14, 21
Calif. J. A. Clark, V. H. Florell, and J. R. Hooker injury by hessian fly in California, extent and character	39 81	1-40 2-3, 7-10
irrigation in Southwest, water applied and crop yields	185{	38, 39, 42, 47, 53, 61
kernel, texture, study in crosses	39{	22–25, 30–32

	ical Bull	etins .
Wheat(s)—Continued. land for, preparation, experiments	No. 329	Page 11–42
leaf-rust— infection, types and reaction classes physiologic specialization, study	313 313	7–10 1–21
losses in harvesting and threshing, Illinois and Indiana,	244	21-24
marketing— cultural methods, and utilization in Rumania————	126{	38-39, 41- 42, 43-48
transactions in 1926 December future Mexican, production and milling and baking qualities milling—	79 197	1-52 43-47
and baking qualities, factors, determining experimental methods and apparatus in Hungary, extent	197 197 160	9-11 12-16 28-32
Minhardi winter and H-44 spring crosses, inheritance of winter hardiness, growth habit, and stem-rust reaction.	218	1-46
K. S. Quisenberry New Zealand, production, and milling and baking qualities	197	213–216
North American, milling and baking qualitiesplant—	197	20–78
structure and susceptibility to rust	266	6-30, 59-60, 63-64, 71
taxonomic and other characters, descriptionPolish, description, history, distribution, and synonymy	459 459	15-37 146
pools, western Canada	63{	37-91, 97-114
Poulard, characteristics and key to varieties	459	136-137
preparation for seed bed	38{	1-5, 10- 14, 17-19
price(s)—		•
changes and large net trade, 1926, important days	79	31–33, 37–45 4 –34,
changes in 1926, study	79{	5 0–52
fluctuations, June to December, 1926in five States, 1923-27in Hungary, 1922-28production—	79 133 160	4-7 5 26
and export, by countries, 1922–25	63 37 197	2-3 47-70 44, 48-51
periments. D. E. Stephens, H. M. Wanser, and A. F. Bracken	329	1-68
protein—	(26–32,
content in crosses, study	39{ 39	36, 38 29–32
resistance to— heat damagestem rust, effect of other diseases	6 266	24-25 60-62
stem rust, morphologic and physiologic studies respiration in storage ripening, delay due to smut infection, experiment	266 100 266	1-72 6, 9 62
rotation and tillage experiments in Oklahoma	ſ	6-7, 25- 27, 29-30,
seeding—	ι	34
depth, experiments on dry lands of far West	329{	58–60, 67, 68
rate and date, experiments on dry lands of far West spacing and furrow, experiments on dry landstime recommended for hessian-fly control	329 329 361	47-57, 68 60-66, 68 20

	ical Bulle	
Wheat(s)—Continued. shattering, resistance to, study in crosses	No. 39	Page 16–18
South American, milling and baking qualitiesspring—	197	78-99
cropping with flax, experiments	133	2-47 30-32,
experiments at Hays, Kans., 1912-23	14{	54, 55
sprouting, effect of varying concentrations of saltsstack-stained, studystarch—	346 6	37–39 12–24, 31
paste, physical properties, investigations preparation and use as sizing	284 108	1–16 3, 9–13, 27
stem rust— control by mixed cropping	133	2, 47
pustule formation	266	23, 30–35, 65, 66, 67,
reaction and correlation of characters, inheritance in	ι	68, 70
Pentad, Nodak, and Akrona durum-wheat crosses. G. S. Smith and J. A. Clark	385	1–28
reaction, inheritance in crosses between Minhardi winter and H-44 spring	218	1-43
stomatal behavior, relation to stem-rust resistance	266{	49–58, 69, 71
storage on the farm	6	28, 29
structure, effect of fertilizers	266{	43–49, 71–72
trading, transactions in 1926 December future	79 197	4-52
United States, milling and baking qualities varietal tests on Newlands project	464	52–78 19
varieties— classifications, foreign and domestic	459	2-9
descriptions, histories, and distributions	459	11-12
grown in United States, classification. J. A. Clark	459 459	1-164
nomenclature, code, changes, and registration resistant to hessian fly, study	81	13–15 20–24
rust resistance, causeswater—	266	58, 69–72
	ا ممم آ	35-36,
received and crop yields in Columbia River Basin	200{	40-41, 50, 51
requirements in Columbia River Basinwinter—	200	22-23
cercosporella foot rot, study	428	1-23
experiments at Hays, Kans., 1912-23	14{	12–30, 55, 56
hardiness, relation to growth habit, tests	218	25-27, 41, 42
seed-bed preparation	38	1-19
seeding, experimental resultsseeding rate and date, and seed-bed preparation at Arlington Experiment Farm. C. E. Leighty and	38	1-19
J. W. Taylor—world, milling and baking qualities. D. A. Coleman, O. L. Dawson, Alfred Christie, H. B. Dixon, H. C.	38	1–20
Fellows, J. F. Hayes, Elwood Hoffecker, J. H. Shollen- berger, and W. K. Marshallyield(s)—	197	1-224
in irrigated crop rotations in Montana	144	11-12, 14-15, 26-27, 31
northern Great Plainsunder different seeding conditions	45 38	11-12 6-19
under irrigated rotation in Nebraska	2{	9, 13, 20-21
108048—37——16	•	1

Wheatgrass-	l'echnical Bul	lletins
created—	No.	' l'age
adaptation and culturecomparison with other hay and pasture crops for northern Great Plains. H. L. Westover, J. T. Sa Leroy Moomaw, G. W. Morgan, J. C. Thysell,	the rvis, and	5–13
M. A. Bell	307	
composition and utilization experiments	307	
diseases and weed controlhistory, description, and characteristics		
seed, production and viability	307	
slender, comparison with other hay and pasture crops the northern Great Plains. H. L. Westover, J. T. Sa Leroy Moomaw, G. W. Morgan, J. C. Thysell, and M	s for rvis,	00 01
Bell	307 and	1–36
Efficiency of Fertilizers. With A. L. Mehring, W. H. R	coss, 485	1-27
and J. E. Adams White, William: Keeping Quality of Butter Made from Cr	eam	1-21
of Various Acidities. With C. S. Trimble and H. L. Wils	son_ 159	1-8
WHITEMAN, T. M.:		
Effect of Various Temperatures on the Storage and Ri ing of Tomatoes. With R. C. Wright, W. T. Pent and D. H. Rose	tzer.	1-35
and D. H. Rose Effect on Subsequent Yields of Storing Cut Seed Pota at Different Temperatures and Humidities. With F	t. C.	
Wright and W. M. Peacock. Influence of Storage Temperature and Humidity on K ing Qualities of Onions and Onion Sets. With R	394 eep- C	1–20
Wright and J. I. Lauritzen	475	
Whitetop, food of wild ducks in North Dakota	22 1	$ \begin{cases} 3, 30, \\ 32-40, 42, \\ 44, 45, 50 \end{cases} $
Whitewash, use against Pacific flathead borer, results WHITTAKER, H. A.: A Comparison of the Temperature Bacterial Count of Milk and Foam during Certain Stage the Pasteurization Process. With R. W. Archibald, Co.	and es of	30
Leete, and L. F. Miller	18	
WICKERHAM, W. R.: Electrical Equipment on Movable Brid	lges.	
With C. B. McCullough and A. L. Gemeny		$ \begin{array}{c} 1-114 \\ 3, 5-11, \\ 14-17, 24, \\ 26, 29, 41 \end{array} $
Widgeongrass, food of wild ducks in North Dakota		48
Wilcox, L. V.: Boron in Irrigation Waters. With C. S. Scofi Wilcox, R. H.: A Study of Ranch Organization and Methods of Ra		1–66
Cattle Production in the Northern Great Plains Reg With M. L. Wilson, G. S. Klemmedson, and V. V. P Costs and Methods of Fattening Beef Cattle in the C	gion. arr_ 45 Corn	1-92
Belt, 1919-1923. With R. D. Jennings, G. W. Col W. H. Black, and E. W. McComas	23	1-114
Aphid with Special Reference to the Southwestern Sta	ates. 306	1–22
WILLARD, H. F.: Parasites of the Pink Bollworm in Hawai		
WILLARD, R. E.: Types of Farming in North Dakota. V. F. F. Elliott and J. W. Tapp.	With	
WILLIAMS, C. B.: Experiments with Nitrogen Fertilizers on Cotton S With J. J. Skinner, R. A. Lineberry, J. E. Adams,	oils.	
H. B. Mann	452	1-28
Fertilizers for Sweetpotatoes Based on Investigation North Carolina. With J. J. Skinner and H. B. Mar WILLIAMS, F. M.: Comparison of Schedule and Acco	nn 335 o unt	1-47
Methods of Collecting Data on Family Living. With C Woodhouse	. G. 386	1-43

Technic	al Bulle No.	etius Page
Williams-Hazen formula, application to water flow in metal pipes.	ſ	9-10, 15, 16, 23-63, 97-99
Willis, H. H.: The Manufacturing Procedure and Some Properties of the Raw Cotton, Intermediate Products, Yarns, and		
Fabrics. With R. W. Webb	406	2–24
Bebb, history, characteristics, occurrence, and habitsblack, nomenclature, characteristics, occurrence, and	420	90–93
habitsDudley, nomenclature, characteristics, occurrence, and	420	53–56
habits	420	56-59
generic characteristics	420	48-97
Mackenzie, nomenclature, characteristics, and occurrence peachleaf, nomenclature, characteristics, occurrence, and	420	87-90
habits	420	59-63
red, nomenclature, characteristics, occurrence, and habits.	420 420	63-65 50-52
Rocky Mountain, keysandbar, nomenclature, characteristics, occurrence, and		
habits Scouler, nomenclature, characteristics, occurrence, and	420	74–80
habits	420	93-97
species found in North Dakota, annotated list	221	52-53
Toumey, nomenclature, characteristics, and occurrence	420	66-68
tree, principal, of Rocky Mountain region western black, nomenclature, characteristics, occurrence,		3-4, 48-97
and habitswhite, nomenclature, characteristics, and occurrence	420	69-74
white, nomenciature, characteristics, and occurrence	420 420	84-87 81-84
yewleaf, history, characteristics, occurrence, and habits Wilson, C. V.: Beef Production and Quality as Affected by Grade of Steer and Feeding Grain Supplement on Grass.		81-84
With W. H. Black and K. F. Warner Wilson, H. L.: Keeping Quality of Butter Made from Cream of Various Acidities. With William White and C. S.	217	1-44
Trimble Wilson, M. C.:	159	1-8
Extension Methods and Their Relative Effectiveness	106	1-48
Relative Costs of Extension Methods Which Influence Changes in Farm and Home Practices. With H. J. Baker. Wilson, M. L.: A Study of Ranch Organization and Methods of Range-Cattle Production in the Northern Great Plains	125	1-31
Region. With R. H. Wilcox, G. S. Klemmedson, and V. V.	45	1–92
WILSON, T. R. C.: Strength and Related Properties of Woods Grown in the		
United States. With L. J. Markwardt	479	1-99
Strength-Moisture Relations for Wood	282 362	1-88
Wilt, bacterial, of corn. F. V. Rand and L. C. Cash		1-31 11-18, 19,
Wilting, cotton leaves, relation to climatic conditions	91	24-26,
Wind— effect on—	·	34, 36
barn ventilation	187{	40-41,
	112	60-61 52
boll-weevil flightevaporation, laboratory and out-of-door studies	$\begin{array}{c} 112 \\ 271 \end{array}$	14-27
movement, effect on activities of sugar-beet leaf hopper	206	31
Southwest, records for 1909-21 Windbreak plantings, tests at Belle Fourche Experiment		58-60, 135
Windbreak plantings, tests at Belle Fourche Experiment		B
Station	454 104	31-35
Windows, barn, location, effect on ventilation	187	1-28 56-59
Windstorms, effect on germination of Ribes seeds	261	22-31
Wine, industry in Union of South Africa.	466{	139, 140, 157–162

Techni	cal Bulle	tins
Winslow, Carlile, foreword to Comparative Strength Prop-	No.	Page
erties of Woods Grown in the United States	158 488	1-2 1-32
WINSTON, J. R.: Reducing Decay in Citrus Fruits with Borax- Wintergreen oil, production and use	16	24-25
Wisconsin—		
barley yields—		
1922–26, by varieties	96	51-52
flax cropping in mixtures with wheat, oats, and barley,	446	52-53, 76
experiments	133	41-42
land resources, inventory and study	357	73–75
Witch-hazel extract, production	16	26
Wood, M. N.: Pollination and Blooming Habits of the Persian Walnut in California	387	1-56
Wood (s)→	00.	1 00
absorption of water and other liquids, study	248	6–15
air-drying rates and final moisture content, factors affect-	171	40.50
ingair seasoning. J. S. Mathewson	174 174	49–52 1–56
aircraft, effect of moisture content and variability	205	17-19
Alaska		
distribution and mechanical properties. L. J. Mark-	004	1 00
wardt mechanical properties, studies	226 226	1-80 22-77
American species, properties, comparison	158	5-13
bearing strength under bolts. G. W. Trayer	332	1-40
box and crate, description and nail-holding power	171	72–79
brashness, causes. Arthur Koehler	342	1-40
chemical compositioncommercial, nomenclature	342 479	35 94–97
comparative strength and shrinkage, computation method.	158	28-33
compression failures	342	27-31
consumption in—	151	100 101
manufacture of boxes and crates, 1928	171	129-131 23-26
Michigan, 1910–20	92{	107-120
container, distribution and classification	171	69–79
defects, effect on strength	479	64-74
drying, general principles	174 c	16-17 11-12, 15,
dust, explosibility, studies	490 {	18, 21, 22
electrical properties, effect of moisture content	248`	10-12
farm—	00	01 09
in Michigan, loss of revenues and supplies, discussion— management in southern Appalachians————————————————————————————————————	92 250	31-33 78-82, 85
• • • • • • • • • • • • • • • • • • • •	•	24-32,
fir, white, properties	408{	40–41
gluing in aircraft manufacture. T. R. Truax	205	1-58
grain, effect on strength grown in United States—	171	64, 66
comparative strength properties. L. J. Markwardt	158	1-39
strength and related properties. L. J. Markwardt and T. R. C. Wilson		
and T. R. C. Wilson	479	1-99
impregnation by pressure, studykiln drying, advantages over air seasoning	248 174	15–22 3
liquid(s)—	112	•
in, dynamic relationships	248	15-31
in, movement, study	248	24-31
relations. L. F. Hawley	$\begin{array}{c} 248 \\ 248 \end{array}$	1-35 5-15
systems, static relationshipslots, farm, value, and area in Michigan, 1920	92	32-33
moisture—	-	
adjustment formulas	282	9-13
behavior, discussion	165	3-4

Wood(s)—Continued. moisture—continued. Technic	-1 D. W.	
content—	cal Bulle No.	Page
	171	86
determination	174	4-6
effect on nail-holding power	171 171	13–14, 64 64
effect on strengtheffect on weight	158	19-20
for aircraft construction, effects and variability	205	17-19
study	282	1-87
variation	158	19-20
variation during air seasoningvariation, effects	$\frac{174}{248}$	12-16 22-24
$\mathbf{movement}_{}$	174	16-17
strength adjustment	479	50-57
nail-holding power, study	171{	13–14, 45–52, 64
properties	000	
descriptive termsmiscellaneous, tests	226 479	26-31
quality, relation to specific gravity	168	3-5
requirements, annual, in Michigan, by kinds	92	105-106
screw-holding power, study	171	52–55
shrinkage—		11-16,
during air seasoning, study	174{	24-27
tests, results	158{	6-13, 20-
•	1007	21, 28–33
southern white cedar, economic importance, physical characteristics, and utilization. W. D. Brush	251	36-74
species, use in aircraft, gluing surfaces, recommendations.	205	34-39
specific gravity—		
and weight, tests, results	158{	6-13,
control by application of silviculture. B. H. Paul.	168	19–20 1–20
	479{	8–9, 18,
determination and relationships	4195	30-31
relation to—	160	3–5
strengthvarious properties	168 343	3-3 17-22
strength relations, computation	158	29-30
stiffness, hardness, and shock resistance, tests	158{	6–13,
	100	22 –23
strength—	171	64-69
factors affecting	479	31-74
meaning and importance	479	3
meaning of term	158	5
moisture relations. T. R. C. Wilson	282 158	1-88 1-38
	٠	55-69,
properties, study	171{	98-103
tests, results	479{	4-17, 78- 94, 97-99
variation study	226	41-45
structure, relation to properties	479	32-36
tests for moisture-content valuestoughness, determination	$\begin{array}{c} 282 \\ 479 \end{array}$	13-45 24-26
use in aircraft, preparation for gluing	205	17-22
utilization, history and outlookvariability—	158	2–3
and variation, studies	479	17-21
nature and extent	158	34–37
weakness, factors affecting	342	8–9
weight(s)—	(61-64,
factor in box and crate construction	171	99 – 101
factors influencing	343	2-5
per square foot at various thicknesses	171	61 –64


	cal Bulle	
Wood(s)—Continued. western hemlock, comparison with other woods	No.	Page 7-8, 17-19
western larch, uses, relation to properties of wood white fir—	285	62-89
distinction from other woods	408	12-13
susceptibility to decay and insects, and treatment	408	32–33 47
Woodenware, cedar, manufacture Woodhouse, C. G.: Comparison of Schedule and Account	251	47
Methods of Collecting Data on Family Living. With F. M.		
Williams	386	1-43
Woodlands(s)—	•	49-51,
farm, consolidation and management, West Virginia	303{	56-57
types in the Southwest	247	5-6
utilization in Kentucky mountains	289{	47-59, 92, 97-98
Woodpeckers, banding returns, 1923-26	32	38-39
WOODWARD, T. E.:		
Heavy Cottonseed Meal Feeding in Relation to Udder	4770	1 16
Troubles in Dairy Cows. With R. P. Hotis Relation of the Method of Watering Dairy Cows to Their	473	1–16
Water Consumption and Milk Production. With J. B.		
McNulty	278	1-14
Seasonal Variations in Carrying Capacity of Pastures for Dairy Cows in Milk. With R. R. Graves	465	1-20
Some Results of Inbreeding Grade Guernsey and Grade	400	1-20
Holstein-Friesian Cattle. With R. R. Graves	339	1-32
Woodward, Okla., Dry-Land Field Station, broomcorn experi-	-1	1 00
ments. J. B. Sieglinger	51	1–32
Australian, classification	124	25–29
brokerage houses in Australia, functions	124	30-32
cooperative— associations	40	62-64
marketing in—	*0	02-04
Australia and New Zealand	124{	32–40,
	,	42–45, 55 70–72,
England and France	124	7 7, 78–80
France, methods and conditions	124	77–80, 82
New ZealandSouth Africa	124 124	52-55 66-68
foreign, market sales in England	124	72–73
growers, South African, governmental assistance	466	60-62
industry in southern Africa	466	2, 25–62
marketing in— Australia, methods and costs	124	29-45, 82
Australia, New Zealand, Union of South Africa, Eng-		20 10, 02
land, and France, some factors affecting. J. F.	104	1.04
Walker	124	1-94 68-73
England, factors and sales forms	124{	68-73, 82, 86, 92
New Zealand, factors and sales forms	194	52–55 , 80 ,
Southwest	68 L	83, 85-91 90
prices in Union of South Africa	466	55-57
production—	100	07.00
and export trade of Hungaryand foreign trade in—	160	95–96
Bulgaria	126	126-127
Rumania	126	65, 72-74
and industrial development in Franceand marketing in South Africa	37 124	151-153 55-68
factors, correlation	85	42-47
factors influencing, discussion	85	10-47
in Australia, history and factors affecting	124	3–29

*** • • • • •		
Wool—Continued.		
production—continued. Technic with range Rambouillet sheep, factors influencing.	al Bulle No.	tins Page
D. A. Spencer, J. I. Hardy, and M. J. Brandon	85	1-48
D. A. Spencer, J. I. Hardy, and M. J. Brandon South African, characteristics and marketing data	466	46-55
WOOTON, E. U.: The Public Domain of Nevada and Factors		
	3 01	1-52
WORK, A.: Studies of the Irrigation of Pear Orchards on		
Heavy Soil Near Medford, Oreg. With M. R. Lewis and W. W. Aldrich	432	1-34
Worms-	102	1-01
intestinal, in hogs, control by sanitation	44	1-18
meal. See Meal worms.		
Wormseed oil—		
American, production and use	16	28-30
Production and use	16	30
European Corn Borer 1917-26 With D. I. Caffrey	53	1-143
Wounds, healing, in Crambe maritima	151	11-18
Wrens, banding returns, 1923-26	32	80-81
WRIGHT, R. C.:		
Effect of Various Temperatures on the Storage and Ripen-		
ing of Tomatoes. With W. T. Pentzer, T. M. White-	268	1-35
man, and D. H. Rose Effect on Subsequent Vields of Storing Cut Seed Potatoes	200	1-30
Effect on Subsequent Yields of Storing Cut Seed Potatoes at Different Temperatures and Humidities. With		
W. M. Peacock and T. M. Whiteman	394	1-20
Freezing Injury to Potatoes. With H. C. Diehl	27	1-24
Influence of Freezing of Seed Potatoes on Viability and Yield. With W. M. Peacock and P. M. Lombard		
Yield. With W. M. Peacock and P. M. Lombard	119	1–11
Influence of Storage Temperature and Humidity on Keeping Qualities of Onions and Onion Sets. With J. I. Laurit-		
zen and T. M. Whiteman	475	1-38
Influence of Storage Temperatures on the Rest Period and	2.0	2 00
Dormancy of Potatoes. With W. M. Peacock	424	1-22
Preservation of Peaches for Use in the Manufacture of Ice		
Cream. With C. W. Culpepper and J. S. Caldwell	84	1-14
WRIGHT, SEWALL: The Persistence of Differentiation among _Inbred Families of Guinea Pigs. With O. N. Eaton	103	1-46
WRIGHT Act, purpose, provisions, and influence.	254	70-73, 90
Wyethia amplexicaulis, toxicity to cattle and sheep, disproval.	93	1-3
WYMAN, LENTHALL: Experiments in Naval Stores Practice	298	1-60
Wyoming—		
barley yields—	00	E0 E4
1922–26, by varieties	96 446	52-54 53-54, 76
1927-31 Black Hills region, timber growing and logging practices.	480	1-79
		5, 58-59
irrigation-district development	254	74, 89, 91
Medicine Bow area, temperature and precipitation	191	7
North Platte River, irrigation water, return flow	439	12-13
soils, selenium content, study	482	7, 21–27
Vandlandone		
Xanthaciura— description and history	401	43-44
description and historyspp., description, host, and distribution	401	44-46
Xanthophthalma concinnum, description of stages	404	157
Xanthopimpla stemmator, parasitism on corn borer in Orient	455	24-25
Xylococcinae, characteristics and keys to tribes, genera, and		0==0
Species	52	35–53
Xylococcini Cockerell, characteristics and keys to genera, and	52	40-48
species	86	119

Technical Bulletins			
Yarn(s), cotton—	No.	Page	
English markets, location and operation	69	6-8	
imperfections, study manufacture, procedure and equipment	396 406	1-17 4-6	
YARNELL, D. L.:	400	4-0	
Bridge Piers as Channel Obstructions	442	1-52	
Pile Trestles as Channel Obstructions	429	1-26	
Yeast(s)—			
dried, pure, efficacy in prevention of pellagra, experiment	333	20, 25, 34	
pathogenicity to honeybees, experimental results	1495	6, 32-33, 37, 39, 40	
	143	37, 39, 40	
Yellow poplar. See Poplar, yellow.	0.0	11 10 04	
Yellowlegs, migrants in South America. Yellows, tomato. See Tomato yellows.	26	11–12, 24	
Yothers, M. A.:			
Biology and Control of Tree Hoppers Injurious to Fruit			
Trees in the Pacific Northwest	402	1-46	
Biology of the European Red Mite in the Pacific North-			
west. With E. J. Newcomer	89	1-70	
Experiments for the Control of the European Red Mite			
and Other Fruit-Tree Mites. With E. J. Newcomer	25	1–34	
Experiments with Insecticides for Codling-Moth Control.	001	1 00	
With E. J. Newcomer	281	1-29	
Life History of the Codling Moth in the Rogue River Valley of Oregon. With E. R. Van Leeuwen	255	1-35	
Yothers, W. W.:	200	1-00	
Effect of Lead Arsenate Insecticides on Orange Trees in			
Florida. With R. L. Miller and I. P. Bassett	350	1-20	
The Citrus Rust Mite and Its Control. With A. C. Mason	176	1-56	
Young, A. A.:			
Irrigation Requirements of the Arid and Semiarid Lands of			
the Columbia River Basin. With Samuel Fortier	200	1-56	
Irrigation Requirements of the Arid and Semiarid Lands of	050	1 50	
the Pacific Slope Basins. With Samuel Fortier	379	1–70	
Irrigation Requirements of the Arid and Semiarid Lands of the Southwest. With Samuel Fortier	185	1-68	
Young, M. T.: Bollweevil Control with Calcium Arsenate on	100	1-00	
Field Plots in Madison Parish, La., from 1920 to 1934.	487	1-24	
Youngman, W. H.:			
Utilization and Cost of Power on Corn Belt Farms. With			
L. A. Reynoldson, W. R. Humphries, S. R. Speelman,			
and E. W. McComas	384	1-60	
Utilization and Cost of Power on Mississippi and Arkansas			
Delta Plantations. With L. A. Reynoldson, W. R.	407	1 47	
Humphries, S. R. Speelman, and E. W. McComas Yucca, use in protection of trees against Pacific flathead borer_	497 83	1-47 30-31, 35	
Yugoslavia—	00	30–31, 33	
agricultural situation	126	130-182	
area and physical conditions	126	133-135	
crops and corn-borer infestation	135{	5-6, 10,	
crops and corn-borer intestation	1995	13, 19–32	
land, utilization, tenure, and reform	126{	135–136,	
	ι	137-141	
population, characteristics, and racial strains	126	136-137	
transportation facilities and marketingYuma Field Station—	126	143–145	
Bard, Calif., Pima Egyptian cotton in irrigated rotations.			
S. H. Hastings and E. G. Noble	369	1-31	
Calif., climate, 1910–30	369	4-5, 28	
		_ 0, 20	
ZAUMEYER, W. J.: The Bacterial Blight of Beans Caused by			
Bacterium phaseoli	186	1-36	
•	138{	16, 17,	
Zele melleus, parasitism on fall army worm	1995	20, 21, 36	

•	Technical Bull	etias .
Zeller, J. H.:	No.	Page
Correcting the Inefficiency of Peanuts for Growth in With O. G. Hankins	110	1-12
Effect of Quantity and Kinds of Feed on Economy of C and Body Composition of Hogs. With N. R. Ellis Zenillia—	Jains 413	1-31
libatrix, parasitism on brown-tail moth and gypsy mot	sh 86	115
parasitism on corn borer		
parasitism on corn-borer larva	59	$\left\{\begin{matrix} 21-23, \\ 43-45, 47, \\ 55-56\end{matrix}\right.$
Zino—		-
chloride, efficacy in weed control, experiments in Sav Forest Nurserysulphate, efficacy in weed control, experiments in Sav	156	6–12
Forest Nursery	156	6-33
ZON, RAPHAEL: Selective Logging in the Northern Hardw of the Lake States. With R. D. Garver	700ds	1-47
electa, description, hosts, and distribution	401	19-20
new genus, technical description and history	401	17-18

:



THIS BOOK IS DUE ON THE LAST DATE STAMPED BELOW

AN INITIAL FINE OF 25 CENTS WILL BE ASSESSED FOR FAILURE TO RETURN THIS BOOK ON THE DATE DUE. THE PENALTY WILL INCREASE TO 50 CENTS ON THE FOURTH DAY AND TO \$1.00 ON THE SEVENTH DAY OVERDUE.

MOV 29 '58 12 1

LIBRARY, BRANCH OF THE COLLEGE OF AGRICULTURE UNIVERSITY OF CALIFORNIA 5m-8,'37(s)



Index .

LIBRARY, BRANCH OF THE COLLEGE OF AGRICULTURE, DAVIS UNIVERSITY OF CALIFORNIA

DOCUMENTS DEPT.



Digitized by Google

